# LBI-39017C

# MAINTENANCE MANUAL RF BOARD 188D5062G2 (403-440 MHz) 188D5062G1 (440-470 MHz) 188D5062G3 (470-512 MHz)

TABLE OF CONTENTS	
	Page
DECRIPTION	Front Cover
CIRCUIT ANALYSIS	1
Synthesizer	1
Receive Circuit	1
SERVICE NOTES	3
Transmit Circuit	3 3 3
Synthesizer Circuit	3
PA Module Replacement	4
PARTS LIST	5
PRODUCTION CHANGES	7
IC DATA	7
OUTLINE DIAGRAM	10
SCHEMATIC DIAGRAM	11

# DESCRIPTION

The RF Board for the MDX radio consists of the following circuits:

- A frequency synthesizer for generating the transmit carrier frequency and the receive circuit first mixer injection frequency
- The transmit exciter, PA and power control stages
- The receive circuit front end, IF and FM detector
- Voltage regulators

The 403-512 MHz range of UHF frequencies is covered by three groups of RF Boards:

- 1. 188D5062G2: 403-440 MHz
- 2. 188D5062G1: 440-470 MHz
- 3. 188D5062G3: 470-512 MHz

The RF Board is mounted in the bottom of the frame assembly. Refer to the Combination Manual for the mechanical layout of the radio. Figure 1 provides a block diagram of the receive and transmit circuits. Figure 2 provides a block diagram of the synthesizer.

Transmit circuit adjustments for frequency, power and deviation are accessible form the topside of the board, as are IF alignment, second oscillator and audio level adjustments for the receive circuit. Chip components on the bottom of the board provide optimum RF performance, while being accessible for easy servicing by removing the "friction fit" bottom shields.

Selected use of sealed modules permits small board size as well as RF and mechanical protection for sensitive circuitry. Modules are not repairable and must be replaced if they are determined to be damaged.

Ericsson Inc.

Private Radio Systems Mountain View Road Lynchburg, Virginia 24502 1-800-528-7711 (Outside USA, 804-528-7711)



Printed in U.S.A.

# **CIRCUIT ANALYSIS**

## SYNTHESIZER CIRCUIT

The synthesizer circuit generates all transmit and receive RF frequencies for the MDX Conventional mobile radio. This circuit uses a phase-locked VCO module (U201), feeding a doubler circuit to generate the transmit RF operating frequency.

While transmitting, the VCO operates at 1/2 the actual transmitter frequency (201.5-256.0 MHz to produce 403-512 MHz).

While receiving, the VCO operates at 1/2 the of the difference between the receive frequency and the 45 MHz IF (1179.0-2233.5 MHz for 403-512 MHz).

Transistor Q201 doubles the VCO output frequency with input and output filters broadly fixed tuned to allow the VCO second harmonic to pass, while rejecting all other frequencies. The doubled signal is amplified by Q201 to a level of +10 dBm. This signal feeds the receive circuit first mixer and is attenuated to +3 dBm by resistor R202 to feed the transmit exciter module.

The synthesizer frequency is controlled by a microprocessor located on the Audio/Logic Board. Frequency stability is maintained by a Temperature Compensated (X)crystal Oscillator (TCXO) module. The oscillator has a stability of  $\pm 2.5$  PPM (0.00025%) over the temperature range of -30°C to +60°C and determines the overall frequency stability of the radio.

The VCO output is also buffered by transistor Q204 to feed the divide by 128/129 dual modulus prescaler U205. The prescaler feeds the FIN input of Phase-Lock-Loop (PLL) U206. Inside of U206, the prescaled signal is further divided down to 6.25 kHz or 5 kHz to be compared with a reference signal. This reference signal is derived from the 12.8 MHz of TCXO module U204. PLL U206 divides the 12.8 MHz TCXO frequency down to the 6.25 kHz or 5 kHz reference frequency.

Divider circuits in U206 are programmed by three inputs from the Audio/Logic Board, which are buffered and inverted by transistors Q208, Q209 and Q210. The S ENABLE pulse (5 milliseconds) activates switch U202 to more rapid channel acquisition during channel changes. A LOCK DET signal from the PLL goes to the microprocessor for processing to prevent transmission when the VCO is not on frequency and to provide an error message to the user. During receive, an unlocked synthesizer is indicated by **SYN** LOCK displayed in the LED display and by a quick, pulsed alert tone. The microprocessor will continually try to reload the frequency information into the PLL until the synthesizer locks. During transmit, only a slower pulsed alert tone will be heard. Once unlocked in transmit, the synthesizer will not be reloaded. The transmitter PTT switch must be unkeyed and then keyed again to attempt to relock.

Audio modulation from the Audio/Logic Board is applied to the VCO module through **DEVIATION ADJUST** potentiometer R226. **VCO TUNE** potentiometer R218 adjusts the operating frequency range of the VCO by varying a negative bias from diodes D202 and D203.

Low frequency modulation is applied to TCXO U204 through **LOW FREQUENCY ADJUST** potentiometer R255.

# **TRANSMIT CIRCUIT**

The transmit circuit consists of a fixed-tuned exciter module, a 10 watt PA module, a PIN diode switch, a low pass filter, a directional coupler, a power control circuit and a transmit voltage switch.

## **Exciter Module**

Figure 1 shows the synthesizer driving the receive mixer at +10 dBm and is attenuated by resistor R202 to +3 dBm for driving the exciter input. Exciter module A102 operates from a switched 8 volt supply. A different exciter module is required for each of the three band splits. No tuning is required . Both input and output ports operate at 50 ohms impedance. The exciter module provides typically 20 dB of gain and 200 mW of output power to drive the power amplifier module.

## **Power Amplifier Module**

The PA module U101 requires a drive of 200 mW from the exciter module to deliver up to 10 watts of power output. The module is mounted to the rear heat sink. The PA module output drive the 40 watt PA Board through connector J103. The power control circuit controls the PA module output power.

# PIN Diode Switch, Low Pass Filter and Directional Coupler

The output from the 40 watt PA Board feeds transmit PIN diode switch D104 through J102. In transmit, switched 8 volts is applied through inductor L102, turning on PIN diodes D104 and D401. The DC path is completed through resistors R401 and R420 with the bias current set at about 40 mA. Diode D104 couples the PA Board power from J102 to low pass filter A101. Diode D401 provides an RF path to ground to protect the receiver input.

The lowpass filter reduces the harmonic output from the transmit circuit. The low pass filter feeds the directional coupler, W101 and W102. The directional coupler provides a sample of transmit power for the power control circuit. The coupler output feeds antenna jack J101.

## **Power Control Circuit**

The Power control circuit samples the output power to the antenna to maintain a constant power level across the band. Also, a thermistor senses the heat sink temperature to reduce the power output level above 70°C. The circuit controls the supply voltage to one of the amplifier stages in PA module U101.

Directional coupler W101 and W102 provides a sample of transmit power to diode D101. Diode D101, resistor R106 and capacitor C104 produce a positive DC voltage proportional to the transmit output power level. This DC level feeds the (-) input of amplifier U103-B. Power Set potentiometer R111 and temperature sensor U105 along with buffer U104 determine the DC level to the (+) input of U103-B. Amplifier U103-B amplifiers the difference between the (-) and (+) inputs, forcing the output power level to equal the power set level by varying the drive to transistors Q102, then Q101. Transistor Q101 supplies the control voltage to PA module U101. For example, if the output power level begins to drop below the power set level, the output of U103-B increases positively, causing Q102 to conduct less. The base of Q101 rises, increasing the control voltage to the PA module, which increases the output power level back to the desired set level.

Transistor Q104, capacitor C123 and resistor R105 improve the transient stability of the power control loop when the transmit circuit is keyed.

# LBI-39017

## **Transmit Switch**

During transmit, the Audio /Logic Board microprocessor pulls the DPTT line low causing the output of amplifier U103-A to go low. Transistor Q103 turns on to supply SW 8V to the exciter module, the power control circuit and the PIN diode switch. During receive, the output of U103-A supplies 12 volts to receive circuit RF pre-amplifier transistor Q401.

## **RECEIVE CIRCUIT**

The dual conversion receive circuit consists of a front end section, a 45 MHz first IF circuit and a 455 kHz second IF circuit with an FM detector circuit. All audio processing and squelch functions are accomplished on the Audio/Logic Board.

## **Front End Section**

RF is coupled from antenna jack J101 through the directional coupler and the low pass filter to PIN diode D401. In transmit, **SW 8V** is applied through inductor L102, turning on PIN diodes D104 and D401, with the DC path completed through resistors R401 and R402. Diode D401 provides an RF path to ground for the receive input while in transmit. In receive, D401 is off, allowing RF to pass by D401 unattenuated.

Receive front end filtering is provided by RF filters Z401 and Z402. Both filters are fixed tuned, 3-pole, helical filters with 20 MHz bandwidths. These filters do not require tuning unless a different 20 MHz segment of the band split is required. RF amplifier transistor Q401 is a common emitter circuit with 15 dB of gain. Inductor L402 and capacitors C405 and C406 provide a broad band match from Z401 to the transistor input. Diode D402 protects the amplifier from high input signal levels. Inductor s L403 and L404 plus the associated capacitors provide a broad band impedance match from the amplifier output to RF filter Z402.

Test Point TP401 is a 50-ohm point for measuring front end gain or to align the receive circuit to another segment of the band split. The front end gain from antenna jack J101 to TP401 is typical 10 dB.





Figure 1 - TX And RX Block Diagram

Figure 2 - Frequency Synthesizer Block Diagram



Mixer Z403, is a doubly balanced diode mixer. This mixer is driven by a local oscillator signal of +10 dBm or greater to provide a good inter modulation performance, spurious performance and local oscillator isolation. The mixer conversion loss is typically 6 dB.

## 45 MHz IF

The first 45 MHz IF amplifier transistor Q501 is a junction FET operated in the common gate mode. This configuration offers a typical input impedance of 75 ohms. The output circuitry is turned by inductor L504 and loaded to provide the proper source termination for the four-pole crystal filter which follows.

The output of the crystal filter is matched by second IF amplifier transistor Q502. This port is also tuned by inductor L506 and loaded to provide the proper filter termination. Transistor Q502 is a dual gate FET operation at a bias current of about 10 milliamps. The output of Q502 is tuned by inductor L507 for maximum gain at 45 MHz and is loaded by the 2nd mixer in the U501 chip. This O502 stage has a relatively high input and output impedance and provides high isolation within the active device.

## **Converter/IF/Detector IC**

The IF IC, U501, is a MC3361 chip. Pins 1 and 2 connect to an internally biased oscillator transistor. The external circuitry of this oscillator transistor includes crystal Y501 and forms an oscillator circuit operating at 45.455 MHz. The frequency of this third mode oscillator is adjusted by inductor L508. The 45 MHz IF signal is translated to 455 kHz and appears at Pin 3 of U501. This IF signal is filtered by 6-pole ceramic filter Z503 and drives the internal 455 kHz amplifier and limiter. The limited 455 kHz, in turn, drives an internal quadrature detector. The phase shift network needed by the quadrature detector is provided by inductor L509. The audio output port is Pin 9 on U501. Inductor L509 is adjusted for maximum audio output level. The audio signal at Pin 9 is filtered by resistor R512 and capacitor C519 to reduce IF feed through. Buffer amplifier Q503 drives audio potentiometer R513. This allows a VOL/SQ HI signal of which the amplitude may be set for proper system operation using R513.

## **Power Distribution**

UN switched 13.8 Volts (A+) is supplied to the RF Board through connector J704 and feeds power control transistor Q101 and PA module U101.

Switched 13.6 Volts (A+) is supplied to the RF Board through connectors J702 and J705 and feeds regulators U102, U207 and U502. Regulator U102 supplies 8 Volts to the transmit switch, synthesizer 5 volt regulator U203 and the Audio/Logic Board through connector J702. Regulator U207 supplies 8.5 Volts to the synthesizer. Regulator U502 supplies 8 Volts to the receive circuit.

# SERVICE NOTES

## **TRANSMIT CIRCUIT**

Most transmit circuit problems can be isolated by checking the TX power gains shown in Figure 1- RX and TX Block Diagram. The 40 watt PA Board may be bypassed by placing a jumper cable between J103 and J102 on the RF Board. The PA module U101 is capable of producing 10 watt output

## **Transmit DC Measurements**

- 1. First ensure that DPTT is low when the microphone PTT is keyed low.
- 2. Check for approximately 8 Volts at L105 feeding the Exciter Module. If not present, troubleshoot the TX switch circuitry, TX Switch transistor Q103 and U103.
- 3. Check for approximately 7 Volts across resistors R401 and R402. If not present, check the PIN diodes D104 and D401 and the conduction path from R401 to Q103.
- Check for an adjustable voltage of 0 to 12 Volts on Pin 2 of PA module U101. At maximum power, with Power Set adjustment R111 fully clockwise, Pin 2 should be at 12 Volts. If not present, check the power control circuitry (U103, Q101, Q102 and Q104).
- 5. Check for 13.6 Volts on Pins 3 and 4 of PA module U101 and ensure a good mechanical and electrical ground from the PA module to the bracket and casting.

# **RECEIVE CIRCUIT**

To isolate a receiver circuit problem refer to the Receive Circuit Symptoms and Checks chart as follows:

SYMPTOMS		
No Audio	1.	U502 regulator.
	2.	The level and frequency o
	3.	The level and frequency o
	4.	Quadrature detector circui
	5.	Quadrature detector coil to
Poor SINAD	1.	Consult Figure 1 - RX and troubleshoot. NOTE: Use TP401. A 50-ohm probe n or Z402 without sweep eq sharply reduced.
	2.	Input cable.
	3.	PIN Diode switch is short
Distorted Audio	1.	Both mixer injection frequ
	2.	Quadrature detector coil to
	3.	Crystal filter source and lo
	4.	Z503: 455 kHz ceramic fi

## **RECEIVE FRONT END TUNING**

Each receive front end has been preset to a fixed 20 MHz segment of each split. To adjust the front end for another 20 MHz segment of the split, a sweep tuning procedure will be required to maintain the necessary bandwidth.

- 1. Apply a sweep signal generator (or tracking generator) with markers set for the desired 20 MHz bandwidth at antenna jack J101.
- 2. Measure the RF signal at TP401 with a high impedance RF probe. A 50-ohm RF probe may be used at TP401 if coupling capacitor C415 is removed (If damaged, C415 may be replaced by a short piece of hookup wire).
- 3. Connect the RF sweep detector/display (or spectrum analyzer) to the RF probe.
- 4. Tune the slugs of Z401 and Z402 for the required 20 MHz bandwidth. Ripple will be 1 dB to 2 dB typical.

LBI-39017

## CHECKS

of the first mixer injection frequency.

of the second mixer injection frequency.

iit.

tuning.

nd TX Block Diagram for RX stage gains and a high impedance RF probe when measuring gain at may be used if C415 is removed. DO NOT adjust Z401 quipment or the 20 MHz sensitivity bandwidth will be

ted.

uencies.

tuning.

load tuning.

ilter.

Reduce the RF input level, if necessary, to keep O401 out of saturation and protection diode D402 off. The filter response will not change at lower RF input levels if the front end has been tuned up correctly.

# SYNTHESIZER CIRCUIT

# **DC** Analysis

An 8.5 Vdc is supplied by regulator U207 and serves as the biasing voltage for transistor circuits Q204, Q206, Q207, Q208, Q209 and Q210. Resistor R207 decouples the 8.3 volts for use in VCO module U201. The 10 milliamp current drain of this module results in approximately 6.5 Vdc on Pin 4. Transistor Q201 also draws approximately 25 milliamps, resulting in a collector voltage of 3.7 Vdc at the junction of resistor R204 and capacitor C201. Lack of VCO RF output will modify this voltage.

Regulator U203 uses the 8 volts from transmit regulator U102 to generate 5 volts for U204 and U205.

## Wave forms

Wave forms associated with the synthesizer were measured with a 10 meg-ohm, 30 pF probe. Use DC coupling (see Figures 3-8).




Figure 3 - REFERENCE OSCILLATOR Input To U206, Pin 2)




Figure 4 - Fin (Input to U206, Pin 10)

The top of the ramp is approximately 0.8 Vdc greater than the control voltage on PD out, Pin 17. A channel in the center of the band is shown.




Figure 5 - RAMP (Generated in U206 and appears on Pin 15)




Figure 7 - S CLOCK (Input to U206, Pin 11) (Radio in SCAN on a single channel)

When expanded, data can be seen to be changing as two different bit patterns are loaded




Figure 8 - S DATA (Input to U206, Pin 12) (Radio in SCAN on a single channel)

## **Module Isolation**

## **Reference Oscillator U204:**

Look for a wave form similar to the reference (Figure 3) on Pin 2. If wave form is not present, the oscillator module is probably defective.

### VCO U201:

Connect a DC power supply to Pin 3. With 2.5 Vdc on Pin 3, the output of U201 (Pin 5) should be approximately 197 MHz. With 6.5 Vdc on Pin 3, the output should be approximately 212 MHz. These values are correct for the 440-470 MHz split, with the ranges 179-194 MHz and 212-233 MHz being correct for the lower and upper split, respectively.

Power output of the VCO can be measured by connecting a coax directly to the module, between Pin 5 and ground. The output should be approximately 0 dBm with capacitor C237 still connected in the circuit. In transmit, a negative bias should exist on Pin 1. If not present, check transistors Q202, Q203 and capacitor C206 before removing the VCO.

### Prescaler U205:

Connect Pin 3 of the VCO to 4.5 Vdc. With the radio in receive, monitor the frequencies of the VCO at the connection of capacitor C210 and resistor R211. DC short Pin 1 of U205 to ground to cause divide by 129 to occur. The frequency output at Pin 3 should be the VCO frequency divided by 129. Tie Pin 1 to Pin 7 (5 volts) to cause divide 128 to occur. check Pin 3 to verify that this occurs. Improper division may indicate a defective prescaler.

### **Bilateral Switch U202:**

The bilateral switch is used to short around parts of the loop filter during channel scan. A shorted (to ground or adjacent gate) gate may be isolated by comparing voltages through the loop filter to those of a functioning radio. Defective gates might be suspected when the radio does not change frequency quickly enough.

#### Phase-Lock-Loop U206:

There are no other specific checks which aid in evaluation of U206. Usually, it is suspected only if all other checks are OK. Before changing, inspect chip components for mechanical damage and check resistance through the loop filter.

# **Transistor O201:**

After checking for proper DC operation, measure the frequency and gain from the VCO, Pin 5 to R202/C203. the gain should be approximately 10 dB at 2 times the VCO frequency.

# **PA MODULE REPLACEMENT**

# **To Remove PA Module U101**

# **To Install PA Module U101**

- ment module.
- 3. screws.

1. Unsolder the five leads from U101, using either solder removal braid, or a mechanical de-soldering tool. These leads are fragile and can be bent very easily. DO NOT unsolder the shield that wraps around the module.

2. Remove the RF Board from the radio chassis assembly. Refer to the disassembly procedure provided in the Service Section. Carefully slide the module out of the shield and away from the board.

1. Apply some silicone grease to the metal side of the replace-

2. Carefully insert the five leads from the module into the five corresponding printed wire board holes and slide the module into the shield. DO NOT solder the leads yet.

Slide the RF Board assembly back into the radio frame. Reinstall all hardware, harnesses, cables, etc. Replace all

4. Install the two PA bracket screws before soldering the four modules leads. Trim excess wire.

RF BOARD 188D5062G2 (403-440 MHz) 188D5062G1 (440-470 MHz) 188D5062G3(470-512 MHz) Issue 3

A102   TRANSMIT EXCITER BOARD 19C851643G1 - 403-440 MHz 19C851643G2 - 440-470 MHz 19C851643G3 - 470-512 MHz CAPACITORS     C1   19A702061P17   Ceramic: 470pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.     C3   19A702061P13   Ceramic: 12pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.     C3   19A702061P13   Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2).     C3   19A702061P13   Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2).     C4   19A702061P13   Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2).     C4   19A702061P13   Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2).     C5   19A702061P61   Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2 and 3).     C5   19A702061P10   Ceramic: 4.7pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2 and 3).     C6   19A702061P10   Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2 and 3).     C7   19A702061P12   Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2 and 3).     C7   19A702061P17   Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2 and 3).     C7   19A702061P17   Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2 and 3). <td< th=""><th>SYMBOL</th><th>PART NO.</th><th>DESCRIPTION</th></td<>	SYMBOL	PART NO.	DESCRIPTION
C1 and C2     19A702061P77     Ceramic: 470pF, ±5%, 50 VDCW, temp coef 0 ± 3 0 PPM/°C.       C3     19A702061P17     Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 1).       C3     19A702061P13     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2).       C3     19A702061P13     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 3).       C4     19A702061P13     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 1).       C4     19A702061P11     Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2) and 3).       C5     19A702061P61     Ceramic: 4.5pF, ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2) and 3).       C6     19A702061P10     Ceramic: 4.7pF, ±5%, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2) and 3).       C6     19A702061P10     Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C7     19A702061P11     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C7     19A702061P11     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C7     19A702061P17     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C7     19A702061P12     Ceramic: 8.2pF ±0.5pF, 50 VDCW,	A102		19C851643G1 - 403-440 MHz 19C851643G2 - 440-470 MHz
and C2 $0 \pm 3 \ 0 \ PPM/^{\circ}C.$ C3     19A702061P17     Ceramic: 12pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/^{\circ}C (Used in Group 1).       C3     19A702061P13     Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/^{\circ}C (Used in Group 2).       C3     19A702061P13     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/^{\circ}C (Used in Group 3).       C4     19A702061P13     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/^{\circ}C (Used in Group 1).       C4     19A702061P11     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 50 PPM/^{\circ}C (Used in Group 1).       C5     19A702061P41     Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/^{\circ}C (Used in Group 1).       C5     19A702061P45     Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/^{\circ}C (Used in Group 2 and 3).       C6     19A702061P40     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/^{\circ}C (Used in Group 2 and 3).       C7     19A702061P10     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/^{\circ}C (Used in Group 2 and 3).       C7     19A702061P12     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/^{\circ}C (Used in Group 2 and 3).       C7     19A702061P77     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/^{\circ}C (Used in Group 2 and 3).       C8     19A702061P77     Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/			CAPACITORS
0 ± 30 PPM/°C (Used in Group 1).       C3     19A702061P13     Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2).       C3     19A702061P11     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 3).       C4     19A702061P13     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 1).       C4     19A702061P11     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2, and 3).       C5     19A702061P61     Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2, and 3).       C6     19A702061P15     Ceramic: 5.6pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2, and 3).       C6     19A702061P10     Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C7     19A702061P10     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2, and 3).       C7     19A702061P12     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2, and 3).       C8     19A702061P17     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2, and 3).       C8     19A702061P17     Ceramic: 8.2pF ± 0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).	and	19A702061P77	
$\begin{array}{ccccc} \pm 30 \ {\sf PPM}^\circ C \ (Used in \ Group 2). \\ \hline & \\ C3 & 19A702061P11 & Ceramic: 6.8pF, \pm 0.5pF, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 60 \ {\sf PPM}^\circ C \ (Used in \ Group 3). \\ \hline & \\ C4 & 19A702061P11 & Ceramic: 6.8pF, \pm 0.5pF, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 60 \ {\sf PPM}^\circ C \ (Used in \ Group 1). \\ \hline & \\ C4 & 19A702061P61 & Ceramic: 6.8pF, \pm 0.5pF, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 30 \ {\sf PPM}^\circ C \ (Used in \ Group 2) \ and 3). \\ \hline & \\ C5 & 19A702061P45 & Ceramic: 100pF, \pm 5\%, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 30 \ {\sf PPM}^\circ C \ (Used in \ Group 2) \ and 3). \\ \hline & \\ C6 & 19A702061P45 & Ceramic: 5.6pF, \pm 0.5pF, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 60 \ {\sf PPM}^\circ C \ (Used in \ Group 2) \ and 3). \\ \hline & \\ C6 & 19A702061P10 & Ceramic: 5.6pF, \pm 0.5pF, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 60 \ {\sf PPM}^\circ C \ (Used in \ Group 2) \ and 3). \\ \hline & \\ C7 & 19A702061P19 & Ceramic: 8.2pF, \pm 0.5pF, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 60 \ {\sf PPM}^\circ C \ (Used in \ Group 2) \ and 3). \\ \hline & \\ C7 & 19A702061P11 & Ceramic: 8.2pF, \pm 0.5pF, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 60 \ {\sf PPM}^\circ C \ (Used in \ Group 2) \ and 3). \\ \hline & \\ C7 & 19A702061P11 & Ceramic: 6.8pF, \pm 0.5pF, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 60 \ {\sf PPM}^\circ C \ (Used in \ Group 2) \ and 3). \\ \hline & \\ C8 & 19A702061P17 & Ceramic: 8.2pF, \pm 0.5pF, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 60 \ {\sf PPM}^\circ C \ (Used in \ Group 2) \ and 3). \\ \hline & \\ C11 & 19A702052P14 & Ceramic: 8.2 \ {\sf P} \ \pm 0.5pF, 50 \ {\sf VDCW}, temp \ coef \ 0 \pm 30 \ {\sf PPM}^\circ C \ (Used in \ Group 1). \ \\ &  \qquad \qquad$	C3	19A702061P17	
0 ± 60 PPM/°C (Used in Group 3).       C4     19A702061P13     Ceramic: 10pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 1).       C4     19A702061P11     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2 and 3).       C5     19A702061P45     Ceramic: 100pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 1).       C5     19A702061P45     Ceramic: 47pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2 and 3).       C6     19A702061P10     Ceramic: 5.6pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2 and 3).       C6     19A702061P10     Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2 and 3).       C7     19A702061G12     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2 and 3).       C7     19A702061P11     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2 and 3).       C7     19A702061P12     Ceramic: 4.70pF, ±5%, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 2 and 3).       C8     19A702061P77     Ceramic: 0.01 µF ±10%, 50 VDCW, temp coef 0 ± 60 PPM/°C.       C11     19A702052P14     Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C12     19A702061P12     Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C.       C11	C3	19A702061P13	
± 30 PPM/°C (Used in Group 1).     C4   19A702061P11   Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).     C5   19A702061P61   Ceramic: 100pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2 and 3).     C6   19A702061P45   Ceramic: 5.6pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).     C6   19A702061P9   Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).     C7   19A702061G12   Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).     C7   19A702061P10   Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).     C8   19A702061P11   Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).     C8   19A702061P77   Ceramic: 470pF, ±5%, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).     C10   19A702052P14   Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).     C11   19A702061P12   Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).     C12   19A702061P12   Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).     C12   19A702525P2   Silicon PIN: sim to MMBV3401.     L1   L2   19B800891P6   Coil: RF:	C3	19A702061P11	
0 ± 60 PPM/°C (Used in Groups 2 and 3).       C5     19A702061P61       Ceramic: 100pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Groups 2 and 3).       C6     19A702061P45       Ceramic: 5.6pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).       C6     19A702061P10       Ceramic: 5.6pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).       C6     19A702061P10       Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).       C7     19A702061G12       Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).       C7     19A702061P11       Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C7     19A702061P17       Ceramic: 0.01 µF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C11     19A702052P14       Ceramic: 0.01 µF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 1).       C12     19A702061P12       Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C12     19A702052P14       Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C12     19A702525P2       Silicon PIN: sim to MMBV3401. <tr< td=""><td>C4</td><td>19A702061P13</td><td>Ceramic: 10pF, <math>\pm</math>5%, 50 VDCW, temp coef 0 <math>\pm</math> 30 PPM/°C (Used in Group 1).</td></tr<>	C4	19A702061P13	Ceramic: 10pF, $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 1).
0 ± 30 PPM/°C (Used in Group 1).       C5     19A702061P45       Ceramic: 47pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Groups 2 and 3).       C6     19A702061P10       Ceramic: 5.6pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C6     19A702061P9       Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).       C7     19A702061G12       Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C7     19A702061P11       Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C7     19A702061P11       Ceramic: 4.70pF, ±5%, 50 VDCW, temp coef 0 ± 60 PPM/°C.       C8     19A702061P77       Ceramic: 4.70pF, ±5%, 50 VDCW, temp coef 0 ± 60 PPM/°C.       C10     19A702052P14       Ceramic: 0.01 µF ±10%, 50 VDCW.       C12     19A702052P14       Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).	C4	19A702061P11	
± 30 PPM/°C (Used in Groups 2 and 3).     C6   19A702061P10     C6   19A702061P10     C6   19A702061P9     C6   19A702061P9     C6   19A702061P10     C7   19A702061G12     C8   19A702061G12     C9A   Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef     0 ± 60 PPM/°C (Used in Groups 2 and 3).     C7   19A702061B12     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef     0 ± 60 PPM/°C (Used in Group 1).     C7   19A702061P11     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef     0 ± 60 PPM/°C (Used in Groups 2 and 3).     C8   19A702061P17     Ceramic: 4.70pF, ±5%, 50 VDCW, temp coef     0 ± 30 PPM/°C.     C11   19A702052P14     Ceramic: 0.01 μF ±10%, 50 VDCW.     C12   19A702061P12     Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef     0 ± 60 PPM/°C (Used in Group 1).    D10DES     D1   19A702525P2     Silicon PIN: sim to MMBV3401.    INDUCTORS     Part of printed wire board 19C851644P1.     L3  TRANSISTORS	C5	19A702061P61	Ceramic: 100pF, $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 1).
0 ± 60 PPM/°C (Used in Group 1).       C6     19A702061P9     Ceramic: 4.7pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).       C7     19A702061G12     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1).       C7     19A702061P11     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Groups 2 and 3).       C8     19A702061P77     Ceramic: 470pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C11     19A702052P14     Ceramic: 0.01 μF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C12     19A702061P12     Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1). DIODES       D1     19A702525P2     Silicon PIN: sim to MMBV3401.       L1     Part of printed wire board 19C851644P1.       L2     19B800891P6     Coil: RF: 0.084 H; sim to Paul Smith SK-890-1.       L3 thru L5     Part of printed wire board 19C851644P1.       C3     Part of printed wire board 19C851644P1.       C4     Part of printed wire board 19C851644P1.       C41     19A704708P2     Silicon NPN: sim to NEC2SC3356.	C5	19A702061P45	
0 ± 60 PPM <sup>o</sup> C (Used in Groups 2 and 3).       C7     19A702061G12     Ceramic: 8.2pF, ±0.5pF, 50 VDCW, temp coef 0 ±60 PPM/ <sup>o</sup> C (Used in Group 1).       C7     19A702061P11     Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0 ± 60 PPM/ <sup>o</sup> C (Used in Groups 2 and 3).       C8     19A702061P17     Ceramic: 470pF, ±5%, 50 VDCW, temp coef 0 ± 30 PPM/ <sup>o</sup> C.       C10     19A702052P14     Ceramic: 0.01 μF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/ <sup>o</sup> C.       C11     19A702052P14     Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ±60 PPM/ <sup>o</sup> C (Used in Group 1).       C12     19A702061P12     Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ±60 PPM/ <sup>o</sup> C (Used in Group 1).       D1     19A702525P2     Silicon PIN: sim to MMBV3401.       L1     Part of printed wire board 19C851644P1.       L2     19B800891P6     Coil: RF: 0.084 H; sim to Paul Smith SK-890-1.       L3 thru L5     Part of printed wire board 19C851644P1.       C3     Turn of printed wire board 19C851644P1.       C41     19A704708P2     Silicon NPN: sim to NEC2SC3356.	C6	19A702061P10	
C7   19A702061P11   Ceramic: 6.8pF, ±0.5pF, 50 VDCW, temp coef 0±60 PPM/°C (Used in Groups 2 and 3).     C8   19A702061P77   Ceramic: 470pF, ±5%, 50 VDCW, temp coef 0±30 PPM/°C.     C10   19A702052P14   Ceramic: 0.01 μF ±10%, 50 VDCW.     C12   19A702061P12   Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0±60 PPM/°C.     D1   19A702061P12   Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0±60 PPM/°C (Used in Group 1).     D1   19A702525P2   Silicon PIN: sim to MMBV3401.     L1   Part of printed wire board 19C851644P1.     L2   19B800891P6   Coil: RF: 0.084 H; sim to Paul Smith SK-890-1.     L3   thru   Part of printed wire board 19C851644P1.     L3   thru   Silicon NPN: sim to NEC2SC3356.     Q1   19A704708P2   Silicon NPN: sim to NEC2SC3356.	C6	19A702061P9	
C8   19A702061P77   Ceramic: 470pF, ±5%, 50 VDCW, temp coef     thru   0 ± 30 PPM/°C.     C10   19A702052P14   Ceramic: 0.01 μF ±10%, 50 VDCW.     C12   19A702061P12   Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ±60 PPM/°C (Used in Group 1).     C12   19A702525P2   Silicon PIN: sim to MMBV3401.     D1   19A702525P2   Silicon PIN: sim to MMBV3401.     L1   Part of printed wire board 19C851644P1.     L2   19B800891P6   Coil: RF: 0.084 H; sim to Paul Smith SK-890-1.     L3   thru   Part of printed wire board 19C851644P1.     L3   thru   Silicon NPN: sim to NEC2SC3356.     Q1   19A704708P2   Silicon NPN: sim to NEC2SC3356.	C7	19A702061G12	Ceramic: 8.2pF, $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C (Used in Group 1).
thru   0 ± 30 PPM/°C.     C10   19A702052P14   Ceramic: 0.01 μF ±10%, 50 VDCW.     C12   19A702061P12   Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ±60 PPM/°C (Used in Group 1).     D1   19A702525P2   Silicon PIN: sim to MMBV3401.     L1   Part of printed wire board 19C851644P1.     L2   19B800891P6   Coil: RF: 0.084 H; sim to Paul Smith SK-890-1.     L3   thru   Part of printed wire board 19C851644P1.     L3   thru   Silicon NPN: sim to NEC2SC3356.	C7	19A702061P11	
C1219A702061P12Ceramic: 8.2 pF ±0.5pF, 50 VDCW, temp coef 0 ±60 PPM/°C (Used in Group 1). DIODESD119A702525P2Silicon PIN: sim to MMBV3401.L1Part of printed wire board 19C851644P1.L219B800891P6Coil: RF: 0.084 H; sim to Paul Smith SK-890-1.L3 thruPart of printed wire board 19C851644P1.C3TRANSISTORSQ119A704708P2Silicon NPN: sim to NEC2SC3356.	thru	19A702061P77	
Coef 0 ±60 PPM/°C (Used in Group 1).     01   19A702525P2     Silicon PIN: sim to MMBV3401.     01   19B800891P6     Coil: RF: 0.084 H; sim to Paul Smith     SK-890-1.     L3     thru     L5     01     19A704708P2     Silicon NPN: sim to NEC2SC3356.	C11	19A702052P14	Ceramic: 0.01 $\mu\text{F}$ ±10%, 50 VDCW.
D119A702525P2Silicon PIN: sim to MMBV3401.L1Part of printed wire board 19C851644P1.L219B800891P6Coil: RF: 0.084 H; sim to Paul Smith SK-890-1.L3 thru L5Part of printed wire board 19C851644P1.Q119A704708P2Silicon NPN: sim to NEC2SC3356.	C12	19A702061P12	
L1 Part of printed wire board 19C851644P1. L2 19B800891P6 Coil: RF: 0.084 H; sim to Paul Smith SK-890-1. L3 thru L5TRANSISTORS Q1 19A704708P2 Silicon NPN: sim to NEC2SC3356.			
L1Part of printed wire board 19C851644P1.L219B800891P6Coil: RF: 0.084 H; sim to Paul Smith SK-890-1.L3 thru L5Part of printed wire board 19C851644P1.Q119A704708P2Silicon NPN: sim to NEC2SC3356.	D1	19A702525P2	Silicon PIN: sim to MMBV3401.
L2 19B800891P6 Coil: RF: 0.084 H; sim to Paul Smith SK-890-1. Part of printed wire board 19C851644P1. TRANSISTORS Q1 19A704708P2 Silicon NPN: sim to NEC2SC3356.			INDUCTORS
L2 19B800891P6 Coil: RF: 0.084 H; sim to Paul Smith SK-890-1. Part of printed wire board 19C851644P1. TRANSISTORS Q1 19A704708P2 Silicon NPN: sim to NEC2SC3356.	L1		Part of printed wire board 19C851644P1.
thru L5 Q1 19A704708P2 Silicon NPN: sim to NEC2SC3356.	L2	19B800891P6	Coil: RF: 0.084 H; sim to Paul Smith
Q1 19A704708P2 Silicon NPN: sim to NEC2SC3356.	thru		Part of printed wire board 19C851644P1.
			TRANSISTORS
Q2 19A701940P1 Silicon NPN: sim to MRF-559.	Q1	19A704708P2	Silicon NPN: sim to NEC2SC3356.
	Q2	19A701940P1	Silicon NPN: sim to MRF-559.
RESISTORS			RESISTORS

R1     198800607P471     Metal Film: 470 ohms ±5%, 1/8 Watt.       R2     198800607P222     Metal Film: 2.2K ohms ±5%, 1/8 Watt.       R3     198800607P230     Metal Film: 33 ohms ±5%, 1/8 Watt.       R4     198800607P230     Metal Film: 33 ohms ±5%, 1/8 Watt.       R5     198800607P210     Metal Film: 30 ohms ±5%, 1/8 Watt.       R6     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R7     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R9     19870508P36     Mica: 91p F ±5%, 50 VDCW, temp coef 0 ±30 PPM/°C.       C103     19A702061P17     Ceramic: 130p F ±5%, 50 VDCW, temp coef 0 ±30 PPM/°C.       C104     19A702051P37     Ceramic: 30p F ±5%, 50 VDCW.       C108     19A702051P37     Ceramic: 30p F ±5%, 50 VDCW.       C109     19A702061P73	SYMBOL	PART NO.	DESCRIPTION
Ham     198800607P102     Metal Film: 1K ohms ±5%, 1/8 Watt.       R4     198800607P330     Metal Film: 33 ohms ±5%, 1/8 Watt.       R5     198800607P331     Metal Film: 33 ohms ±5%, 1/8 Watt.       R6     198800607P100     Metal Film: 30 ohms ±5%, 1/8 Watt.       R7     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198702061P17     Ceramic: 12pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C105     19A702061P73     Ceramic: 30pF ±5%, 50 VDCW.     temp coef 0 ± 30 PPM/°C.       C110     19A702051P73     Ceramic: 30pF ±5%, 50 VDCW.     temp coef 0 ± 30 PPM/°C.       C111     19A702061P73     Ceramic: 30pF ±5%, 50 VDCW.     temp c	R1	19B800607P471	Metal Film: 470 ohms ±5%, 1/8 Watt.
R4     198800607P330     Metal Film: 33 ohms $\pm 5\%$ , 1/8 Watt.       R5     198800607P371     Metal Film: 2.7K ohms $\pm 5\%$ , 1/8 Watt.       R6     198800607P100     Metal Film: 30 ohms $\pm 5\%$ , 1/8 Watt.       R7     198800607P100     Metal Film: 10 ohms $\pm 5\%$ , 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms $\pm 5\%$ , 1/8 Watt.       R8     198705018P36     Mica: 91pF $\pm 5\%$ , 50 VDCW, temp coef 0 $\pm$ 50 PPM/°C.       C101     19A702061P19     Ceramic: 13pF $\pm 5\%$ , 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C103     19A702061P17     Ceramic: 100pF $\pm 5\%$ , 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C104     19A702061P73     Ceramic: 0.01µF $\pm 10\%$ , 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C105     19A702061P73     Ceramic: 0.01µF $\pm 10\%$ , 50 VDCW.       C106     19A70205P14     Ceramic: 0.01µF $\pm 10\%$ , 50 VDCW.       C108     19A701534P8     Tantalum: 6.8µF $\pm 20\%$ , 35 VDCW.       C111     19A702061P73     Ceramic: 100F $\pm 5\%$ , 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C116     19A702061P73     Ceramic: 330F $\pm 5\%$ , 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C116     19A702061P73     Ceramic: 100F $\pm 5\%$ , 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C116	R2	19B800607P222	Metal Film: 2.2K ohms ±5%, 1/8 Watt.
R5     198800607P272     Metal Film: 2.7K ohms $\pm$ 5%, 1/8 Watt.       R6     198800607P100     Metal Film: 330 ohms $\pm$ 5%, 1/8 Watt.       R7     198800607P100     Metal Film: 10 ohms $\pm$ 5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms $\pm$ 5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms $\pm$ 5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms $\pm$ 5%, 1/8 Watt.       C101     19A702061P19     Ceramic: 13pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C103     19A702061P19     Ceramic: 100pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C104     19A702061P3     Ceramic: 30PF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C105     19A702061P3     Ceramic: 30PF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C106     19A702061P73     Ceramic: 0.01µF $\pm$ 10%, 50 VDCW.       C108     19A70252P14     Ceramic: 30PF $\pm$ 5%. 50 VDCW.       C111     19A702061P73     Ceramic: 30PF $\pm$ 5%. 50 VDCW.       C113     19A702061P73     Ceramic: 30PF $\pm$ 5%. 50 VDCW.       C116     19A702236P13     Ceramic: 100pF $\pm$ 5%. 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C116     19A702236P13     Ceramic: 100pF $\pm$ 5%. 50	R3	19B800607P102	Metal Film: 1K ohms ±5%, 1/8 Watt.
R6     198800607P331     Metal Film: 330 ohms ±5%, 1/8 Watt.       R7     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       C101     19A705108P36     Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C.       C103     19A702061P19     Ceramic: 13pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C. (Used in Group 2).       *C104     19A702061P17     Ceramic: 1000F ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C105     19A702061P73     Ceramic: 0.01µF ±10%, 50 VDCW.       C106     19A702061P73     Ceramic: 0.01µF ±10%, 50 VDCW.       C107     19A701534P16     Tantalum: 24µF ±20%, 35 VDCW.       C110     19A702061P73     Ceramic: 0.01µF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C111     19A702061P73     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C111     19A702061P73     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C111     19A702061P73     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C111     19A702061P73     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C116     19A702	R4	19B800607P330	Metal Film: 33 ohms ±5%, 1/8 Watt.
R7     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       R8     198800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       C101     19A705108P36     Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C.       C103     19A702061P19     Ceramic: 13pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       *C103     19A702061P17     Ceramic: 12pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       *C104     19A702061P17     Ceramic: 1000pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C105     19A702061P73     Ceramic: 0.01µF ±10%, 50 VDCW.       C106     19A702061P73     Ceramic: 300pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C107     19A701534P16     Tantalum: 6.8µF ±20%, 35 VDCW.       C108     19A702061P73     Ceramic: 0.01µF ±10%, 50 VDCW.       C111     19A702061P61     Ceramic: 300pF ±5%. 50 VDCW.       C111     19A702061P73     Ceramic: 300pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C116     19A702061P61     Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C116     19A702052P12     Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C116     19A702052P23     Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C118     19A7020	R5	19B800607P272	Metal Film: 2.7K ohms ±5%, 1/8 Watt.
R8     19B800607P100     Metal Film: 10 ohms ±5%, 1/8 Watt.       C101     19A705108P36     Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C.       C103     19A702061P19     Ceramic: 13pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2).       *C103     19A702061P17     Ceramic: 12pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C104     19A702061P3     Ceramic: 0.01pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C105     19A702052P14     Ceramic: 0.01pF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C106     19A701534P16     Tantalum: 22µF ±20%, 16VDCW.       C108     19A701534P16     Tantalum: 6.8µF ±20%, 35 VDCW.       C110     19A701534P16     Tantalum: 6.8µF ±20%, 35 VDCW.       C111     19A701534P16     Tantalum: 6.8µF ±20%, 35 VDCW.       C113     19A702061P73     Ceramic: 300pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C116     19A702061P73     Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C111     19A702061P73     Ceramic: 30PF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C116     19A702061P73     Ceramic: 0.1µF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C116     19A702061P73     Ceramic: 0.1µF ±10%, 50 VDCW.       C117	R6	19B800607P331	Metal Film: 330 ohms $\pm$ 5%, 1/8 Watt.
CAPACITORS       C101     19A705108P36     Mica: 91pF $\pm$ 5%, 500 VDCW, temp coef 0 + 50 PPM/°C.       C103     19A702061P19     Ceramic: 12pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 2).       *C103     19A702061P17     Ceramic: 12pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 2).       *C103     19A702061P99     Ceramic: 1000pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C104     19A702052P14     Ceramic: 300pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C105     19A702052P14     Ceramic: 30pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C106     19A701534P8     Tantalum: 22µF $\pm$ 20%, 16VDCW.       C108     19A701534P16     Tantalum: 6.8µF $\pm$ 20%, 35 VDCW.       C109     19A702052P14     Ceramic: 300F $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C110     19A702061P73     Ceramic: 30pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C111     19A702236P13     Ceramic: 330pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C116     19A702236P13     Ceramic: 30pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C117     19A702052P22     Ceramic: 30pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.       C118     19A702061P73     Ceramic: 30pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$	R7	19B800607P100	Metal Film: 10 ohms ±5%, 1/8 Watt.
C101     19A705108P36     Mica: 91pF ±5% 500 VDCW, temp coef 0 ± 50 PPM/°C.       C103     19A702061P19     Ceramic: 13pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2).       *C103     19A702061P17     Ceramic: 12pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 5).       C104     19A702051P14     Ceramic: 1000pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C105     19A702052P14     Ceramic: 1001pF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C106     19A702051P14     Ceramic: 0.01µF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C107     19A702051P14     Ceramic: 0.01µF ±10%, 50 VDCW.       C108     19A701534P16     Tantalum: 6.8µF ±20%, 35 VDCW.       C110     19A702052P14     Ceramic: 300F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C111     19A702061P73     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 1 and 3).       *C116     19A702061P73     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 120 PPM/°C (Used in Group 2).       C117     19A702061P73     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 120 PPM/°C (Used in Group 2).       C118     19A703314P10     Electrolytic: 10µF ±10%, 50 VDCW.       C119     19A702052P26     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C120 </td <td>R8</td> <td>19B800607P100</td> <td>Metal Film: 10 ohms ±5%, 1/8 Watt.</td>	R8	19B800607P100	Metal Film: 10 ohms ±5%, 1/8 Watt.
C101     19A705108P36     Mica: 91pF ±5% 500 VDCW, temp coef 0 ± 50 PPM/°C.       C103     19A702061P19     Ceramic: 13pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 2).       *C103     19A702061P17     Ceramic: 12pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 5).       C104     19A702051P14     Ceramic: 1000pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C105     19A702052P14     Ceramic: 1001pF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C106     19A702051P14     Ceramic: 0.01µF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C107     19A702051P14     Ceramic: 0.01µF ±10%, 50 VDCW.       C108     19A701534P16     Tantalum: 6.8µF ±20%, 35 VDCW.       C110     19A702052P14     Ceramic: 300F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C111     19A702061P73     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 1 and 3).       *C116     19A702061P73     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 120 PPM/°C (Used in Group 2).       C117     19A702061P73     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 120 PPM/°C (Used in Group 2).       C118     19A703314P10     Electrolytic: 10µF ±10%, 50 VDCW.       C119     19A702052P26     Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C120 </td <td></td> <td></td> <td></td>			
S0 PPM <sup>b</sup> C.       C103     19A702061P19     Ceramic: 13pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/ <sup>b</sup> C (Used in Group 2).       *C103     19A702061P17     Ceramic: 12pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/ <sup>b</sup> C.       C104     19A702061P39     Ceramic: 1000pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/ <sup>b</sup> C.       C105     19A702052P14     Ceramic: 0.01µF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/ <sup>b</sup> C.       C106     19A702052P14     Ceramic: 0.01µF ±20%, 16VDCW.       C107     19A701534P8     Tantalum: 22µF ±20%, 16VDCW.       C108     19A701534P16     Tantalum: 6.8µF ±20%, 35 VDCW.       C109     19A702052P14     Ceramic: 300pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/ <sup>b</sup> C.       C111     19A701534P16     Tantalum: 6.8µF ±20%, 35 VDCW.       C113     19A702061P73     Ceramic: 30pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/ <sup>b</sup> C.       C116     19A7022061P61     Ceramic: 30pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/ <sup>b</sup> C.       C117     19A702052P22     Ceramic: 30pF ±0.50, 50 VDCW, temp coef 0 ± 30 PPM/ <sup>b</sup> C.       C118     19A702052P22     Ceramic: 0.04µF ±10%, 50 VDCW.       C118     19A702052P22     Ceramic: 0.04µF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/ <sup>b</sup> C.       C120     19A702236P50     Ceramic: 0.01			CAPACITORS
*C103   19A702061P17   Ceramic: 12pF ±5%, 50 VDCW, temp coef 0     *C103   19A702061P97   Ceramic: 12pF ±5%, 50 VDCW, temp coef 0     19A702052P14   Ceramic: 1000pF ±5%, 50 VDCW, temp coef 0     19A702052P14   Ceramic: 0.01µF ±10%, 50 VDCW,     C105   19A702061P73   Ceramic: 330pF ±5%, 50 VDCW, temp coef 0     19A701534P8   Tantalum: 22µF ±20%, 16VDCW.     C108   19A701534P16   Tantalum: 6.8µF ±20%, 35 VDCW.     C109   19A701534P16   Tantalum: 6.8µF ±20%, 35 VDCW.     C101   19A702052P14   Ceramic: 0.01µF ±10%, 50 VDCW.     C110   19A702061P73   Ceramic: 30pF ±5%. 50 VDCW, temp coef 0     C111   19A702061P73   Ceramic: 330pF ±5%. 50 VDCW, temp coef 0     C115   19A702061P61   Ceramic: 330pF ±5%. 50 VDCW, temp coef 0     C116   19A702236P13   Ceramic: 330pF ±10%, 50 VDCW, temp coef 0     C117   19A702052P22   Ceramic: 0.047µF ±10%, 50 VDCW.     C118   19A702061P73   Ceramic: 330pF ±5%. 50 VDCW, temp coef 0     19A702052P22   Ceramic: 30PF ±5%, 50 VDCW, temp coef 0     C117   19A702052P22   Ceramic: 0.047µF ±10%, 50 VDCW.     C118   19A702061P73   Ceramic: 0.047µF ±10%, 50	C101	19A705108P36	
$\pm 30$ PPM/°C (Used in Groups 1 and 3).     C104   19A702061P99   Ceramic: 1000pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.     C105   19A702052P14   Ceramic: 0.01µF ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.     C106   19A702052P14   Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.     C107   19A701534P16   Tantalum: 6.8µF ±20%, 16VDCW.     C108   19A701534P16   Tantalum: 6.8µF ±20%, 35 VDCW.     C109   19A702052P14   Ceramic: 0.01µF ±10%, 50 VDCW.     C110   19A702052P14   Ceramic: 0.01µF ±10%, 50 VDCW.     C111   19A702061P73   Ceramic: 300F ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.     C113   19A702061P61   Ceramic: 3.3pF ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Groups 1 and 3).     *C116   19A702052P22   Ceramic: 0.047µF ±10%, 50 VDCW.     C117   19A702052P22   Ceramic: 3.3pF ±0.5pF, 50 VDCW, temp coef 0 ± 120 PPM/°C.     C118   19A702061P73   Ceramic: 300F ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.     C120   19A702052P22   Ceramic: 0.047µF ±10%, 50 VDCW.     C121   19A702052P28   Ceramic: 0.022µF ±10%, 50 VDCW.     C122   19A702052P28   Ceramic: 0.01µF ±10%, 50 VDCW.     C123   19A702052P24   C	C103	19A702061P19	
0 ± 30 PPM/°C.C10519A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C10619A702061P73Ceramic: $330$ PF ±20%, 16VDCW.C10719A701534P8Tantalum: $22\mu$ F ±20%, 16VDCW.C10819A701534P16Tantalum: $6.8\mu$ F ±20%, 35 VDCW.C10919A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.and119A701534P16C11119A701534P16Tantalum: $6.8\mu$ F ±20%, 35 VDCW.C11319A702061P73Ceramic: $300$ F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.C11619A702061P61Ceramic: $100$ F ±5%, 50 VDCW, temp coef 0 ± 120 PPM/°C (Used in Groups 1 and 3).*C11619A702052P22Ceramic: $0.047\mu$ F ±10%, 50 VDCW, temp coef 0 ± 120 PPM/°C (Used in Group 2).C11719A702052P22Ceramic: $30$ PFM/°C.C11819A702061P73Ceramic: $300$ F ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.C12019A702052P26Ceramic: $100$ F ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.C12119A702052P26Ceramic: $100$ F ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.C12219A702052P26Ceramic: $0.022\mu$ F ±10%, 50 VDCW.C12319A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C12419A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C12519A702061P73Ceramic: $30$ PF ±0.25 pF, 500 VDCW, temp coef 0 ± 30 PPM/°C.C12119A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C12219A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C12319A702061P73Ceramic: $0.022\mu$ F ±0%, 50 VDCW.C12419A705108P3Mica: 3.9 pF ±0.25 pF, 5	*C103	19A702061P17	
C10019A702061P73Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.C10719A701534P16Tantalum: $2\mu$ F ±20%, 16VDCW.C10819A701534P16Tantalum: $6.8\mu$ F ±20%, 35 VDCW.C10919A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.and C11019A702052P14Ceramic: $3.0pF$ ±5%. 50 VDCW.C11119A702061P73Ceramic: $3.30pF$ ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.C11619A7022061P73Ceramic: $3.3pF$ ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Groups 1 and 3).*C11619A702236P13Ceramic: $3.3pF$ ±0.5pF, 50 VDCW, temp coef 0 ± 120 PPM/°C (Used in Group 2).C11719A702052P22Ceramic: $0.047\mu$ F ±10%, 50 VDCW.C11819A703314P10Electrolytic: $10\mu$ F -10 +50%, 50 VDCW; sim to Panasonic LS Series.C11919A702061P73Ceramic: $30pF$ ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.C12019A702236P50Ceramic: $0.047\mu$ F ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.C12119A702052P26Ceramic: $0.047\mu$ F ±10%, 50 VDCW.C12219A702052P28Ceramic: $0.022\mu$ F ±10%, 50 VDCW.C12319A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C12419A705108P36Mica: 91pF ±5% 500 VDCW, temp coef 0 ± 30 PPM/°C.C12519A702061P73Ceramic: $330pF$ ±0.25 pF, 500 VDCW, temp coef 0 ± 30 PPM/°C.C12419A705108P36Mica: 3.9F ±0.25 pF, 500 VDCW, temp coef 0 ± 30 PPM/°C.C13019A705108P13Mica: 3.9F ±0.25 pF, 500 VDCW, temp coef 0 ± 30 PPM/°C.C13019A705108P13Mica: 3.9F ±0.25 pF, 500 VDCW,	C104	19A702061P99	
$\pm$ 30 PPM°C.C10719A701534P8Tantalum: 22µF ±20%, 16VDCW.C10819A701534P16Tantalum: 6.8µF ±20%, 35 VDCW.C10919A702052P14Ceramic: 0.01µF ±10%, 50 VDCW.and C11019A701534P16Tantalum: 6.8µF ±20%, 35 VDCW.C11119A701534P16Tantalum: 6.8µF ±20%, 35 VDCW.C11319A702061P73Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 30 PPM°C.C11619A702061P61Ceramic: 100pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM°C (Used in Groups 1 and 3).*C11619A702052P22Ceramic: 0.047µF ±10%, 50 VDCW, temp coef 0 ± 120 PPM°C (Used in Group 2).C11719A702052P22Ceramic: 0.047µF ±10%, 50 VDCW, temp coef 0 ± 30 PPM°C.C11819A702061P73Ceramic: 330F ±5%. 50 VDCW, temp coef 0 ± 30 PPM°C.C12019A702061P73Ceramic: 100pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM°C.C12119A702052P26Ceramic: 0.1µF ±10%, 50 VDCW.C12219A702052P28Ceramic: 0.02µF ±10%, 50 VDCW.C12319A702052P14Ceramic: 0.01µF ±10%, 50 VDCW.C12419A702052P14Ceramic: 0.01µF ±10%, 50 VDCW.C12519A702061P73Ceramic: 330F ±5%. 500 VDCW, temp coef 0 ± 30 PPM°C.C12519A702061P73Ceramic: 330F ±5%. 500 VDCW, temp coef 0 ± 30 PPM°C.C12519A705108P36Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 ± 30 PPM°C.C13019A705108P3Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 ± 30 PPM°C.C13019A705108P15Mica: 3.9F ±0.25p F, 500 VDCW, temp coef 0 ± 200 PPM°C (Used in Groups 1 and 2). <td>C105</td> <td>19A702052P14</td> <td>Ceramic: 0.01µF ±10%, 50 VDCW.</td>	C105	19A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C10819A701534P16Tantalum: $6.8\mu F \pm 20\%$ , $35 VDCW$ .C10919A702052P14Ceramic: $0.01\mu F \pm 10\%$ , $50 VDCW$ .and11019A701534P16Tantalum: $6.8\mu F \pm 20\%$ , $35 VDCW$ .C11119A701534P16Tantalum: $6.8\mu F \pm 20\%$ , $35 VDCW$ .C11319A702061P73Ceramic: $330pF \pm 5\%$ . $50 VDCW$ , temp coef $0 \pm 30 PPM^{\circ}C$ .C11619A702061P61Ceramic: $3.3pF \pm 0.5pF$ , $50 VDCW$ , temp coef $0 \pm 120 PPM^{\circ}C$ (Used in Groups 1 and 3).*C11619A702052P22Ceramic: $3.3pF \pm 0.5pF$ , $50 VDCW$ , temp coef $0 \pm 120 PPM^{\circ}C$ (Used in Group 2).C11719A702052P22Ceramic: $30pF \pm 5\%$ , $50 VDCW$ , temp coef $0 \pm 30 PPM^{\circ}C$ C11819A702061P73Ceramic: $30pF \pm 5\%$ , $50 VDCW$ , temp coef $0 \pm 30 PPM^{\circ}C$ .C12019A702061P73Ceramic: $0.02\mu F \pm 10\%$ , $50 VDCW$ , temp coef $0 \pm 30 PPM^{\circ}C$ .C12119A702052P26Ceramic: $0.1\mu F \pm 10\%$ , $50 VDCW$ , temp coef $0 \pm 30 PPM^{\circ}C$ .C12219A702052P28Ceramic: $0.02\mu F \pm 10\%$ , $50 VDCW$ .C12319A702052P24Ceramic: $0.02\mu F \pm 10\%$ , $50 VDCW$ .C12419A705108P36Mica: $31pF \pm 5\%$ 500 VDCW, temp coef $0 + 50 PPM^{\circ}C$ .C12519A702061P73Ceramic: $3.30pF \pm 5\%$ . $50 VDCW$ , temp coef $0 \pm 30 PPM^{\circ}C$ .C12519A702061P73Ceramic: $3.30pF \pm 5\%$ . $50 VDCW$ , temp coef $0 + 50 PPM^{\circ}C$ .C12519A702061P73Ceramic: $3.3pF \pm 0.25 pF$ , $500 VDCW$ , temp coef $0 \pm 30 PPM^{\circ}C$ .C12519A705108P3Mica: $3.3pF \pm 0.25 pF$ , $500 VDCW$ , temp coef $0 \pm 200 PPM^{\circ}C$ .C13019A705108P1Mica: $3.3 pF \pm 0.25 pF$ , $500$	C106	19A702061P73	
C109 and C11019A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C111 C11119A701534P16Tantalum: $6.8\mu$ F ±20%, 35 VDCW.C113 thru C11519A702061P73Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.C11619A702061P61Ceramic: 100pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Groups 1 and 3).*C11619A702052P22Ceramic: $3.3pF \pm 0.5pF$ , 50 VDCW, temp coef 0 ± 120 PPM/°C (Used in Group 2).C11719A702052P22Ceramic: $0.047\mu$ F ±10%, 50 VDCW, temp coef 0 ± 120 PPM/°C (Used in Group 2).C11819A703314P10Electrolytic: $10\mu$ F -10 +50%, 50 VDCW, temp coef 0 ± 30 PPM/°C.C11919A702061P73Ceramic: $30pF \pm5\%$ . 50 VDCW, temp coef 0 ± 30 PPM/°C.C12019A702052P26Ceramic: $0.01\mu$ F ±10%, 50 VDCW, temp coef 0 ± 30 PPM/°C.C12119A702052P28Ceramic: $0.022\mu$ F ±10%, 50 VDCW.C12219A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C12319A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C12419A702061P73Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C12519A702061P73Ceramic: $330pF \pm5\%$ . 50 VDCW, temp coef 0 ± 30 PPM/°C.C12519A702061P73Ceramic: $330pF \pm 0.25$ pF, 500 VDCW, temp coef 0 ± 30 PPM/°C.C12519A705108P3Mica: $3.3$ pF $\pm 0.25$ pF, 500 VDCW, temp coef 0 $\pm 200$ PPM/°C.C13019A705108P1Mica: $3.3$ pF $\pm 0.25$ pF, 500 VDCW, temp coef 0 $\pm 200$ PPM/°C.C13119A705108P15Mica: $12pF \pm5\%$ , 500 VDCW, temp coef 0 $\pm 200$ PPM/°C.	C107	19A701534P8	Tantalum: 22µF ±20%, 16VDCW.
and C11019A701534P16Tantalum: $6.8\mu F \pm 20\%$ , $35 VDCW$ .C11119A702061P73Ceramic: $330pF \pm 5\%$ . $50 VDCW$ , temp coef 0 $\pm 30 PPM/^{\circ}C$ .C11519A702061P61Ceramic: $100pF \pm 5\%$ , $50 VDCW$ , temp coef 0 $\pm 30 PPM/^{\circ}C$ (Used in Groups 1 and 3).*C11619A702050P13Ceramic: $3.3pF \pm 0.5pF$ , $50 VDCW$ , temp coef $0 \pm 120 PPM/^{\circ}C$ (Used in Group 2).C11719A702052P22Ceramic: $0.047\mu F \pm 10\%$ , $50 VDCW$ , temp coef $0 \pm 120 PPM/^{\circ}C$ (Used in Group 2).C11819A703314P10Electrolytic: $10\mu F - 10 + 50\%$ , $50 VDCW$ ; Sim to Panasonic LS Series.C11919A702061P73Ceramic: $330pF \pm 5\%$ . $50 VDCW$ , temp coef 0 $\pm 30 PPM/^{\circ}C$ .C12019A702052P26Ceramic: $0.1\mu F \pm 10\%$ , $50 VDCW$ , temp coef 0 $\pm 30 PPM/^{\circ}C$ .C12119A702052P28Ceramic: $0.022\mu F \pm 10\%$ , $50 VDCW$ .C12219A702052P14Ceramic: $0.01\mu F \pm 10\%$ , $50 VDCW$ .C12319A702052P14Ceramic: $0.01\mu F \pm 10\%$ , $50 VDCW$ .C12419A702061P73Ceramic: $330pF \pm 5\%$ . $50 VDCW$ , temp coef 0 $\pm 30 PPM/^{\circ}C$ .C12519A702061P73Ceramic: $3.30pF \pm 5\%$ . $50 VDCW$ , temp coef 0 $\pm 30 PPM/^{\circ}C$ .C12519A702061P73Ceramic: $3.30pF \pm 5\%$ . $50 VDCW$ , temp coef 0 $\pm 30 PPM/^{\circ}C$ .C12519A705108P3Mica: $3.3 pF \pm 0.25 pF$ , $500 VDCW$ , temp coef 0 $\pm 200 PPM/^{\circ}C$ (Used in Groups 1 and 2).*C13019A705108P1Mica: $3.3 pF \pm 0.25pF$ , $500 VDCW$ , temp coef 0 $\pm 200 PPM/^{\circ}C$ (Used in Groups 3).C13119A705108P15Mica: $12pF \pm 5\%$ , $500 VDCW$ , $0 \pm 200$	C108	19A701534P16	Tantalum: 6.8μF ±20%, 35 VDCW.
C113 thru19A702061P73Ceramic: $330pF \pm 5\%$ . 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C11519A702061P61Ceramic: $100pF \pm 5\%$ , 50 VDCW, temp coef 0 $\pm 30$ PPM/°C (Used in Groups 1 and 3).*C11619A702236P13Ceramic: $3.3pF \pm 0.5pF$ , 50 VDCW, temp coef $0 \pm 120$ PPM/°C (Used in Group 2).C11719A702052P22Ceramic: $0.047\muF \pm 10\%$ , 50 VDCW.C11819A703314P10Electrolytic: $10\muF - 10 + 50\%$ , 50 VDCW; Sim to Panasonic LS Series.C11919A702061P73Ceramic: $330pF \pm 5\%$ . 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C12019A702052P26Ceramic: $0.1\muF \pm 10\%$ , 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C12119A702052P26Ceramic: $0.1\muF \pm 10\%$ , 50 VDCW.C12219A702052P28Ceramic: $0.022\muF \pm 10\%$ , 50 VDCW.C12319A702052P14Ceramic: $0.01\muF \pm 10\%$ , 50 VDCW.C12419A702061P73Ceramic: $330pF \pm 5\%$ 500 VDCW, temp coef 0 $\pm 30$ PPM/°C.C12519A702061P73Ceramic: $330pF \pm 5\%$ . 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C12519A702061P73Ceramic: $330pF \pm 5\%$ . 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C12519A702061P73Ceramic: $330pF \pm 5\%$ . 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C13019A705108P3Mica: $3.3pF \pm 0.25pF$ , 500 VDCW, temp coef 0 $\pm 200$ PPM/°C (Used in Groups 1 and 2).*C13019A705108P1Mica: $3.3pF \pm 0.25pF$ , 500 VDCW, temp coef 0 $\pm 200$ PPM/°C (Used in Group 3).C13119A705108P15Mica: $12pF \pm 5\%$ , 500 VDCW, 0 +200	and	19A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
thru C115 $\pm 30 \text{ PPM/°C}$ .c115 $\pm 30 \text{ PPM/°C}$ .c11619A702061P61Ceramic: 100pF ±5%, 50 VDCW, temp coef 0 $\pm 30 \text{ PPM°/C}$ (Used in Groups 1 and 3).*C11619A702236P13Ceramic: 3.3pF ±0.5pF, 50 VDCW, temp coef $0 \pm 120 \text{ PPM/°C}$ (Used in Group 2).C11719A702052P22Ceramic: 0.047µF ±10%, 50 VDCW.C11819A703314P10Electrolytic: 10µF -10 +50%, 50 VDCW; Sim to Panasonic LS Series.C11919A702061P73Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 $\pm 30 \text{ PPM/°C}$ .C12019A702236P50Ceramic: 100pF ±5%, 50 VDCW, temp coef 0 $\pm 30 \text{ PPM/°C}$ .C12119A702052P26Ceramic: 0.1µF ±10%, 50 VDCW.C12219A702052P28Ceramic: 0.022µF ±10%, 50 VDCW.C12319A702052P14Ceramic: 0.01µF ±10%, 50 VDCW.C12419A705108P36Mica: 91pF ±5% 500 VDCW, temp coef 0 $\pm 30 \text{ PPM/°C}$ .C13019A705108P3Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 $\pm 30 \text{ PPM/°C}$ .C13019A705108P1Mica: 3.3 pF ±0.25 pF, 500 VDCW, temp coef 0 $\pm 200 \text{ PPM/°C}$ (Used in Groups 1 and 2).*C13019A705108P1Mica: 12pF ±5%, 500 VDCW, temp coef 0 $\pm 200 \text{ PPM/°C}$ (Used in Groups 1).*C13119A705108P15Mica: 12pF ±5%, 500 VDCW, 0 +200	C111	19A701534P16	Tantalum: 6.8μF ±20%, 35 VDCW.
C11619A702061P61Ceramic: 100pF $\pm 5\%$ , 50 VDCW, temp coef 0 $\pm$ 30 PPM°/C (Used in Groups 1 and 3).*C11619A702236P13Ceramic: 3.3pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 120 PPM/°C (Used in Group 2).C11719A702052P22Ceramic: 0.047µF $\pm$ 10%, 50 VDCW.C11819A703314P10Electrolytic: 10µF -10 +50%, 50 VDCW; Sim to Panasonic LS Series.C11919A702061P73Ceramic: 330pF $\pm$ 5%. 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.C12019A702236P50Ceramic: 0.1µF $\pm$ 10%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.C12119A702052P26Ceramic: 0.1µF $\pm$ 10%, 50 VDCW.C12219A702052P14Ceramic: 0.01µF $\pm$ 10%, 50 VDCW.C12319A702052P14Ceramic: 330pF $\pm$ 5% 500 VDCW, temp coef 0 $\pm$ 30 PPM/°C.C12419A705108P36Mica: 91pF $\pm$ 5% 500 VDCW, temp coef 0 $\pm$ 30 PPM/°C.C125 and C12619A702061P73Ceramic: 330pF $\pm$ 5%. 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.C13019A705108P3Mica: 3.9pF $\pm$ 0.25 pF, 500 VDCW, temp coef 0 $\pm$ 200 PPM/°C (Used in Groups 1 and 2).*C13019A705108P1Mica: 3.3 pF $\pm$ 0.25 pF, 500 VDCW, temp coef 0 $\pm$ 200 PPM/°C (Used in Groups 1 and 2).	thru	19A702061P73	
*C11619A702236P13Ceramic: $3.3pF \pm 0.5pF$ , $50 VDCW$ , temp coef $0 \pm 120 PPM/°C$ (Used in Group 2).C11719A702052P22Ceramic: $0.047\muF \pm 10\%$ , $50 VDCW$ .C11819A703314P10Electrolytic: $10\muF - 10 + 50\%$ , $50 VDCW$ ; Sim to Panasonic LS Series.C11919A702061P73Ceramic: $330pF \pm 5\%$ . $50 VDCW$ , temp coef $0 \pm 30 PPM/°C$ .C12019A702236P50Ceramic: $100pF \pm 5\%$ , $50 VDCW$ , temp coef $0 \pm 30 PPM/°C$ .C12119A702052P26Ceramic: $0.1\muF \pm 10\%$ , $50 VDCW$ .C12219A702052P28Ceramic: $0.022\muF \pm 10\%$ , $50 VDCW$ .C12319A702052P14Ceramic: $0.01\muF \pm 10\%$ , $50 VDCW$ .C12419A705108P36Mica: $91pF \pm 5\%$ 500 VDCW, temp coef $0 \pm 30 PPM/°C$ .C125 and C12619A702061P73Ceramic: $330pF \pm 5\%$ . $50 VDCW$ , temp coef $0 \pm 30 PPM/°C$ .C13019A705108P3Mica: $3.9pF \pm 0.25 pF$ , $500 VDCW$ , temp coef $0 \pm 200 PPM/°C$ (Used in Groups 1 and 2).*C13019A705108P1Mica: $3.3 pF \pm 0.25pF$ , $500 VDCW$ , temp coef $0 \pm 200 PPM/°C$ (Used in Groups 1).C13119A705108P15Mica: $12pF \pm 5\%$ , $500 VDCW$ , $0 \pm 200$		19A702061P61	
C11719A702052P22Ceramic: $0.047\mu F \pm 10\%$ , 50 VDCW.C11819A703314P10Electrolytic: $10\mu F \cdot 10 + 50\%$ , 50 VDCW; Sim to Panasonic LS Series.C11919A702061P73Ceramic: $330pF \pm 5\%$ . 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C12019A702236P50Ceramic: $100pF \pm 5\%$ , 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C12119A702052P26Ceramic: $0.1\mu F \pm 10\%$ , 50 VDCW.C12219A702052P28Ceramic: $0.022\mu F \pm 10\%$ , 50 VDCW.C12319A702052P14Ceramic: $0.01\mu F \pm 10\%$ , 50 VDCW.C12419A705108P36Mica: $91pF \pm 5\%$ 500 VDCW, temp coef 0 + $50$ PPM/°C.C125 and C12619A705108P3Mica: $3.9pF \pm 0.25$ pF, 500 VDCW, temp coef 0 $\pm 30$ PPM/°C.C13019A705108P1Mica: $3.3$ pF $\pm 0.25pF$ , 500 VDCW, temp coef $0 + 200$ PPM/°C (Used in Groups 1 and 2).*C13019A705108P15Mica: $12pF \pm 5\%$ , 500 VDCW, 0 +200	*C116	19A702236P13	Ceramic: 3.3pF ±0.5pF, 50 VDCW, temp coef
C11819A703314P10Electrolytic: $10\mu$ F -10 +50%, 50 VDCW; Sim to Panasonic LS Series.C11919A702061P73Ceramic: $330$ PFM/°C.C12019A702236P50Ceramic: $100$ F ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.C12119A702052P26Ceramic: $0.1\mu$ F ±10%, 50 VDCW.C12219A702052P28Ceramic: $0.022\mu$ F ±10%, 50 VDCW.C12319A702052P14Ceramic: $0.01\mu$ F ±10%, 50 VDCW.C12419A705108P36Mica: 91 pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C.C12519A702061P73Ceramic: $330$ pF ±5%. 50 VDCW, temp coef 0 + 50 PPM/°C.C13019A705108P3Mica: $3.9$ pF ±0.25 pF, 500 VDCW, temp coef 0 $\pm 200$ PPM/°C (Used in Groups 1 and 2).*C13019A705108P15Mica: $12$ pF ±5%, 500 VDCW, 0 +200	C117	19A702052P22	
C11919A702061P73Ceramic: $330pF \pm 5\%$ . 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C12019A702236P50Ceramic: $100pF \pm 5\%$ , 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C12119A702052P26Ceramic: $0.1\muF \pm 10\%$ , 50 VDCW.C12219A702052P28Ceramic: $0.022\muF \pm 10\%$ , 50 VDCW.C12319A702052P14Ceramic: $0.01\muF \pm 10\%$ , 50 VDCW.C12419A705108P36Mica: $91pF \pm 5\%$ 500 VDCW, temp coef 0 + $50$ PPM/°C.C125 and C12619A702061P73Ceramic: $330pF \pm 5\%$ . 50 VDCW, temp coef 0 $\pm 30$ PPM/°C.C13019A705108P3Mica: $3.9pF \pm 0.25$ pF, 500 VDCW, temp coef $0 + 200$ PPM/°C (Used in Groups 1 and 2).*C13019A705108P1Mica: $3.3$ pF $\pm 0.25pF$ , 500 VDCW, temp coef $0 + 200$ PPM/°C (Used in Group 3).C13119A705108P15Mica: $12pF \pm 5\%$ , 500 VDCW, 0 +200			Electrolytic: 10µF -10 +50%, 50 VDCW; Sim
C120     19A702236P50     Ceramic: 100pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.       C121     19A702052P26     Ceramic: 0.1µF ±10%, 50 VDCW.       C122     19A702052P28     Ceramic: 0.022µF ±10%, 50 VDCW.       C123     19A702052P14     Ceramic: 0.01µF ±10%, 50 VDCW.       C124     19A705108P36     Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C.       C125     19A702061P73     Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C130     19A705108P3     Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 + 200 PPM/°C (Used in Groups 1 and 2).       *C130     19A705108P1     Mica: 3.3 pF ±0.25pF, 500 VDCW, temp coef 0 + 200 PPM/°C (Used in Groups 3).       C131     19A705108P15     Mica: 12pF ±5%, 500 VDCW, 0 +200	C119	19A702061P73	Ceramic: 330pF ±5%. 50 VDCW, temp coef 0
C121     19A702052P26     Ceramic: 0.1μF ±10%, 50 VDCW.       C122     19A702052P28     Ceramic: 0.022μF ±10%, 50 VDCW.       C123     19A702052P14     Ceramic: 0.01μF ±10%, 50 VDCW.       C124     19A705108P36     Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C.       C125     19A702061P73     Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C130     19A705108P36     Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 ± 200 PPM/°C (Used in Groups 1 and 2).       *C130     19A705108P1     Mica: 3.3 pF ±0.25 pF, 500 VDCW, temp coef 0 ± 200 PPM/°C (Used in Groups 1).       C131     19A705108P15     Mica: 12pF ±5%, 500 VDCW, 0 ± 200	C120	19A702236P50	Ceramic: 100pF ±5%, 50 VDCW, temp coef 0
C122     19A702052P28     Ceramic: 0.022μF ±10%, 50 VDCW.       C123     19A702052P14     Ceramic: 0.01μF ±10%, 50 VDCW.       C124     19A705108P36     Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C.       C125     19A702061P73     Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C130     19A705108P3     Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 ± 200 PPM/°C (Used in Groups 1 and 2).       *C130     19A705108P1     Mica: 3.3 pF ±0.25pF, 500 VDCW, temp coef 0 ± 200 PPM/°C (Used in Groups 1).       C131     19A705108P15     Mica: 12pF ±5%, 500 VDCW, 0 ±200	C121	19A702052P26	
C123     19A702052P14     Ceramic: 0.01µF ±10%, 50 VDCW.       C124     19A705108P36     Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C.       C125     19A702061P73     Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C126     19A705108P3     Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 ± 200 PPM/°C.       C130     19A705108P3     Mica: 3.3 pF ±0.25 pF, 500 VDCW, temp coef 0 ± 200 PPM/°C (Used in Groups 1 and 2).       *C130     19A705108P1     Mica: 3.3 pF ±0.25pF, 500 VDCW, temp coef 0 ± 200 PPM/°C (Used in Group 3).       C131     19A705108P15     Mica: 12pF ±5%, 500 VDCW, 0 ± 200			
C124     19A705108P36     Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C.       C125 and C126     19A702061P73     Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C130     19A705108P3     Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Groups 1 and 2).       *C130     19A705108P1     Mica: 3.3 pF ±0.25pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Group 3).       C131     19A705108P15     Mica: 12pF ±5%, 500 VDCW, 0 +200	-		
50 PPM/°C.       C125 and C126     19A702061P73     Ceramic: 330pF ±5%. 50 VDCW, temp coef 0 ± 30 PPM/°C.       C130     19A705108P3     Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Groups 1 and 2).       *C130     19A705108P1     Mica: 3.3 pF ±0.25pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Groups 1 and 2).       *C130     19A705108P1     Mica: 1.3 pF ±0.25pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Group 3).       C131     19A705108P15     Mica: 12pF ±5%, 500 VDCW, 0 +200		19A705108P36	•
and C126     ± 30 PPM/°C.       C130     19A705108P3     Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Groups 1 and 2).       *C130     19A705108P1     Mica: 3.3 pF ±0.25pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Group 3).       C131     19A705108P15     Mica: 12pF ±5%, 500 VDCW, 0 +200	0.2.		
0 +200 PPM/°C (Used in Groups 1 and 2).       *C130     19A705108P1       Mica: 3.3 pF ±0.25pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Group 3).       C131     19A705108P15       Mica: 12pF ±5%, 500 VDCW, 0 +200	and	19A702061P73	
*C130     19A705108P1     Mica: 3.3 pF ±0.25pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Group 3).       C131     19A705108P15     Mica: 12pF ±5%, 500 VDCW, 0 +200		19A705108P3	
	*C130	19A705108P1	
	C131	19A705108P15	

# PARTS LIST

SYMBOL	PART NO.	DESCRIPTION
*C131	19A705108P13	Mica: 10pF $\pm$ 5%, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Group 3).
C132	19A705108P208	Mica: CHIP, 3pF ±0.25 pF, 500 VDCW, 0 +200 PMM/°C (Used in Groups 1 and 2).
*C132	19A705108P3	Mica: 3.9pF ±0.25pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Group 3).
C133	19A702052P26	Ceramic: 0.1µF ±10%, 50 VDCW.
C134	19A701534P16	Tantalum: 6.8μF ±20%, 35 VDCW.
C135	19A705108P36	Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C.
C140 and C141	19A702236P19	Ceramic: 5.6 pF $\pm$ 0.5 pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C. (Used in Groups 1 and 3).
C142	19A702236P28	Ceramic: 12 pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C201	19A702052P14	Ceramic: 0.01 $\mu$ F ±10%, 50 VDCW.
C202	19A702061P99	Ceramic: 1000pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.
C203	19A702061P11	Ceramic: 6.8 pF $\pm$ 5 pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C.
C204	19A702052P26	Ceramic: 0.1 $\mu$ F ±10%, 50 VDCW.
C205	19A701534P17	Tantalum: $47\mu$ F ±20%, 10 VDCW.
C206	19A702052P5	Ceramic: 1000pF ±10%, 50 VDCW.
C207	19A701534P8	Tantalum: 22µF ±20%, 16 VDCW.
C208	19A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C210	19A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C211	19A702061P33	Ceramic: 27pF $\pm$ 5%, 50 VCDW, temp coef 0 $\pm$ 30 PPM/°C.
C212	19A702052P5	Ceramic:1000pF ±10%, 50 VDCW.
C213 and C214	19A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C215	19A700004P1	Metallized Polyester: 0.068 $\mu F$ ±10%, 63 VDCW.
C216	19A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C217	19A700004P11	Metallized Polyester: 1µF $\pm$ 10%, 63 VDCW.
C218	19A702061P29	Ceramic: 22pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C219	19A702061P93	Ceramic: 2200pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C220	19A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C222	19A702061P99	Ceramic: 1000pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C223	19A702052P14	Ceramic: 0.01µF 10%, 50 VDCW.
C224	19A702061P77	Ceramic: 470pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C225	19A702061P103	Ceramic: 4700pF $\pm$ 5%, 50 VDCW, temp coef $\pm$ 30 PPM/°C at 85°C.
C226	19A701534P17	Tantalum: 47 $\mu$ F ±20%, 10 VDCW.
C227	19A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C228	19A702061P9	Ceramic: $4.7\text{pF} \pm 0.5\text{pF}$ , 50 VDCW, temp coef $0 \pm 60$ PPM/°C.
C229	19A702061P61	Ceramic: 100pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C.
C230	19A702052P26	Ceramic: 0.1µF ±10%, 50 VDCW.

\*COMPONENTS ADDED, DELECTED OR CHANGED BY PRODUCTION CHANGES

# LBI-39017

C232 1	9A703314P10 9A702052P14	Electrolytic: 10µF -10 +50%, 50 VDCW; Sim to Panasonic LS Series.
0101	9A702052P14	Sim to Panasonic LS Series.
0101	SATU2052F14	Ceramic: 0.01µF ±10%, 50 VDCW.
0234	9A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C236 1	9A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
	9A702061P17	Ceramic: 12pF ±5%, 50 VDCW, temp coef
0207	0/1102001111	0 ± 30 PPM/°C.
C238 1	9A702061P9	Ceramic: 4.7pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C.
C239 1	9A702061P12	Ceramic: $8.2pF \pm 0.5pF$ , 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C (Used in Groups 1 and 2).
*C239 1	9A702061P11	Ceramic: 6.8pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C (Used in Group 3).
C240 1	9A702061P25	Ceramic: 18pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C241 1	9A702061P73	Ceramic: 330pF $\pm$ 5%. 50 VDCW,temp coef 0 $\pm$ 30 PPM/°C.
C242 1	9A702052P26	Ceramic: 0.1µF $\pm$ 10%, 50 VDCW.
C245 1	9A703314P10	Electrolytic: 10µF -10 +50%, 50 VDCW; Sim to Panasonic LS Series.
C246 1	9A702061P73	Ceramic: 330pF $\pm$ 5%. 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C247 1	9A702052P14	Ceramic: 0.01 $\mu$ F ±10%, 50 VDCW.
C248 19 and C249	9A702061P73	Ceramic: 330pF $\pm$ 5%. 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C250 1	9A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C251 19 and C252	9A703314P10	Electrolytic: 10μF -10 +50%, 50 VDCW; Sim to Panasonic LS Series.
C253 1	9A701534P4	Tantalum: 1µF ±20%, 35 VDCW.
C254 1	9A701534P7	Tantalum: 10μF ±20%, 16 VDCW.
C255 1	9A701534P4	Tantalum: 1µF ±20%, 35 VDCW.
C402 1	9A705108P9	Mica: 6.8pF ±0.25pF. 500 VDCW, temp coef 0 +200 PPM/°C (Used in Groups 1 and 3).
*C402 1	9A705108P13	Mica: 10pF ±5%, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Group 2).
C403 1	9A702236P15	Ceramic: 3.9pF $\pm$ 0.25pF @3kHz, temp coef 0 $\pm$ 30 PPM/°C.
C404 1	9A702061P63	Ceramic: 120pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 2).
C405 1	9A702061P13	Ceramic: 10pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 2).
* C405 1	9A702061P11	Ceramic: $6.8pF$ , $\pm 0.5pF$ , $50$ VDCW, temp coef 0 $\pm 60$ PPM/°C (Used in Groups 1 and 3).
C406 1	9A702061P13	Ceramic: 10pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 2).
C406 1	9A702061P10	Ceramic: 5.6pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 1).
* C406 1	9A702061P9	Ceramic: 4.7pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 3).
C407 1	9A702052P26	Ceramic: 0.1 $\mu$ F ±10%, 50 VDCW.
C408 1	9A702061P99	Ceramic: $0.1\mu F \pm 10\%,50$ VDCW, temp coef $0 \pm 30$ PPM/°C.

# LBI-39017

SYMBOL	PART NO.	DESCRIPTION
* C409	19A702236P11	Ceramic: 2.7pF, ±0.25pF, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Groups 1 and 3).
*C409	19A702236P10	Ceramic: 2.2pF $\pm$ 0.25pF, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 2).
*C410	19A702236P15	Ceramic: 3.9pF $\pm$ 0.25pF, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 1).
*C410	19A702236P21	Ceramic: 6.8pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C (Used in Group 2).
*C410	19A702236P17	Ceramic: 4.7pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C (Used in Group 3).
* C411	19A702061P11	Ceramic: 4.7pF $\pm$ 5pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C (Used in Groups 1 and 2).
*C411	19A702061P7	Ceramic: 4.7pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 120 PPM/°C (Used in Group 3).
C412	19A702061P10	Ceramic: 5.6pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 1).
*C412	19A702061P9	Ceramic: 4.7pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C Used in Group 2).
*C412	19A702061P11	Ceramic: 6.8pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C Used in Group 3).
* C413	19A702061P17	Ceramic: 12pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Groups 1 and 3).
* C413	19A702061P13	Ceramic: 10pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 2).
*C414	19A702234P15	Ceramic: 3.9 pF $\pm$ 0.25pF, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 1).
*C414	19A702236P17	Ceramic: 4.7 pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C (Used in Group 2).
C415 and C416	19A702061P63	Ceramic: 120pF $\pm$ 5pF, 50 VDCW, temp coef 0 $\pm$ 120 PPM/°C.
C417	19A702061P9	Ceramic: 4.7pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 60 PPM/°C.
C418	19A702052P5	Ceramic: 1000pF ±10%, 50 VDCW.
*C419	19A702236P15	Ceramic: 3.9pF ±0.25pF, 50 VDCW, temp coef 0 ± 30 PPM/°C.
C421	19A702236P52	Ceramic: 120pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Groups 1 and 2).
*C421	19A702236P50	Ceramic: 100pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 3).
C502	19A702061P99	Ceramic: 1000pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C (Used in Group 3).
C503	19A702052P14	Ceramic: $0.01 \mu F \pm 10\%,  50$ VDCW.
C504	19A702061P29	Ceramic: 22pF $\pm$ 10%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C505	19A702061P25	Ceramic: 18pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C506	19A701534P7	Tantalum: 10 $\mu$ F ±20%, 16 VDCW.
C507 thru C509	19A702052P14	Ceramic: 0.01µF $\pm 10\%,$ 50 VDCW.
C510	19A702061P6	Ceramic: 2.7pF $\pm$ 0.5pF, 50 VDCW, temp coef 0 $\pm$ 150 PPM/°C.
C511	19A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C512	19A702061P1	Ceramic: 1pF ±0.5pF, 50 VDCW, temp coef 0 ± 30 PPM/°C.

SYMBOL	PART NO.	DESCRIPTION
C513	19A702061P12	Ceramic: 8.2pF ±0.5pF, 50 VDCW,temp coef 0 ± 60 PPM/°C.
C514	19A702061P33	Ceramic: 27pF $\pm$ 5%, 50 VDCW, temp coef 0 $\pm$ 30 PPM/°C.
C515 and	19A702061P29	Ceramic: 22pF $\pm$ 10%, 50 VDCW,temp coef 0 $\pm$ 30 PPM/°C.
C516 C517 and	19A702052P26	Ceramic: 0.1µF ±10%, 50 VDCW.
C518		
C519	19A702052P5	Ceramic: 1000pF ±10%, 50 VDCW.
C520	19A702052P14	Ceramic: 0.01µF ±10%, 50 VDCW.
C521	19A703314P10	Electrolytic: $10\mu$ F -10 +50%, 50 VDCW; Sim to Panasonic LS Series.
C522	19A702052P26	Ceramic: 0.1µF $\pm 10\%,$ 50 VDCW.
C523 and C524	19A701534P4	Tantalum: 1µF ±20%, 35 VDCW.
C525	19A701534P7	Tantalum: 10 $\mu$ F ±20%, 16 VDCW.
		DIODES
D101	19A705377P1	Silicon, Hot Carrier: simi to MMB0201.
D104	344A3316P1	Silicon PIN: sim to MA4P1250.
D106	19A702526P2	Silicon: Schottky Barrier;sim to Bat 17.
D202	19A702526P2	Silicon: Schottky Barrier;sim to Bat 17.
and D203	13/11 02 02 01 2	Silleon. Schottky Barner, sin to Bat 17.
D401	344A3316P1	Silicon PIN: sim to MA4P1250.
D402	19A700155P2	Silicon, fwd Current: 100 mA, 35 PIV.
D501 and	19A700028P1	Silicon: 75 mA, 75 PIV; sim to 1N4148.
D502		
		JACKS
J101 thru J103	19A705512P1	RF jack.
J201 and J501	19A700072P1	Printed wire: 2 contacts rated at 2.5 amps; sim to Molex 22-03-2021.
J702	19A704779P11	Connector; sim to Molex 22-17-2122.
J702	19A700072P29	Printed wire: 3 contacts rated at 2.5 amps; sim to Molex 22-03-2031.
J705	19A700072P30	Printed wire: 4 contacts rated at 2.5 amps; sim to Molex 22-27-2041.
L102	19A700024P7	INDUCTORS Coil, RF: 330nH ±5%.
	19A704921P1	
L103 thru L106	1 <i>3A1</i> 0492121	
L120	19A705470P3	Coil, RF: 15µH ±20%, sim to Toko 380NB-15nH (Used in Groups 1 and 3).
*L120	19A705470P8	Coil, RF: $39\mu$ H ±20%, sim to Toko 380NB-39nH (Used in Group 2).
l	19B800891P1	Coil, RF choke: sim to Paul Smith
L130		

# PARTS LIST

	PART NO.	DESCRIPTION	SYMBOL	PART NO.	DESCRIPTION
SYMBOL	19A705470P6	Coil: 27nH; sim to Toko 380NB-27nH (Used	*R102	19B800607P510	Metal Film: 51 ohms ±5%, 1/8 Watt. (Used in
and		in Groups 1 and 2).	11102	102000011 010	Group 2).
L203 *L202	19A705470P5	Coil: 22nH; sim to Toko 380NB-22nH (Used	*R102	19B800607P560	Metal Film: 56 ohms ±5%, 1/8 Watt. (Used in Group 3).
and		in Group 3).	R103	19B800607P821	Metal Film: 820 ohms ±5%, 1/8 Watt.
L203	19B800891P2	Coil, RF Choke: sim to Paul Smith SK-890-1.	R104	19B800607P223	Metal Film: 22K ohms ±5%, 1/8 Watt.
L401 L402	19B800891P1	Coil, RF Choke: sim to Paul Smith SK-890-1.	R105	19B800607P473	Metal Film: 47K ohms $\pm$ 5%, 1/8 Watt.
L402 L403	19B800890P3	Coil, RF: 11.7 $\mu$ H ±5%, sim to Paul Smith	R106	19B800607P102	Metal Film: 1K ohms $\pm$ 5%, 1/8 Watt.
2100	102000001 0	SK-896-1.	R107	19B800607P394	Metal Film: 390K ohms $\pm$ 5%, 1/8 Watt.
L404	19B800891P2	Coil, RF Choke: sim to Paul Smith SK-890-1.	R108	19B800607P123	Metal Film: 12K ohms $\pm$ 5%, 1/8 Watt.
L405	19B800891P1	Coil, RF Choke: sim to Paul Smith SK-890-1.	R109	19B800607P394	Metal Film: 390K ohms $\pm$ 5%, 1/8 Watt.
L502 and	H343CLP10022	Coil,Fixed: 10μH ±10%.	R110	19B800607P102	Metal Film: 1K ohms ±5%, 1/8 Watt.
L503			R111	19B800779P8	Variable: 4.7K ohms ±25%, 100 VDCW, 0.3 Watt.
L504	19B801413P4	Coil:39MHz.	R112	19B800607P103	Metal Film: 10K ohms ±5%, 1/8 Watt.
L505	19B209420P21	Coil, RF:.4.7μH ±5%, 1.20 ohms DC res max; sim to Jeffers 4436-8J.	R113	19B800607P102	Metal Film: 1K ohms ±5%, 1/8 Watt.
L506	19B801413P4	Coil, 39MHz.	R114	19B800607P103	Metal Film: 10K ohms $\pm$ 5%, 1/8 Watt.
thru L508			R115	19B800607P562	Metal Film: 5.6K ohms $\pm$ 5%, 1/8 Watt.
L509	19B801415P2	Transformer:455 KHz; sim to AEPD	R116	19B800607P183	Metal Film: 18K ohms $\pm$ 5%, 1/8 Watt.
		162B3277P17.	R117	19B800607P221	Metal Film: 220 ohms ±5%, 1/8 Watt.
		TRANSISTORS	R118	19A702931P326	Metal Film: 18.2K ohms ±5%, 1/8 Watt.
Q101	344A3224P1	Silicon, NPN: sim to Motorola MJP3055.	R119	19B800607P100	,
Q102	19A703197P2	Silicon, PNP: sim to MMBT4403 Low profile Pkg.	R120	19B800607P100	Metal Film: 10 ohms ±5%, 1/8 Watt.
Q103	19A704972P1	Silicon, PNP: sim to Motorola 2N4918.	R121	19B800607P100	Metal Film: 10 ohms ±5%, 1/8 Watt.
Q104	19A700076P2	Silicon, PNP: sim to MMBT3904 Low profile	R122	19B800607P821 19B800607P100	Metal Film: 820 ohms $\pm$ 5%, 1/8 Watt. Metal Film: 10 ohms $\pm$ 5%, 1/8 Watt.
*0105	19A700059P2	Pkg. Silicon PNP: sim to MMBT 3906 Low Profile	R123 R124	19B800607P100	Metal Film: 100 ohms $\pm 5\%$ , 1/8 Watt.
*Q105	19A700039F2	Pkg. (Used in Groups 1 and 3).	R124	19A702931P259	Metal Film: 4020 ohms ±5%, 1/8 Watt.
Q201	19A704708P2	Silicon, NPN: sim to NEC 2SC3356.	R126	19A702931P201	Metal Film: 1000 ohms $\pm$ 5%, 1/8 Watt.
Q202	19A700059P2	Silicon, PNP: sim to MMBT3906 Low profile Pkg.	R127	19A702931P262	Metal Film: 4320 ohms $\pm 5\%$ , 1/8 Watt.
Q203	19A700076P2	Silicon, PNP: sim to MMBT3904 Low profile	R128	19B800607P1	Metal Film: 0 ohms ±5%, 1/8 Watt.
		Pkg.	R129	19B800607P153	Metal Film: 15K ohms ±5%, 1/8 Watt.
Q204	19A704708P2	Silicon, NPN: sim to NEC 2SC3356.	R140	19B800607P103	Metal Film: 10K ohms ±5%, 1/8 Watt.
Q206	19A700076P2	Silicon, PNP: sim to MMBT3904 Low profile Pkg.	R141	19B800607P102	Metal Film: 1K ohms $\pm$ 5%, 1/8 Watt.
Q207	19A700059P2	Silicon, PNP: sim to MMBT3906 Low profile	R142	19B800607P221	Metal Film: 220 ohms $\pm$ 5%, 1/8 Watt.
Q208	19A700023P2	Pkg. Silicon, NPN: sim to 2N3904.	R202	19B800607P101	Metal Film: 100 ohms ±5%, 1/8 Watt.
Q209	19A702084P2	Silicon, NPN: sim to MPS 2369.	R203	19B800607P560	Metal Film: 56 ohms $\pm$ 5%, 1/8 Watt.
and	10/11/02/00/11/2		R204	19B800607P221	Metal Film: 220 ohms ±5%, 1/8 Watt.
Q210	19A704708P2	Silicon, NPN: sim to NEC 2SC3356.	R205	19B800607P332	
Q401 Q501	19A704708P2	N-Type, Field Effect; sim to MMBFU310.	R206	19B800607P102	Metal Film: 1K ohms ±5%, 1/8 Watt.
Q502	19A116818P3	N-Channel, Field Effect; sim to Type 3N1877.	R207	19B800607P181	Metal Film: 180 ohms $\pm$ 5%, 1/8 Watt.
Q503	19A700023P2	Silicon, NPN: sim to 2N3904.	R208	19B800607P473	Metal Film: 47K ohms $\pm$ 5%, 1/8 Watt. Metal Film: 3.3K ohms $\pm$ 5%, 1/8 Watt.
4000			R209 R210	19B800607P332	Metal Film: 3.3K ohms $\pm$ 5%, 1/8 Watt.
		RESISTORS	R210 R211	19B800607P101	Metal Film: 100 ohms $\pm$ 5%, 1/8 Watt.
R101	19B800607P103		R213	19B800607P103	Metal Film: 10K ohms $\pm$ 5%, 1/8 Watt.
R102	19B800607P390	Metal Film: 39 ohms ±5%, 1/8 Watt. (Used in	R213	19B800607P331	Metal Film: 330 ohms $\pm$ 5%, 1/8 Watt.
		Group 1).	R215	19B800607P822	Metal Film: 8.2K ohms ±5%, 1/8 Watt.

# PARTS LIST

SYMBOL	PART NO.	DESCRIPTION
R216	19B800607P222	Metal Film: 2.2K ohms $\pm$ 5%, 1/8 Watt.
R217	19B800607P101	Metal Film: 100 ohms ±5%, 1/8 Watt.
R218	19B800779P16	Variable: 100K ohms ±25%, 100 VDCW, 0.3 Watt.
R219	19B800607P273	Metal Film: 27K ohms ±5%, 1/8 Watt.
R221	19B800607P154	Metal Film: 150K ohms $\pm$ 5%, 1/8 Watt.
R222	19B800607P333	Metal Film: 33K ohms ±5%, 1/8 Watt.
R223	19B800607P105	Metal Film: 1M ohms ±5%, 1/8 Watt.
R224	19B800607P472	Metal Film: 4.7K ohms $\pm$ 5%, 1/8 Watt.
R226	19B800779P4	Variable: 1k ohms ±25%, 100 VDCW, 0.3 Watt.
R227	19B800607P473	Metal Film: 47K ohms ±5%, 1/8 Watt.
R228	19B800607P223	Metal Film: 22K ohms ±5%, 1/8 Watt.
R229	19B800607P183	Metal Film: 18K ohms ±5%, 1/8 Watt.
R230	19B800607P332	Metal Film: 3.3K ohms ±5%, 1/8 Watt.
R231	19B800607P472	Metal Film: 4.7K ohms $\pm$ 5%, 1/8 Watt.
R232	19B800607P103	Metal Film: 10K ohms ±5%, 1/8 Watt.
R233	19B800607P332	Metal Film: 3.3K ohms ±5%, 1/8 Watt.
R234	19B800607P472	Metal Film: 4.7K ohms ±5%, 1/8 Watt.
R235	19B800607P183	Metal Film: 18K ohms ±5%, 1/8 Watt.
R236	19B800607P471	Metal Film: 470 ohms $\pm$ 5%, 1/8 Watt.
R237	19B800607P103	Metal Film: 10K ohms ±5%, 1/8 Watt.
R238	19B800607P103	Metal Film: 10K ohms $\pm$ 5%, 1/8 Watt.
R239	19B800607P103	Metal Film: 10K ohms ±5%, 1/8 Watt.
R240	19B800607P154	Metal Film: 150K ohms $\pm$ 5%, 1/8 Watt.
R241	19B800607P154	Metal Film: 150K ohms $\pm$ 5%, 1/8 Watt.
R242	19B800607P154	Metal Film: 150K ohms ±5%, 1/8 Watt.
R245	19B800607P223	Metal Film: 22K ohms ±5%, 1/8 Watt.
R246	19B800607P102	Metal Film: 1K ohms ±5%, 1/8 Watt.
R248	19B800607P1	Metal Film: jumper.
R249	19B800607P100	Metal Film: 10 ohms ±5%, 1/8 Watt.
R251 thru R254	19B800607P100	Metal Film: 10 ohms ±5%, 1/8 Watt.
R255	19B800779P16	Variable: 100K ohms ±25%, 100 VDCW, 0.3 Watt.
R256	19B800607P103	Metal Film: 10K ohms ±5%, 1/8 Watt.
R401	19B801486P151	Metal Film: 150 ohms $\pm$ 5%, 1/2 Watt.
R403	19B800607P102	Metal Film: 1K ohms ±5%, 1/8 Watt.
R404	19B800607P472	Metal Film: 4.7K ohms ±5%, 1/8 Watt.
R405	19B800607P271	Metal Film: 270 ohms ±5%, 1/8 Watt.
* R406	19B800607P391	Metal Film: 390 ohms $\pm$ 5%, 1/8 Watt. (Used in Group 1).
* R406	19B800607P271	Metal Film: 270 ohms $\pm 5\%$ , 1/8 Watt. (Used in Group 2).
* R406	19B800607P471	Metal Film: 470 ohms $\pm$ 5%, 1/8 Watt. (Used in Group 3).
R501	19B800607P181	Metal Film: 180 ohms ±5%, 1/8 Watt.
R502	19B800607P270	Metal Film: 27 ohms ±5%, 1/8 Watt.
R503	19B800607P562	Metal Film: 5.6K ohms $\pm$ 5%, 1/8 Watt.

SYMBOL	PART NO.	DESCRIPTION
R504	19B800607P270	Metal Film: 27 ohms ±5%, 1/8 Watt.
R505	19B800607P683	Metal Film: 68K ohms ±5%, 1/8 Watt.
R506	19B800607P823	Metal Film: 82K ohms ±5%, 1/8 Watt.
R507	19B800607P183	Metal Film: 18K ohms ±5%, 1/8 Watt.
R508	19B800607P101	Metal Film: 100 ohms $\pm$ 5%, 1/8 Watt.
R509	19B800607P272	Metal Film: 2.7K ohms ±5%, 1/8 Watt.
R510	19B800607P270	Metal Film: 27 ohms ±5%, 1/8 Watt.
R511	19B800607P473	Metal Film: 47K ohms $\pm$ 5%, 1/8 Watt.
R512	19B800607P822	Metal Film: 8.2K ohms ±5%, 1/8 Watt.
R513	19B800779P4	Variable: 1K ohms ±25%. 100 VDCW, 0.3 Watt.
R514	19B800607P103	Metal Film: 10K ohms $\pm$ 5%, 1/8 Watt.
R515	19B800607P821	Metal Film: 820 ohms ±5%, 1/8 Watt.
		INTEGRATED CIRCUITS
U101	19A705457P1	RF Power Amplifier Module. Part of next highter assembly (Used in Group 2).
U101	19A705457P2	RF Power Amplifier Module. Part of next highter assembly (Used in Group 1).
U101	19A705457P3	RF Power Amplifier Module. Part of next highter assembly (Used in Group 3).
U102	RYT1246003/4	IC; sim to LM35.
U103 and U104	19A701789P2	Linear: Dual Op Ampl.; sim to MM358.
U104	RYT1246003/4	IC LM35.
U201	19D901958G4	Voltage Controlled Oscillator (Used in Group
*U201	19D901958G3	1). Voltage Controlled Oscillator (Used in Group 2).
*U201	19D901958G5	Voltage Controlled Oscillator (Used in Group 3).
U202	19A700029P44	Digital: Bilateral Switch.
U203	19A704971P1	Linear: 5-Volt Regulator; sim to MC78L05ACP.
U204	19B801351P27	Crystal Oscillator, temperature compensated.
U205	19A704287P2	Prescaler: 128, 129; sim to MC12018.
U206	19B800902P4	Digital: Synthesizer, CMOS Serial Input.
U207	344A3820P1	8-Volt Regulator.
U501	19A704619P1	Linear: Osc/Mixer/IF/Det/Ampl; sim to MC3361AP.
U502	19A704073P2	Linear: 8-Volt Regulator; sim to MC78L08CP.
U503	344A3820P1	8-Volt Regulator.
		CRYSTALS
Y501	19A705376P5	Crystal, Fixed Frequency: 45.455 MHz $\pm$ 10 PPM.
		FILTERS
Z401 and	19A705458P4	Helical, UHF: 403-450 MHz. (Used in Group 2).
Z402		
Z401 and Z402	19A705458P1	Helical, UHF: 450-470 MHz. (Used in Group 1).

SYMBOL	PART NO.	DESCRIPTION
Z401 and Z402	19A705458P2	Helical, UHF: 470-492 MHz. (Used in Group 3).
Z403	19B801025P1	Balanced Mixer (Double); sim to Mini-Circuits SEL-1.
Z501 and Z502	19A705613G6	Monolithic Crystal: 45.000 MHz; sim to Toyocom 45E2B2.
Z503	19B801021P2	Bandpass filter: 455 kHz $\pm$ 1.5 kHz; sim to Murata CFW-455E.
		MISCELLANEOUS
	19B801566P1	SHIELD.
	19B801566P2	SHIELD.

#### PRODUCTION CHANGES

Changes in the equipment to improve or to simplify circuits are identified by a "Revision Letter", which is stamped after the model number of the unit. The revision stamped on the unit includes all previous revisions. Refer to the Parts List for descriptions of parts affected by these revisions.

REV. A - RF BOARD 188D5062G1 Incorporated in initial shipments.

REV. B - <u>RF BOARD 188D5062G1</u> To improve radio performance at temperature extremes. Changed C108, C111 & C134 (19A703314P10) to tantalum 6.8uF. C103 was 12pF (19A702061P17). R202 was 33 ohm (19B801607P330).

#### REV. A - RF BOARD 188D5062G2

- REV. C RF BOARD 188D5062G1
- To update parts list and schematic.
- REV. A RF BOARD 188D5062G3


#### REV. B - RF BOARD 188D5062G2 REV. D - RF BOARD 188D5062G1

To improve performance of radio and prevent shorts on PWB. New PWB.

# IC DATA


LBI-39017

**RF POWER AMPLIFIER U101** 19A705457P1 (M57704M (403-440 MHz) 19A705457P2 (M57794H (440-470 MHz) 19A705457P3 (M57704SH (470-512 MHz)




- I. Pin
- 2. V<sub>CC1</sub>-1ST STAGE
- 3. Vcc 2ND STAGE
- 4. V<sub>cc</sub> OUTPUT STAGE
- 5. Pout
- 6. FIN-GROUND

#### 8 VOLT REGULATOR U102, U105 RYT1246003/4 (LM35)




## **DUAL OPERATIONAL AMPLIFIER U103** 19A701789P2 (LM358)




# LBI-39017

# IC DATA & SCHEMATIC DIAGRAM




# IC DATA







PRESCALER U205


19A704287P2





## OSC/MIXER/IF/DET/AMP U501 19A704619P1 (MC3361AP)








BOTTOM VIEW PIN 1 - OUTPUT PIN 2 - GROUND PIN 3 - INPUT


# LBI-39017




BLOCK DIAGRAM








## SCHEMATIC DIAGRAM



# LBI-39017

# LBI-39017


# SCHEMATIC DIAGRAM



**RF BOARD** 

(188D5060, Sh. 2, Rev. 2)

# SCHEMATIC DIAGRAM



# LBI-39017

# **RF BOARD**

(188D5060, Sh. 3, Rev. 1)