MAINTENANCE MANUAL RF BOARD 188D5062G2 (403-440 MHz) 188D5062G1 (440-470 MHz) 188D5062G3 (470-512 MHz) 188D5062G4 (485-505 MHz, 12.5 kHz SPACING)

TABLE OF CONTENTS

| Pa | age |
|-----------------------|-------|
| DECRIPTION | Cover |
| CIRCUIT ANALYSIS | |
| Synthesizer | |
| Receive Circuit | |
| SERVICE NOTES | |
| Transmit Circuit | |
| Synthesizer Circuit | |
| PA Module Replacement | |
| PARTS LIST | |
| PRODUCTION CHANGES | |
| IC DATA | |
| OUTLINE DIAGRAMS 10 | 0, 17 |
| SCHEMATIC DIAGRAMS | 1-16 |
| | |

DESCRIPTION

The RF Board for the MDX radio consists of the following circuits:

- A frequency synthesizer for generating the transmit carrier frequency and the receive circuit first mixer injection frequency
- The transmit exciter, PA and power control stages
- The receive circuit front end, IF and FM detector
- Voltage regulators

The 403-512 MHz range of UHF frequencies is covered by four groups of RF Boards:

- 1. 188D5062G2: 403-440 MHz
- 2. 188D5062G1: 440-470 MHz
- 3. 188D5062G3: 470-512 MHz
- 4. 188D5062G4: 485-505 MHz, 12.5 kHz spacing

The RF Board is mounted in the bottom of the frame assembly. Refer to the Combination Manual for the mechanical layout of the radio. Figure 1 provides a block diagram of the receive and transmit circuits. Figure 2 provides a block diagram of the synthesizer.

Transmit circuit adjustments for frequency, power and deviation are accessible form the topside of the board, as are IF alignment, second oscillator and audio level adjustments for the receive circuit. Chip components on the bottom of the board provide optimum RF performance, while being accessible for easy servicing by removing the "friction fit" bottom shields.

Selected use of sealed modules permits small board size as well as RF and mechanical protection for sensitive circuitry. Modules are not repairable and must be replaced if they are determined to be damaged.

> Ericsson Inc. Private Radio Systems Mountain View Road Lynchburg, Virginia 24502 1-800-528-7711 (Outside USA, 804-592-7711)



Printed in U.S.A.

CIRCUIT ANALYSIS

SYNTHESIZER CIRCUIT

The synthesizer circuit generates all transmit and receive RF frequencies for the MDX Conventional mobile radio. This circuit uses a phase-locked VCO module (U201), feeding a doubler circuit to generate the transmit RF operating frequency.

While transmitting, the VCO operates at 1/2 the actual transmitter frequency (201.5-256.0 MHz to produce 403-512 MHz).

While receiving, the VCO operates at 1/2 of the difference between the receive frequency and the 45 MHz IF (179.0-233.5 MHz for 403-512 MHz).

Transistor Q201 doubles the VCO output frequency with input and output filters broadly fixed tuned to allow the VCO second harmonic to pass, while rejecting all other frequencies. The doubled signal is amplified by Q201 to a level of +10 dBm. This signal feeds the receive circuit first mixer and is attenuated to +3 dBm by resistor R202 to feed the transmit exciter module.

The synthesizer frequency is controlled by a microprocessor located on the Audio/Logic Board. Frequency stability is maintained by a Temperature Compensated (X)crystal Oscillator (TCXO) module. The oscillator has a stability of ± 2.5 PPM (0.00025%) over the temperature range of -30°C to +60°C and determines the overall frequency stability of the radio.

The VCO output is also buffered by transistor Q204 to feed the divide by 128/129 dual modulus prescaler U205. The prescaler feeds the FIN input of Phase-Lock-Loop (PLL) U206. Inside of U206, the prescaled signal is further divided down to 6.25 kHz or 5 kHz to be compared with a reference signal. This reference signal is derived from the 12.8 MHz of TCXO module U204. PLL U206 divides the 12.8 MHz TCXO frequency down to the 6.25 kHz or 5 kHz reference frequency.

Divider circuits in U206 are programmed by three inputs from the Audio/Logic Board, which are buffered and inverted by transistors Q208, Q209 and Q210. The S ENABLE pulse (5 milliseconds) activates switch U202 to more rapid channel acquisition during channel changes. A LOCK DET signal from the PLL goes to the microprocessor for processing to prevent transmission when the VCO is not on frequency and to provide an error message to the user. During receive, an unlocked synthesizer is indicated by **SYN** LOCK displayed in the LED display and by a quick, pulsed alert tone. The microprocessor will continually try to reload the frequency information into the PLL until the synthesizer locks. During transmit, only a slower pulsed alert tone will be heard. Once unlocked in transmit, the synthesizer will not be reloaded. The transmitter PTT switch must be unkeyed and then keved again to attempt to relock.

Audio modulation from the Audio/Logic Board is applied to the VCO module through **DEVIATION ADJUST** potentiometer R226. **VCO TUNE** potentiometer R218 adjusts the operating frequency range of the VCO by varying a negative bias from diodes D202 and D203.

Low frequency modulation is applied to TCXO U204 through LOW FREQUENCY ADJUST potentiometer R255.

TRANSMIT CIRCUIT

The transmit circuit consists of a fixed-tuned exciter module, a 10 watt PA module, a PIN diode switch, a low pass filter, a directional coupler, a power control circuit and a transmit voltage switch.

Exciter Module

Figure 1 shows the synthesizer driving the receive mixer at +10 dBm and is attenuated by resistor R202 to +3 dBm for driving the exciter input. Exciter module A102 operates from a switched 8 volt supply. A different exciter module is required for each of the three band splits. No tuning is required . Both input and output ports operate at 50 ohms impedance. The exciter module provides typically 20 dB of gain and 200 mW of output power to drive the power amplifier module.

Power Amplifier Module

The PA module U101 requires a drive of 200 mW from the exciter module to deliver up to 10 watts of power output. The module is mounted to the rear heat sink. The PA module output drive the 40 watt PA Board through connector J103. The power control circuit controls the PA module output power. The power output for the 485-505 MHz band is set for 25 watts.

PIN Diode Switch, Low Pass Filter and Directional Coupler

The output from the PA Board feeds transmit PIN diode switch D104 through J102. In transmit, switched 8 volts is applied through inductor L102, turning on PIN diodes D104 and D401. The DC path is completed through resistors R401 and R420 with the bias current set at about 40 mA. Diode D104 couples the PA Board power from J102 to low pass filter A101. Diode D401 provides an RF path to ground to protect the receiver input.

The lowpass filter reduces the harmonic output from the transmit circuit. The low pass filter feeds the directional coupler, W101 and W102. The directional coupler provides a sample of transmit power for the power control circuit. The coupler output feeds antenna jack J101.

Power Control Circuit

The Power control circuit samples the output power to the antenna to maintain a constant power level across the band. Also, a thermistor senses the heat sink temperature to reduce the power output level above 70°C. The circuit controls the supply voltage to one of the amplifier stages in PA module U101.

Directional coupler W101 and W102 provides a sample of transmit power to diode D101. Diode D101, resistor R106 and capacitor C104 produce a positive DC voltage proportional to the transmit output power level. This DC level feeds the (-) input of amplifier U103-B. Power Set potentiometer R111 and temperature sensor U105 along with buffer U104 determine the DC level to the (+) input of U103-B. Amplifier U103-B amplifiers the difference between the (-) and (+) inputs, forcing the output power level to equal the power set level by varying the drive to transistors Q102, then Q101. Transistor Q101 supplies the control voltage to PA module U101. For example, if the output power level begins to drop below the power set level, the output of U103-B increases positively, causing Q102 to conduct less. The base of Q101 rises, increasing the control voltage to the PA module, which increases the output power level back to the desired set level.

Transistor Q104, capacitor C123 and resistor R105 improve the transient stability of the power control loop when the transmit circuit is keyed.

RF is coupled from antenna jack J101 through the directional coupler and the low pass filter to PIN diode D401. In transmit, **SW 8V** is applied through inductor L102, turning on PIN diodes D104 and D401, with the DC path completed through resistors R401 and R402. Diode D401 provides an RF path to ground for the receive input while in transmit. In receive, D401 is off, allowing RF to pass by D401 unattenuated. Receive front end filtering is provided by RF filters Z401

Receive front end filtering is provided by RF filters Z401 and Z402. Both filters are fixed tuned, 3-pole, helical filters with 20 MHz bandwidths. These filters do not require tuning unless a different 20 MHz segment of the band split is required. RF amplifier transistor Q401 is a common emitter circuit with 15 dB of gain. Inductor L402 and capacitors C405 and C406 provide a broad band match from Z401 to the transistor input. Diode D402 protects the amplifier from high input signal levels. Inductor s L403 and L404 plus the associated capacitors provide a broad band impedance match from the amplifier output to RF filter Z402.

Test Point TP401 is a 50-ohm point for measuring front end gain or to align the receive circuit to another segment of the band split. The front end gain from antenna jack J101 to TP401 is typical 10 dB.

```
LBI-39017K
```

Transmit Switch

During transmit, the Audio /Logic Board microprocessor pulls the DPTT line low causing the output of amplifier U103-A to go low. Transistor Q103 turns on to supply SW 8V to the exciter module, the power control circuit and the PIN diode switch. During receive, the output of U103-A supplies 12 volts to receive circuit RF pre-amplifier transistor Q401.

RECEIVE CIRCUIT

The dual conversion receive circuit consists of a front end section, a 45 MHz first IF circuit and a 455 kHz second IF circuit with an FM detector circuit. All audio processing and squelch functions are accomplished on the Audio/Logic Board.

Front End Section







Figure 2 - Frequency Synthesizer Block Diagram

Mixer Z403, is a doubly balanced diode mixer. This mixer is driven by a local oscillator signal of +10 dBm or greater to provide a good inter modulation performance, spurious performance and local oscillator isolation. The mixer conversion loss is typically 6 dB.

<u>45 MHz IF</u>

The first 45 MHz IF amplifier transistor Q501 is a junction FET operated in the common gate mode. This configuration offers a typical input impedance of 75 ohms. The output circuitry is turned by inductor L504 and loaded to provide the proper source termination for the four-pole crystal filter which follows.

The output of the crystal filter is matched by second IF amplifier transistor Q502. This port is also tuned by inductor L506 and loaded to provide the proper filter termination. Transistor Q502 is a dual gate FET operation at a bias current of about 10 milliamps. The output of Q502 is tuned by inductor L507 for maximum gain at 45 MHz and is loaded by the 2nd mixer in the U501 chip. This Q502 stage has a relatively high input and output impedance and provides high isolation within the active device.

Converter/IF/Detector IC

The IF IC, U501, is a MC3361 chip. Pins 1 and 2 connect to an internally biased oscillator transistor. The external circuitry of this oscillator transistor includes crystal Y501 and forms an oscillator circuit operating at 45.455 MHz. The frequency of this third mode oscillator is adjusted by inductor L508. The 45 MHz IF signal is translated to 455 kHz and appears at Pin 3 of U501. This IF signal is filtered by 6-pole ceramic filter Z503 and drives the internal 455 kHz amplifier and limiter. The limited 455 kHz, in turn, drives an internal quadrature detector. The phase shift network needed by the quadrature detector is provided by inductor L509. The audio output port is Pin 9 on U501. Inductor L509 is adjusted for maximum audio output level. The audio signal at Pin 9 is filtered by resistor R512 and capacitor C519 to reduce IF feed through. Buffer amplifier Q503 drives audio potentiometer R513. This allows a VOL/SQ HI signal of which the amplitude may be set for proper system operation using R513.

Power Distribution

UN switched 13.8 Volts (A+) is supplied to the RF Board through connector J704 and feeds power control transistor Q101 and PA module U101.

Switched 13.6 Volts (A+) is supplied to the RF Board through connectors J702 and J705 and feeds regulators U102, U207 and U502. Regulator U102 supplies 8 Volts to the transmit switch, synthesizer 5 volt regulator U203 and the Audio/Logic Board through connector J702. Regulator U207 supplies 8.5 Volts to the synthesizer. Regulator U502 supplies 8 Volts to the receive circuit.

SERVICE NOTES

TRANSMIT CIRCUIT

Most transmit circuit problems can be isolated by checking the TX power gains shown in Figure 1- RX and TX Block Diagram. The PA Board may be bypassed by placing a jumper cable between J103 and J102 on the RF Board. The PA module U101 is capable of producing 10 watt output

Transmit DC Measurements

- 1. First ensure that DPTT is low when the microphone PTT is keyed low.
- 2. Check for approximately 8 Volts at L105 feeding the Exciter Module. If not present, troubleshoot the TX switch circuitry, TX Switch transistor Q103 and U103.
- 3. Check for approximately 7 Volts across resistors R401 and R402. If not present, check the PIN diodes D104 and D401 and the conduction path from R401 to Q103.
- 4. Check for an adjustable voltage of 0 to 12 Volts on Pin 2 of PA module U101. At maximum power, with Power Set adjustment R111 fully clockwise, Pin 2 should be at 12 Volts. If not present, check the power control circuitry (U103, Q101, Q102 and Q104).
- 5. Check for 13.6 Volts on Pins 3 and 4 of PA module U101 and ensure a good mechanical and electrical ground from the PA module to the bracket and casting.

RECEIVE CIRCUIT

To isolate a receiver circuit problem refer to the Receive Circuit Symptoms and Checks chart as follows:

| SYMPTOMS | | |
|-----------------|----|--|
| No Audio | 1. | U502 regulator. |
| | 2. | The level and frequency of |
| | 3. | The level and frequency of |
| | 4. | Quadrature detector circu |
| | 5. | Quadrature detector coil t |
| Poor SINAD | 1. | Consult Figure 1 - RX an troubleshoot. NOTE: Use TP401. A 50-ohm probe or Z402 without sweep ec sharply reduced. |
| | 2. | Input cable. |
| | 3. | PIN Diode switch is shore |
| Distorted Audio | 1. | Both mixer injection freq |
| | 2. | Quadrature detector coil t |
| | 3. | Crystal filter source and l |
| | 4. | Z503: 455 kHz ceramic fi |

RECEIVE FRONT END TUNING

Each receive front end has been preset to a fixed 20 MHz segment of each split. To adjust the front end for another 20 MHz segment of the split, a sweep tuning procedure will be required to maintain the necessary bandwidth.

- 1. Apply a sweep signal generator (or tracking generator) with markers set for the desired 20 MHz bandwidth at antenna jack J101.
- 2. Measure the RF signal at TP401 with a high impedance RF probe. A 50-ohm RF probe may be used at TP401 if coupling capacitor C415 is removed (If damaged, C415 may be replaced by a short piece of hookup wire).
- 3. Connect the RF sweep detector/display (or spectrum analyzer) to the RF probe.
- 4. Tune the slugs of Z401 and Z402 for the required 20 MHz bandwidth. Ripple will be 1 dB to 2 dB typical.

Regulator U203 uses the 8 volts from transmit regulator U102 to generate 5 volts for U204 and U205.

LBI-39017K

CHECKS

of the first mixer injection frequency.

of the second mixer injection frequency.

uit.

tuning.

nd TX Block Diagram for RX stage gains and e a high impedance RF probe when measuring gain at may be used if C415 is removed. **DO NOT** adjust Z401 equipment or the 20 MHz sensitivity bandwidth will be

ted.

uencies.

tuning.

load tuning.

ilter.

Reduce the RF input level, if necessary, to keep Q401 out of saturation and protection diode D402 off. The filter response will not change at lower RF input levels if the front end has been tuned up correctly.

SYNTHESIZER CIRCUIT

DC Analysis

An 8.5 Vdc is supplied by regulator U207 and serves as the biasing voltage for transistor circuits Q204, Q206, Q207, Q208, Q209 and Q210. Resistor R207 decouples the 8.3 volts for use in VCO module U201. The 10 milliamp current drain of this module results in approximately 6.5 Vdc on Pin 4. Transistor Q201 also draws approximately 25 milliamps, resulting in a collector voltage of 3.7 Vdc at the junction of resistor R204 and capacitor C201. Lack of VCO RF output will modify this voltage.

Wave forms

Wave forms associated with the synthesizer were measured with a 10 meg-ohm, 30 pF probe. Use DC coupling (see Figures 3-8).



Figure 3 - REFERENCE OSCILLATOR Input To U206, Pin 2)



Figure 4 - Fin (Input to U206, Pin 10)

The top of the ramp is approximately 0.8 Vdc greater than the control voltage on PD out, Pin 17. A channel in the center of the band is shown.



Figure 5 - RAMP (Generated in U206 and appears on Pin 15)



Figure 7 - S CLOCK (Input to U206, Pin 11) (Radio in SCAN on a single channel)

When expanded, data can be seen to be changing as two different bit patterns are loaded



Figure 8 - S DATA (Input to U206, Pin 12) (Radio in SCAN on a single channel)

Module Isolation

Reference Oscillator U204:

Look for a wave form similar to the reference (Figure 3) on Pin 2. If wave form is not present, the oscillator module is probably defective.

VCO U201:

Connect a DC power supply to Pin 3. With 2.5 Vdc on Pin 3, the output of U201 (Pin 5) should be approximately 197 MHz. With 6.5 Vdc on Pin 3, the output should be approximately 212 MHz. These values are correct for the 440-470 MHz split, with the ranges 179-194 MHz and 212-233 MHz being correct for the lower and upper split, respectively.

Power output of the VCO can be measured by connecting a coax directly to the module, between Pin 5 and ground. The output should be approximately 0 dBm with capacitor C237 still connected in the circuit. In transmit, a negative bias should exist on Pin 1. If not present, check transistors Q202, Q203 and capacitor C206 before removing the VCO.

Prescaler U205:

Connect Pin 3 of the VCO to 4.5 Vdc. With the radio in receive, monitor the frequencies of the VCO at the connection of capacitor C210 and resistor R211. DC short Pin 1 of U205 to ground to cause divide by 129 to occur. The frequency output at Pin 3 should be the VCO frequency divided by 129. Tie Pin 1 to Pin 7 (5 volts) to cause divide 128 to occur. check Pin 3 to verify that this occurs. Improper division may indicate a defective prescaler.

Bilateral Switch U202:

The bilateral switch is used to short around parts of the loop filter during channel scan. A shorted (to ground or adjacent gate) gate may be isolated by comparing voltages through the loop filter to those of a functioning radio. Defective gates might be suspected when the radio does not change frequency quickly enough.

Phase-Lock-Loop U206:

There are no other specific checks which aid in evaluation of U206. Usually, it is suspected only if all other checks are

Transistor O201:

After checking for proper DC operation, measure the frequency and gain from the VCO, Pin 5 to R202/C203. the gain should be approximately 10 dB at 2 times the VCO frequency.

PA MODULE REPLACEMENT

To Remove PA Module U101

To Install PA Module U101

- ment module.
- 3. screws.

OK. Before changing, inspect chip components for mechanical damage and check resistance through the loop filter.

1. Unsolder the five leads from U101, using either solder removal braid, or a mechanical de-soldering tool. These leads are fragile and can be bent very easily. DO NOT unsolder the shield that wraps around the module.

2. Remove the RF Board from the radio chassis assembly. Refer to the disassembly procedure provided in the Service Section. Carefully slide the module out of the shield and away from the board.

1. Apply some silicone grease to the metal side of the replace-

2. Carefully insert the five leads from the module into the five corresponding printed wire board holes and slide the module into the shield. DO NOT solder the leads yet.

Slide the RF Board assembly back into the radio frame. Reinstall all hardware, harnesses, cables, etc. Replace all

4. Install the two PA bracket screws before soldering the four modules leads. Trim excess wire.

RF BOARD 188D5062G2 (403-440 MHz) 188D5062G1 (440-470 MHz) 188D5062G3(470-512 MHz) Issue 8

| SYMBOL | PART NO. | DESCRIPTION |
|-------------------|---------------|---|
| A102 | | TRANSMIT EXCITER BOARD 19C851643G1 - 403-440 MHz 19C851643G2 - 440-470 MHz 19C851643G3 - 470-512 MHz |
| | | CAPACITORS |
| C1 and C2 | 19A702061P77 | Ceramic: 470pF, $\pm 5\%,50$ VDCW, temp coef 0 \pm 3 0 PPM/°C. |
| C3 | 19A702061P17 | Ceramic: 12pF, \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 1). |
| C3 | 19A702061P13 | Ceramic: 10pF, \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 2). |
| C3 | 19A702061P11 | Ceramic: 6.8pF, \pm 0.5pF, 50 VDCW, temp coef 0 \pm 60 PPM/°C (Used in Group 3). |
| C4 | 19A702061P13 | Ceramic: 10pF, \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 1). |
| C4 | 19A702061P11 | Ceramic: 6.8pF, $\pm 0.5 pF$, 50 VDCW, temp coef 0 \pm 60 PPM/°C (Used in Groups 2 and 3). |
| C5 | 19A702061P61 | Ceramic: 100pF, \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 1). |
| C5 | 19A702061P45 | Ceramic: 47pF, $\pm 5\%,$ 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Groups 2 and 3). |
| C6 | 19A702061P10 | Ceramic: 5.6pF, ± 0.5 pF, 50 VDCW, temp coef 0 \pm 60 PPM/°C (Used in Group 1). |
| C6 | 19A702061P9 | Ceramic: 4.7pF, $\pm 0.5pF$, 50 VDCW, temp coef 0 \pm 60 PPM/°C (Used in Groups 2 and 3). |
| C7 | 19A702061G12 | Ceramic: 8.2pF, ± 0.5 pF, 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1). |
| C7 | 19A702061P11 | Ceramic: 6.8pF, $\pm 0.5 pF$, 50 VDCW, temp coef 0 \pm 60 PPM/°C (Used in Groups 2 and 3). |
| C8 thru C10 | 19A702061P77 | Ceramic: 470pF, $\pm 5\%,$ 50 VDCW, temp coef 0 \pm 30 PPM/°C. |
| C11 | 19A702052P14 | Ceramic: 0.01 µF ±10%, 50 VDCW. |
| C12 | 19A702061P12 | Ceramic: 8.2 pF $\pm 0.5 \text{pF}$ 50 VDCW, temp coef 0 ± 60 PPM/°C (Used in Group 1). |
| | | DIODES |
| D1 | 19A702525P2 | Silicon PIN: sim to MMBV3401. |
| | | INDUCTORS |
| L1 | | Part of printed wire board 19C851644P1. |
| L2 | 19B800891P6 | Coil: RF: 0.084 H; sim to Paul Smith SK-890-1. |
| L3 | | Part of printed wire board 19C851644P1. |
| thru | | |
| LJ | | TRANSISTORS |
| 01 | 19A704708P2 | Silicon NPN: sim to NEC2SC3356. |
| Q2 | 19A701940P1 | Silicon NPN: sim to MRF-559. |
| | | RESISTORS |
| R1 | 19B800607P471 | Metal Film: 470 ohms ±5%, 1/8 Watt. |
| R2 | 19B800607P222 | Metal Film: 2.2K ohms ±5%, 1/8 Watt. |
| R3 | 19B800607P102 | Metal Film: 1K ohms ±5%, 1/8 Watt. |
| R4 | 19B800607P330 | Metal Film: 33 ohms ±5%, 1/8 Watt. |
| R5 | 19B800607P272 | Metal Film: 2.7K ohms ±5%, 1/8 Watt. |
| R6 | 19B800607P331 | Metal Film: 330 ohms ±5%, 1/8 Watt. |
| R7 | 19B800607P100 | Metal Film: 10 ohms ±5%, 1/8 Watt. |

| SYMBOL | PART NO. | DESCRIPTION | SYMBOL | PART NO. | DESCRIPTION |
|---------------------|----------------|---|---------------------|------------------------------|--|
| R8 | 19B800607P100 | Metal Film: 10 ohms ±5%, 1/8 Watt. | C142 | 19A702236P38 | Ceramic: 33 pF \pm 5%, 50 VDCW, temp coef 0 \pm |
| | | CAPACITORS | C151 | 19A702236P15 | 30 PPM/°C. (Used in G3). Ceramic: 3.9 pF ±0.25 pF, 50 VDCW, temp coef 0 |
| C101 | 19A705108P36 | Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C. | | | ± 30 PPM/°C. (Used in G1, G2). |
| C103 | 19A702061P19 | Ceramic: 13pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 2). | C201 C202 | 19A702052P14 19A702061P99 | Ceramic: 0.01μ F ±10%, 50 VDCW. Ceramic: 1000pF ±5%, 50 VDCW, temp coef 0 ± |
| C103 | 19A702061P17 | Ceramic: 12pF ±5%, 50 VDCW, temp coef 0 ±30PPM/°C (Used in Groups 1 and 3). | C203 | 19A702061P11 | 30 PPM/°C. Ceramic: 6.8 pF \pm 5 pF, 50 VDCW, temp coef 0 \pm |
| C104 | 19A702061P99 | Ceramic: 1000pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C. | C204 | 19A702052P26 | 60 PPM/°C. Ceramic: 0.1 μF ±10%, 50 VDCW. |
| C105 | 19A702052P14 | Ceramic: 0.01µF ±10%, 50 VDCW. | C205 | 19A701534P17 | Tantalum: 47µF ±20%, 10 VDCW. |
| C106 | 19A702061P73 | Ceramic: 330pF \pm 5%. 50 VDCW, temp coef 0 \pm 30 | C206 | 19A702052P5 | Ceramic: 1000pF ±10%, 50 VDCW. |
| C107 | 19A701534P8 | Tantalum: 22µF +20%, 16VDCW, | C207 | 19A701534P8 | Tantalum: 22µF ±20%, 16 VDCW. |
| C108 | 19A701534P16 | Tantalum: 6 8uF +20% 35 VDCW | C208 | 19A702052P28 | Ceramic: 0.022µF ±10%, 50 VDCW. |
| C109 | 19A702052P14 | Ceramic: 0.01µE +10% 50 VDCW | C210 | 19A702052P14 | Ceramic: 0.01 μ F ±10%, 50 VDCW. |
| and C110 | 1377020321 14 | oeraniic. 0.01µ1 ±1070, 30 vDow. | C211 | 19A702061P33 | Ceramic: 27pF $\pm 5\%,$ 50 VCDW, temp coef 0 \pm 30 PPM/°C. |
| C111 | 19A701534P16 | Tantalum: 6.8µF ±20%, 35 VDCW. | C212 | 19A702052P5 | Ceramic:1000pF $\pm 10\%$, 50 VDCW. |
| C113 thru | 19A702061P73 | Ceramic: 330pF $\pm 5\%.$ 50 VDCW, temp coef 0 \pm 30 PPM/°C. | C213 and C214 | 19A702052P14 | Ceramic: $0.01 \mu F \pm 10\%, 50$ VDCW. |
| C116 | 104702061261 | Coromic: 100pE $\pm 5\%$ 50 VDCW tomp coof 0 \pm 30 | C215 | 19A700004P1 | Metallized Polyester: 0.068 µF ±10%, 63 VDCW. |
| 0110 | 19/10/20011-01 | PPM°/C (Used in Groups 1 and 3). | C216 | 19A702052P14 | Ceramic: 0.01µF ±10%, 50 VDCW. |
| C116 | 19A702236P13 | Ceramic: 3.3pF ±0.5pF, 50 VDCW, temp coef 0 ± 120 | C217 | 19A700004P11 | Metallized Polyester: 1µF ±10%, 63 VDCW. |
| C117 | 19A702052P22 | PPM/⁰C (Used in Group 2). Ceramic: 0.047µF ±10%, 50 VDCW. | C218 | 19A702061P29 | Ceramic: 22pF ±5%, 50 VDCW, temp coef 0 ± 30 |
| C118 | 19A703314P10 | Electrolytic: 10µF -10 +50%, 50 VDCW; Sim to Panasonic LS Series. | C219 | 19A702061P93 | Ceramic: 2200pF ±5%, 50 VDCW, temp coef 0 ± 30 PPM/°C |
| C119 | 19A702061P73 | Ceramic: 330pF \pm 5%. 50 VDCW, temp coef 0 \pm 30 PPM/°C. | C220 | 19A702052P14 | Ceramic: 0.01µF ±10%, 50 VDCW. |
| C120 | 19A702236P50 | Ceramic: 100pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C. | C222 | 19A702061P99 | Ceramic: 1000pF $\pm 5\%,$ 50 VDCW, temp coef 0 \pm 30 PPM/°C. |
| C121 | 19A702052P26 | Ceramic: 0.1µF ±10%, 50 VDCW. | C223 | 19A702052P14 | Ceramic: 0.01µF 10%, 50 VDCW. |
| C122 | 19A702052P28 | Ceramic: 0.022µF ±10%, 50 VDCW. | C224 | 19A702061P77 | Ceramic: 470pF \pm 5%, 50 VDCW, temp coef 0 \pm |
| C123 | 19A702052P14 | Ceramic: 0.01µF ±10%, 50 VDCW. | 0005 | 1047020610102 | $30 \text{ PPM}/^{\circ}\text{C}$. |
| C124 | 19A705108P36 | Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C. | 0225 | 19A702001F103 | PPM/°C at 85°C. |
| C125 | 19A702061P73 | Ceramic: 330pF +5%, 50 VDCW, temp coef 0 + 30 | C226 | 19A701534P17 | Tantalum: 47μ F ±20%, 10 VDCW. |
| and C126 | | PPM/°C. | C227 C228 | 19A702052P14 19A702061P9 | Ceramic: 0.01μ F ±10%, 50 VDCW. Ceramic: 4.7pF ±0.5pF, 50 VDCW, temp coef 0 ± |
| C127 | 19A702061P93 | Ceramic: 2200pF ±5%, 50 VDCW. | | | 60 PPM/°C. |
| C130 | 19A705108P3 | Mica: 3.9pF ±0.25 pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in G1, G3). | C229 | 19A702061P61 | Ceramic: 100pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C. |
| C130 | 19A705108P1 | Mica: 3.3 pF ±0.25pF, 500 VDCW, temp coef 0 +200 | C230 | 19A702052P26 | Ceramic: 0.1µF ±10%, 50 VDCW. |
| C131 | 19A705108P15 | PPM/°C (Used in G2). Mica: 12pF ±5%, 500 VDCW, temp coef 0 +100 | C231 | 19A703314P10 | Electrolytic: 10μ F -10 +50%, 50 VDCW; Sim to Panasonic LS Series. |
| | | PPM/°C (Used in G1, G3). | C232 | 19A702052P14 | Ceramic: 0.01 μ F ±10%, 50 VDCW. |
| C131 | 19A705108P17 | Mica: $15pF \pm 5\%$, 500 VDCW, temp coef $0 + 100$ PPM/°C (Used in G2). | C234 | 19A702052P14 | Ceramic: 0.01µF ±10%, 50 VDCW. |
| C132 | 19A705108P206 | Mica: 2.2pF \pm 5%, 500 VDCW, temp coef 0 +100 PPM/°C (Used in G2). | C238 C237 | 19A702061P17 | Ceramic: 12pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 |
| C132 | 19A705108P208 | Mica: 3pF ±0.25 pF, 500 VDCW, 0 +200 PMM/°C (Used in G3). | C238 | 19A702061P9 | Ceramic: 4.7pF ±0.5pF, 50 VDCW, temp coef 0 ± |
| C132 | 19A705108P3 | Mica: 3.9pF \pm 0.25pF, 500 VDCW, temp coef 0 +200 PPM/°C (Used in G1). | C239 | 19A702061P12 | 60 PPM/°C. Ceramic: 8.2pF ±0.5pF, 50 VDCW, temp coef 0 ± |
| C133 | 19A702052P26 | Ceramic: 0.1µF ±10%, 50 VDCW. | 0000 | 404700004044 | 60 PPM/ ⁶ C (Used in Groups 1 and 2). |
| C134 | 19A701534P16 | Tantalum: 6.8µF ±20%, 35 VDCW. | C239 | 19A702061P11 | Ceramic: 6.8pF \pm 0.5pF, 50 VDCW, temp coef 0 \pm 60 PPM/°C (Used in Group 3). |
| C135 | 19A705108P36 | Mica: 91pF ±5% 500 VDCW, temp coef 0 + 50 PPM/°C. | C240 | 19A702061P25 | Ceramic: 18pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C. |
| C140 and C141 | 19A702236P19 | Ceramic: 5.6 pF ± 0.5 pF, 50 VDCW, temp coef 0 \pm 60 PPM/°C. (Used in Groups 1 and 3). | C241 | 19A702061P73 | Ceramic: 330pF ±5%. 50 VDCW,temp coef 0 \pm 30 PPM/°C. |
| 0141 | 104702226029 | Coromic: 12 pE $\pm 5\%$ 50 VDCW/ tomp coof 0 ± 20 | C242 | 19A702052P26 | Ceramic: 0.1µF ±10%, 50 VDCW. |
| 0142 | 137102230728 | PPM/°C. (Used in G1, G2). | C243 | 19A700233P9 | Ceramic: 2200pF $\pm 20\%$. 50 VDCW. |

*COMPONENTS ADDED, DELECTED OR CHANGED BY PRODUCTION CHANGES

PARTS LIST

mic: 33 pF ±5%, 50 VDCW, temp coef 0 $\,\pm\,$

LBI-39017K

| SYMBOL | PART NO. | DESCRIPTION |
|---------------------|--------------|---|
| C245 | 19A703314P10 | Electrolytic: 10μF -10 +50%, 50 VDCW; Sim to Panasonic LS Series. |
| C246 | 19A702061P73 | Ceramic: 330pF $\pm 5\%$. 50 VDCW, temp coef 0 \pm 30 PPM/°C. |
| C247 | 19A702052P14 | Ceramic: $0.01 \mu F \pm 10\%, 50$ VDCW. |
| C248 and C249 | 19A702061P73 | Ceramic: 330pF \pm 5%. 50 VDCW, temp coef 0 \pm 30 PPM/°C. |
| C250 | 19A702052P14 | Ceramic: 0.01µF ±10%, 50 VDCW. |
| C251 and C252 | 19A703314P10 | Electrolytic: 10µF -10 +50%, 50 VDCW; Sim to Panasonic LS Series. |
| C253 | 19A701534P4 | Tantalum: 1µF ±20%, 35 VDCW. |
| C254 | 19A701534P7 | Tantalum: 10µF ±20%, 16 VDCW. |
| C255 | 19A701534P4 | Tantalum: 1µF ±20%, 35 VDCW. |
| C402 | 19A705108P9 | Mica: 6.8pF ±0.25pF. 500 VDCW, temp coef 0 +200 PPM/°C (Used in Groups 1 and 3). |
| C402 | 19A705108P14 | Mica: 11pF ±5%, 500 VDCW, temp coef 0 +200 PPM/°C (Used in Group 2). |
| C403 | 19A702236P15 | Ceramic: 3.9pF \pm 0.25pF @3kHz, temp coef 0 \pm 30 PPM/°C. |
| C404 | 19A702061P63 | Ceramic: 120pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 2). |
| C405 | 19A702061P13 | Ceramic: 10pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM°C (Used in Group 2). |
| C405 | 19A702061P11 | Ceramic: 6.8pF, $\pm 0.5 p$ F, 50 VDCW, temp coef 0 \pm 60 PPM/°C (Used in Groups 1 and 3). |
| C406 | 19A702061P13 | Ceramic: 10pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 2). |
| C406 | 19A702061P10 | Ceramic: 5.6pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 1). |
| C406 | 19A702061P9 | Ceramic: 4.7pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 3). |
| C407 | 19A702052P26 | Ceramic: 0.1µF ±10%, 50 VDCW. |
| C408 | 19A702061P99 | Ceramic: 0.1µF ±10%,50 VDCW, temp coef 0 ± 30 PPM/°C. |
| C409 | 19A702236P11 | Ceramic: 2.7pF, \pm 0.25pF, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Groups 1 and 3). |
| C409 | 19A702236P10 | Ceramic: 2.2pF \pm 0.25pF, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 2). |
| C410 | 19A702236P15 | Ceramic: 3.9pF \pm 0.25pF, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 1). |
| C410 | 19A702236P21 | Ceramic: 6.8pF $\pm 0.5 p$ F, 50 VDCW, temp coef 0 \pm 60 PPM/°C (Used in Group 2). |
| C410 | 19A702236P17 | Ceramic: 4.7pF $\pm 0.5p$ F, 50 VDCW, temp coef 0 \pm 60 PPM/°C (Used in Group 3). |
| C411 | 19A702061P11 | Ceramic: 4.7pF \pm 5pF, 50 VDCW, temp coef 0 \pm 60 PPM/°C (Used in Groups 1 and 2). |
| C411 | 19A702061P7 | Ceramic: 4.7pF $\pm 0.5p$ F, 50 VDCW, temp coef 0 \pm 120 PPM/°C (Used in Group 3). |
| C412 | 19A702061P10 | Ceramic: 5.6pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 1). |
| C412 | 19A702061P9 | Ceramic: 4.7pF $\pm 0.5p$ F, 50 VDCW, temp coef 0 \pm 60 PPM/°C Used in Group 2). |
| C412 | 19A702061P11 | Ceramic: 6.8pF $\pm 0.5p$ F, 50 VDCW, temp coef 0 \pm 60 PPM/°C Used in Group 3). |
| C413 | 19A702061P17 | Ceramic: 12pF $\pm 5\%,$ 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Groups 1 and 3). |
| C413 | 19A702061P13 | Ceramic: 10pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 2). |
| C414 | 19A702234P15 | Ceramic: 3.9 pF ± 0.25 pF, 50 VDCW, temp coef 0 ± 30 PPM/°C (Used in Group 1). |
| C414 | 19A702236P17 | Ceramic: 4.7 pF ±0.5pF, 50 VDCW, temp coef 0 ±60 PPM/°C (Used in Group 2). |
| C415 and C416 | 19A702061P63 | Ceramic: 120pF $\pm 5 pF$, 50 VDCW, temp coef 0 \pm 120 PPM/°C. |

| SYMBOL | PART NO. | DESCRIPTION | SYMB |
|---------------------|--------------|---|----------------------|
| C417 | 19A702061P9 | Ceramic: 4.7pF $\pm 0.5p$ F, 50 VDCW, temp coef 0 \pm 60 PPM/°C. | J201 and |
| C418 | 19A702052P5 | Ceramic: 1000pF ±10%, 50 VDCW. | J501 |
| C419 | 19A702236P15 | Ceramic: 3.9pF $\pm 0.25 p\text{F},$ 50 VDCW, temp coef 0 \pm 30 PPM/°C. | J702 J704 |
| C421 | 19A702236P52 | Ceramic: 120pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Groups 1 and 2). | J705 |
| C421 | 19A702236P50 | Ceramic: 100pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 3). | |
| C502 | 19A702061P99 | Ceramic: 1000pF \pm 5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C (Used in Group 3). | |
| C503 | 19A702052P14 | Ceramic: 0.01µF ±10%, 50 VDCW. | L102 |
| C504 | 19A702061P29 | Ceramic: 22pF $\pm 10\%,$ 50 VDCW, temp coef 0 \pm 30 PPM/°C. | L103 thru |
| C505 | 19A702061P25 | Ceramic: 18pF ±5%, 50 VDCW, temp coef 0 \pm 30 PPM/°C. | L108 |
| C506 | 19A701534P7 | Tantalum: 10µF ±20%, 16 VDCW. | 1 4 2 0 |
| C507 thru | 19A702052P14 | Ceramic: 0.01µF ±10%, 50 VDCW. | L120 |
| C509 C510 | 19A702061P6 | Ceramic: 2.7pF \pm 0.5pF, 50 VDCW, temp coef 0 \pm 150 PPM/°C. | and L131 |
| C511 | 19A702052P14 | Ceramic: 0.01µF ±10%, 50 VDCW. | and |
| C512 | 19A702061P1 | Ceramic: 1pF $\pm 0.5 \text{pF}$ 50 VDCW, temp coef 0 \pm 30 PPM/°C. | L203 L202 and |
| C513 | 19A702061P12 | Ceramic: 8.2pF ±0.5pF, 50 VDCW,temp coef 0 ± | L203 L401 |
| C514 | 19A702061P33 | Ceramic: 27pF ±5%, 50 VDCW, temp coef 0 ± 30 | L402 |
| C515 and | 19A702061P29 | Ceramic: 22pF \pm 10%, 50 VDCW,temp coef 0 \pm 30 PPM/°C. | L403 |
| C516 | | | L405 |
| C517 and C518 | 19A702052P26 | Ceramic: 0.1µF ±10%, 50 VDCW. | L502 and |
| C519 | 19A702052P5 | Ceramic: 1000pF ±10%, 50 VDCW. | L503 |
| C520 | 19A702052P14 | Ceramic: 0.01µF ±10%, 50 VDCW. | L503 |
| C521 | 19A703314P10 | Electrolytic: 10μ F -10 +50%, 50 VDCW; Sim to Panasonic LS Series. | L504 L505 |
| C522 | 19A702052P26 | Ceramic: 0.1µF ±10%, 50 VDCW. | 1 500 |
| C523 and C524 | 19A701534P4 | Tantalum: 1µF ±20%, 35 VDCW. | L506 thru L508 |
| C525 | 19A701534P7 | Tantalum: 10uF +20%, 16 VDCW. | L509 |
| C600 | 19A700233P9 | Ceramic: 2200pF ±20%, 50 VDCW. (Used in G1, G2) | |
| C601 | 19A702052P7 | Ceramic: 2200pF ±10%, 50 VDCW. (Used in G1, G2). | Q101 Q102 |
| | | DIODES | Q103 |
| D101 | 19A705377P1 | Silicon, Hot Carrier: simi to MMB0201. | Q104 |
| D104 | 344A3316P1 | Silicon PIN: sim to MA4P1250. | Q105 |
| D106 | 19A702526P2 | Silicon: Schottky Barrier;sim to Bat 17. | |
| D202 | 19A702526P2 | Silicon: Schottky Barrier;sim to Bat 17. | Q201 |
| and D203 | | | Q202 |
| D401 | 344A3316P1 | Silicon PIN: sim to MA4P1250. | Q203 |
| D402 | 19A700155P2 | Silicon, fwd Current: 100 mA, 35 PIV. | Q204 |
| D501 and | 19A700028P1 | Silicon: 75 mA, 75 PIV; sim to 1N4148. | Q206 |
| 0002 | | | Q207 |
| 1101 | 19470551201 | RE jack | Q208 |
| thru J103 | 13/103312F1 | тт јаок. | Q209 and Q210 |

| MBOL | PART NO. | DESCRIPTION |
|------------------|----------------------------|--|
| 01 id 01 | 19A700072P1 | Printed wire: 2 contacts rated at 2.5 amps; sim to Molex 22-03-2021. |
| 02 | 19A704779P11 | Connector; sim to Molex 22-17-2122. |
| 04 | 19A700072P29 | Printed wire: 3 contacts rated at 2.5 amps; sim to Molex 22-03-2031. |
| 05 | 19A700072P30 | Printed wire: 4 contacts rated at 2.5 amps; sim to Molex 22-27-2041. |
| | | INDUCTORS |
| 02 | 19A700024P7 | Coil, RF: 330nH ±5%. |
| 03 ru 06 | 19A704921P1 | Coil. |
| 20 | 19A705470P3 | Coil, RF: 15 μ H ±20%, sim to Toko 380NB-15nH (Used in Groups 1 and 3). |
| 20 | 19A705470P8 | Coil, RF: 39 μ H ±20%, sim to Toko 380NB-39nH (Used in Group 2). |
| 30 Id 31 | 19B800891P1 | Coil, RF choke: sim to Paul Smith SK-890-1. |
| :02 id :03 | 19A705470P6 | Coil: 27nH; sim to Toko 380NB-27nH (Used in Groups 1 and 2). |
| :02 nd 203 | 19A705470P5 | Coil: 22nH; sim to Toko 380NB-22nH (Used in Group 3). |
| 01 | 19B800891P2 | Coil, RF Choke: sim to Paul Smith SK-890-1. |
| 02 | 19B800891P1 | Coil, RF Choke: sim to Paul Smith SK-890-1. |
| 03 | 19B800890P3 | Coil, RF: 11.7 μ H ±5%, sim to Paul Smith SK-896-1. |
| 04 | 19B800891P2 | Coil, RF Choke: sim to Paul Smith SK-890-1. |
| 05 | 19B800891P1 | Coil, RF Choke: sim to Paul Smith SK-890-1. |
| i02 id i03 | H343CLP10022 | Coil,Fixed: 10μH ±10%. (G2, G3). |
| 03 | H343CLP10022 | Coil,Fixed: 10µH ±10%. (G1). |
| 04 | 19B801413P4 | Coil:39MHz. |
| 05 | 19B209420P21 | Coil, RF:.4.7 μ H ±5%, 1.20 ohms DC res max; sim to Jeffers 4436-8J. |
| i06 ru i08 | 19B801413P4 | Coil, 39MHz. |
| 09 | 19B801415P2 | Transformer:455 KHz; sim to AEPD 162B3277P17. |
| | | TRANSISTORS |
| 101 | 344A3224P1 | Silicon, NPN: sim to Motorola MJP3055. |
| 102 | 19A703197P2 | Silicon, PNP: sim to MMBT4403 Low profile Pkg. |
| 103 | 19A704972P1 | Silicon, PNP: sim to Motorola 2N4918. |
| 104 105 | 19A700076P2 19A700059P2 | Silicon, PNP: sim to MMBT3904 Low profile Pkg. Silicon PNP: sim to MMBT 3906 Low Profile Pkg. |
| 201 | 19470/70802 | Used in Groups 1 and 3). Silicon NPN: sim to NEC 2SC3256 |
| 202 | 19A700059P2 | Silicon, PNP: sim to MMBT3906 Low profile |
| 203 | 19A700076P2 | silicon, PNP: sim to MMBT3904 Low profile Pkg. |
| 204 | 19A704708P2 | Silicon, NPN: sim to NEC 2SC3356. |
| 206 | 19A700076P2 | Silicon, PNP: sim to MMBT3904 Low profile Pkg. |
| 207 | 19A700059P2 | Silicon, PNP: sim to MMBT3906 Low profile Pkg. |
| 208 | 19A700023P2 | Silicon, NPN: sim to 2N3904. |
| | | Officer NDN size to MDO 0000 |
| 209 | 19A702084P2 | Silicon, NPN: SIM to MPS 2369. |

PARTS LIST

| SYMBOL | PART NO. | DESCRIPTION | SYMBOL | |
|--------|-----------------|---|--------------|---|
| 0401 | 19A704708P2 | Silicon NPN: sim to NEC 2SC3356 | R214 | |
| 0501 | 19A702524P2 | N-Type, Field Effect: sim to MMBFU310. | R215 | |
| 0502 | 19A116818P3 | N-Channel Field Effect: sim to Type 3N1877 | R216 | |
| 0503 | 19A700023P2 | Silicon NPN: sim to 2N3904 | R217 | |
| 0000 | 10/11/00/2011 2 | | R218 | |
| R101 | 19B800607P103 | Metal Film: 10K ohms +5% 1/8 Watt | R219 | |
| R101 | 19B800607P510 | Metal Film: 51 obms +5% 1/8 Watt (Used in Group | R221 | |
| 11102 | 102000011 010 | 2). | R222 | |
| R102 | 19B800607P560 | Metal Film: 56 ohms \pm 5%, 1/8 Watt. (Used in Groups 1 and 3). | R223 | • |
| R103 | 19B800607P821 | Metal Film: 820 ohms ±5%, 1/8 Watt. | R224 | ŀ |
| R104 | 19B800607P223 | Metal Film: 22K ohms ±5%, 1/8 Watt. | R226 | ŀ |
| R105 | 19B800607P473 | Metal Film: 47K ohms ±5%, 1/8 Watt. | R227 | ŀ |
| R106 | 19B800607P102 | Metal Film: 1K ohms ±5%, 1/8 Watt. | R228 | ŀ |
| R107 | 19B800607P394 | Metal Film: 390K ohms ±5%, 1/8 Watt. | R229 | Ŀ |
| R108 | 19B800607P123 | Metal Film: 12K ohms ±5%, 1/8 Watt. | R230 | ŀ |
| R109 | 19B800607P394 | Metal Film: 390K ohms ±5%, 1/8 Watt. | R231 | ŀ |
| R110 | H212CRP210C | Metal Film: 1K ohms ±5%, 1/8 Watt. | R232 | ŀ |
| R111 | 19B800779P8 | Variable: 4.7K ohms ±25%, 100 VDCW, 0.3 Watt. | R233 | ŀ |
| R112 | 19B800607P103 | Metal Film: 10K ohms ±5%, 1/8 Watt. | R234 | ŀ |
| R113 | 19B800607P102 | Metal Film: 1K ohms ±5%, 1/8 Watt. | R235 | ŀ |
| R114 | 19B800607P103 | Metal Film: 10K ohms ±5%, 1/8 Watt. | R236 | ŀ |
| R115 | 19B800607P562 | Metal Film: 5.6K ohms ±5%, 1/8 Watt. | R237 | ŀ |
| R116 | 19B800607P183 | Metal Film: 18K ohms ±5%, 1/8 Watt. | R238 | ŀ |
| R117 | 19B800607P221 | Metal Film: 220 ohms ±5%, 1/8 Watt. | R239 | ŀ |
| R118 | 19A702931P326 | Metal Film: 18.2K ohms ±5%, 1/8 Watt. | R240 | ŀ |
| R119 | 19B800607P100 | Metal Film: 10 ohms ±5%, 1/8 Watt. | R241 | ŀ |
| R120 | 19B800607P100 | Metal Film: 10 ohms ±5%, 1/8 Watt. | R242 | |
| R121 | 19B800607P100 | Metal Film: 10 ohms ±5%, 1/8 Watt. | R245 | |
| R122 | 19B800607P821 | Metal Film: 820 ohms ±5%, 1/8 Watt. | R246 | ŀ |
| R123 | 19B800607P100 | Metal Film: 10 ohms ±5%, 1/8 Watt. | R248 | ŀ |
| R124 | 19B800607P471 | Metal Film: 470 ohms ±5%, 1/8 Watt. | R249 | ŀ |
| R125 | 19A702931P259 | Metal Film: 4020 ohms ±5%, 1/8 Watt. | R251 | ŀ |
| R126 | 19A702931P201 | Metal Film: 1000 ohms ±5%, 1/8 Watt. | thru R254 | |
| R127 | 19A702931P262 | Metal Film: 4320 ohms ±5%, 1/8 Watt. | R255 | |
| R128 | 19B800607P1 | Metal Film: 0 ohms ±5%, 1/8 Watt. | R256 | |
| R129 | 19B800607P153 | Metal Film: 15K ohms ±5%, 1/8 Watt. | R401 | |
| R130 | 19B801251P394 | Metal Film: 390K ohms \pm 5%, 1/8 Watt. (Used in G1, G3). | R403 | ŀ |
| R140 | 19A702931P301 | Metal Film: 10K ohms ±1%, 1/8 Watt. | R404 | ľ |
| R141 | 19A702931P210 | Metal Film: 1.24K ohms ±1%, 1/8 Watt. | R405 | |
| R142 | 19B800607P221 | Metal Film: 220 ohms ±5%, 1/8 Watt. | R406 | |
| R151 | 19B801251P474 | Metal Film: 470K ohms \pm 5%, 1/8 Watt. (Used in G1, G2). | R406 R406 | |
| R202 | 19B800607P100 | Metal Film: 10 ohms ±5%, 1/8 Watt. | R501 | |
| R203 | 19B800607P560 | Metal Film: 56 ohms ±5%, 1/8 Watt. | R501 | Ŀ |
| R204 | 19B800607P221 | Metal Film: 220 ohms ±5%, 1/8 Watt. | R502 | |
| R205 | 19B800607P332 | Metal Film: 3.3K ohms ±5%, 1/8 Watt. | R503 | ŀ |
| *R206 | 19B800607P222 | Metal Film: 2.2K ohms ±5%, 1/8 Watt. | R504 | ŀ |
| R207 | 19B800607P181 | Metal Film: 180 ohms ±5%, 1/8 Watt. | R505 | ľ |
| R208 | 19B800607P473 | Metal Film: 47K ohms ±5%, 1/8 Watt. | R506 | ŀ |
| R209 | 19B800607P332 | Metal Film: 3.3K ohms ±5%, 1/8 Watt. | R507 | ľ |
| R210 | 19B800607P332 | Metal Film: 3.3K ohms ±5%, 1/8 Watt. | R508 | ŀ |
| R211 | 19B800607P101 | Metal Film: 100 ohms ±5%, 1/8 Watt. | R509 | ľ |
| R213 | 19B800607P103 | Metal Film: 10K ohms ±5%, 1/8 Watt. | R510 | ſ |

PART NO.

I9B800607P331 I9B800607P822 9B800607P222 19B800607P101 I9B800779P16 I9B800607P273 19B800607P154 I9B800607P333 I9B800607P105 9B800607P102 19B800779P4 9B800607P473 19B800607P223 I9B800607P183 19B800607P332 19B800607P472 I9B800607P103 9B800607P332 9B800607P472 I9B800607P183 I9B800607P471 I9B800607P103 19B800607P103 I9B800607P103 19B800607P154 I9B800607P154 I9B800607P154 19B800607P223 19B800607P102 I9B800607P1 I9B800607P100 19B800607P100

19B800779P16 19B800607P103 19B801486P151 9B800607P102 I9B800607P472 I9B800607P271 I9B800607P391 I9B800607P271 I9B800607P471 I9B800607P271 I9B800607P181 I9B800607P270 19B800607P562 19B800607P270 I9B800607P683 I9B800607P823 19B800607P183 I9B800607P101 9B800607P272 19B800607P270

DESCRIPTION

Metal Film: 330 ohms ±5%, 1/8 Watt. Metal Film: 8.2K ohms ±5%, 1/8 Watt. Metal Film: 2.2K ohms ±5%, 1/8 Watt. Metal Film: 100 ohms ±5%, 1/8 Watt. Variable: 100K ohms ±25%, 100 VDCW, 0.3 Watt. Metal Film: 27K ohms ±5%, 1/8 Watt. Metal Film: 150K ohms ±5%, 1/8 Watt. Vetal Film: 33K ohms ±5%, 1/8 Watt. Metal Film: 1M ohms ±5%, 1/8 Watt. Metal Film: 1K ohms ±5%, 1/8 Watt. Variable: 1k ohms ±25%, 100 VDCW, 0.3 Watt. Metal Film: 47K ohms ±5%, 1/8 Watt. Metal Film: 22K ohms ±5%, 1/8 Watt. Metal Film: 18K ohms ±5%, 1/8 Watt. Metal Film: 3.3K ohms ±5%, 1/8 Watt. Metal Film: 4.7K ohms ±5%, 1/8 Watt. Metal Film: 10K ohms ±5%, 1/8 Watt. Metal Film: 3.3K ohms ±5%, 1/8 Watt. Metal Film: 4.7K ohms ±5%, 1/8 Watt. Metal Film: 18K ohms ±5%, 1/8 Watt. Metal Film: 470 ohms ±5%, 1/8 Watt. Metal Film: 10K ohms ±5%, 1/8 Watt. Metal Film: 10K ohms ±5%, 1/8 Watt. Metal Film: 10K ohms ±5%, 1/8 Watt. Metal Film: 150K ohms ±5%, 1/8 Watt. Metal Film: 150K ohms ±5%, 1/8 Watt. Metal Film: 150K ohms ±5%, 1/8 Watt. Metal Film: 22K ohms ±5%, 1/8 Watt. Metal Film: 1K ohms ±5%, 1/8 Watt. Metal Film: jumper. Metal Film: 10 ohms ±5%, 1/8 Watt. Metal Film: 10 ohms ±5%, 1/8 Watt. Variable: 100K ohms ±25%, 100 VDCW, 0.3 Watt. Metal Film: 10K ohms ±5%, 1/8 Watt. Metal Film: 150 ohms ±5%, 1/2 Watt. Metal Film: 1K ohms ±5%, 1/8 Watt. Metal Film: 4.7K ohms ±5%, 1/8 Watt. Metal Film: 270 ohms ±5%, 1/8 Watt. Metal Film: 390 ohms ±5%, 1/8 Watt. (G1). Metal Film: 270 ohms ±5%, 1/8 Watt. (G2). Metal Film: 470 ohms ±5%, 1/8 Watt. (G3). Metal Film: 270 ohms ±5%, 1/8 Watt. (G1, G2). Metal Film: 180 ohms ±5%, 1/8 Watt. (G3). Metal Film: 27 ohms ±5%, 1/8 Watt.

Metal Film: 27 ohms $\pm 5\%$, 1/8 Watt. Metal Film: 27 ohms $\pm 5\%$, 1/8 Watt. Metal Film: 27 ohms $\pm 5\%$, 1/8 Watt. Metal Film: 68K ohms $\pm 5\%$, 1/8 Watt. Metal Film: 18K ohms $\pm 5\%$, 1/8 Watt. Metal Film: 100 ohms $\pm 5\%$, 1/8 Watt. Metal Film: 2.7K ohms $\pm 5\%$, 1/8 Watt. Metal Film: 27 ohms $\pm 5\%$, 1/8 Watt.

PARTS LIST & PRODUCTION CHANGES

| SYMBOL | PART NO. | DESCRIPTION | |
|---------------------|---------------|---|------------------|
| R511 | 19B800607P473 | Metal Film: 47K ohms +5%, 1/8 Watt. | vision |
| R512 | 19B800607P822 | Metal Film: 8.2K ohms ±5%, 1/8 Watt, | stamp scripti |
| R513 | 19B800779P4 | Variable: 1K ohms ±25%, 100 VDCW, 0.3 Watt, | REV. |
| R514 | 19B800607P103 | Metal Film: 10K ohms ±5%, 1/8 Watt. | REV. |
| R515 | 19B800607P821 | Metal Film: 820 ohms ±5%, 1/8 Watt. | |
| | | INTEGRATED CIRCUITS | |
| U101 | 19A705457P1 | RF Power Amplifier Module. Part of next highter assembly (Used in Group 2). | REV. |
| U101 | 19A705457P2 | RF Power Amplifier Module. Part of next highter assembly (Used in Group 1). | REV. |
| U101 | 19A705457P3 | RF Power Amplifier Module. Part of next highter assembly (Used in Group 3). | REV. |
| U102 | RYT1246003/4 | IC; sim to LM35. | REV. |
| U103 and U104 | 19A701789P2 | Linear: Dual Op Ampl.; sim to MM358. | REV.I |
| U105 | RYT1246003/4 | IC LM35. | REV. |
| U201 | 19D901958G4 | Voltage Controlled Oscillator (Used in Group 1). | |
| U201 | 19D901958G3 | Voltage Controlled Oscillator (Used in Group 2). | REV. |
| U201 | 19D901958G5 | Voltage Controlled Oscillator (Used in Group 3). | REV. |
| U202 | 19A700029P44 | Digital: Bilateral Switch. | |
| U203 | 19A704971P1 | Linear: 5-Volt Regulator; sim to MC78L05ACP. | |
| U204 | 19B801351P27 | Crystal Oscillator, temperature compensated. | REV. |
| U205 | 19A704287P2 | Prescaler: 128, 129; sim to MC12018. | NE |
| U206 | 19B800902P4 | Digital: Synthesizer, CMOS Serial Input. | |
| U207 | 344A3820P1 | 8-Volt Regulator. | REV. |
| U501 | 19A704619P1 | Linear: Osc/Mixer/IF/Det/Ampl; sim to MC3361AP. | REV. |
| U502 | 19A704073P2 | Linear: 8-Volt Regulator; sim to MC78L08CP. | |
| J503 | 344A3820P1 | 8-Volt Regulator. | |
| | | CRYSTALS | REV. |
| /501 | 19A705376P5 | Crystal, Fixed Frequency: 45.455 MHz ± 10 PPM. | REV |
| | | FILTERS | |
| Z401 | 19A705458P4 | Helical, UHF: 403-450 MHz, (Used in Group 2). | |
| and | | | REV. |
| 2402 | 10470545901 | Holicol LIHE: 450, 470 MHz. (Llood in Crown 1) | REV. 0 |
| and | 19A705458P1 | Helical, OHF: 450-470 MHZ. (Osed in Group 1). | |
| Z402 | | | REV. |
| Z401 and | 19A705458P2 | Helical, UHF: 470-492 MHz. (Used in Group 3). | REV. |
| Z402 | | | REV. |
| Z403 | 19B801025P1 | Balanced Mixer (Double); sim to Mini-Circuits SEL-1. | KEV. |
| Z501 and Z502 | 19A705613G6 | Monolithic Crystal: 45.000 MHz; sim to Toyocom 45E2B2. | REV. |
| Z503 | 19B801021P2 | Bandpass filter: 455 kHz ± 1.5 kHz; sim to Murata CFW-455E. | κ ε ν |
| | | MISCELLANEOUS | REV. |
| | 350A1232P1 | CLIP. | REV. |
| | 19B801566P1 | SHIELD. | REV. |
| | 19B801566P2 | SHIELD. | KEV. |
| 13 | 19B801566P17 | SHIELD. | |
| 14 | 19B801578P1 | SHIELD. Used with Q502. | REV. |
| | | | REV. |

| PRODUCTION CHANGES |
|---|
| Changes in the equipment to improve or to simplify circuits are identified by a "Revision Letter", which is stamped after the model number of the unit. The revision stamped on the unit includes all previous revisions. Refer to the Parts List for descriptions of parts affected by these revisions. REV. A - <u>RF BOARD 188D5062G1</u> Incorporated in initial shipments. |
| REV. B - <u>RF BOARD 188D5062G1</u> To improve radio performance at temperature extremes. Changed C108, C111 & C134 (19A703314P10) to tantalum 6.8uF. C103 was 12pF (19A770261P17). P202 was 3 ohm (19801607P330) |
| REV. A - <u>RF BOARD 18805062G2</u> REV. C - <u>RF BOARD 18805062G1</u> To update parts list and schematic. |
| REV. B - <u>RF BOARD 188D5062G2</u> REV. D - <u>RF BOARD 188D5062G1</u> To improve performance of radio and provent shorts on DWD. New DWD |
| REV. A - <u>RF BOARD 188D5062G3</u> REV. C - <u>RF BOARD 188D5062G3</u> REV. C - <u>RF BOARD 188D5062G2</u> |
| REV. E - <u>RF BOARD 188D5062G1</u> To improve power flatness across the bandsplits. Component C130, C131, C132, C142, R202, R206, R124, R140 and R141 changed. C143, C144 and R130 added. |
| REV. A - C - <u>RF BOARD 188D5062G4</u> Incorporated in initial shipments. REV. B - RF BOARD 188D5062G3 |
| REV. D - <u>RF BOARD 188D5062G2. 4</u> REV. F - <u>RF BOARD 188D5062G1</u> |
| and C144 deleted. R224 was changed from 4.7K ohms (19B800607P102). In Group 2 resistor R130 was deleted. REV. G - RF BOARD 188D5062G1 |
| REV. E - <u>RF BOARD 188D5062G2</u> To fix erratic data modulation, moved C207 from component side to |
| solder side of board (- to C208 and + to ground). Changed C208 from 0.01μF (19Α702052P14) to 0.022μF (19Α702052P28). REV. H - RF BOARD 188D5062G1 |
| REV. F - <u>RF BOARD 188D5062G2</u> |
| To improve receiver spurious response due to 2nd IF image, R501 was 180 ohms (19B800607P181) and deleted L502 (H343CLP10022). L503 relocated to solder side of board. New shields added to Q502 and to solder side of board. |
| REV. E - <u>RF BOARD 188D5062G4</u> To improve synthesizer loop stability, R221 was 150K (19B800607P154). |
| REV. F - <u>KF BOARD 188D5062G4</u> To improve producibility, added C102, C143 and R130. C207 was 19A701534P8, C256 was 19A700233P9, C414 was 6.8pF (19A702236P21) and L503 was H343CLP10022. |
| REV. G - RF BOARD 188D5062G2 |
| Improve hum and noise performance. Added C600 (19A700233P9) 2200 pF across J702-5 and J702-1 (GND). Added C601 (19A702052P7) 2200 pF across J702-8 and ground. |
| REV. K - <u>RF BOARD 188D5062G</u> 1 REV. H - RF BOARD 188D5062G2 |
| REV. C - <u>RF BOARD 188D5062G3</u> |
| REV. G - <u>RF BOARD 188D5062G4</u> To improve performance U501 was changed from 19A704619P1 to |
| 19A704619P3. REV. L - RF BOARD 188D5062G1 |
| REV. J - <u>RF BOARD 188D5062G2</u> To improve performance. Added C151 (19A702236P15) 3.9pF across U103-5 and U103-6 on solder side of board. Added R151 (19B801251P474) 470K ohms across U103-6 and U103-7. |
| REV. M - <u>RF BOARD 188D5062G</u> 1 |
| REV. K - <u>RF BOARD 188D5062G2</u> REV. D - <u>RF BOARD 188D5062G3</u> |
| Improve performance. Changed U501 from 19A704619P3 to 19A149980P3. |
| REV. J - <u>RF BOARD 188D5062G4</u> Improve SINAD and receiver spurious. C510 and R509 deleted. L520 (19A705470P31) replaced R509. Shield (19B801863P2) added to board. |
| Improve SINAD at low temperature and frequency kick at high tempera- tures. Added R509 (19B800607P822), 8.2K ohms across L520. Added R520 (19B800607P106), 10 meg from U201-1 to ground. |
| |

| SYMBOL | PART NO. | DESCRIPTION |
|-------------------|---------------|--|
| | | ASSEMBLIES |
| 4400 | | |
| A102 | | TRANSMIT EXCITER BOARD 19C851643G3 |
| | | |
| | | CAPACITORS |
| C1 and C2 | 19A702061P77 | Ceramic: 470 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. |
| C3 and C4 | 19A702061P11 | Ceramic: 6.8 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. |
| | 19A702061P45 | Ceramic: 47 pF + or -5%, 50 VDCW, temp coef 0 + or -30 PPM. |
| C6 | 19A702061P9 | Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. |
| C7 | 19A702061P11 | Ceramic: 6.8 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. |
| C8 thru C10 | 19A702061P77 | Ceramic: 470 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. |
| C11 | 19A702052P14 | Ceramic: 0.01 uF + or - 10%, 50 VDCW. |
| | | DIODES |
| D1 | 19A702525P2 | Silicon, PIN: sim to MMBV3401. |
| | | INDUCTORS |
| L1 | | Part of PWB. |
| L2 | 19B800891P6 | Coil, RF: .084 uH; sim to Paul Smith SK-890-1. |
| L3 thru | | Part of PWB. |
| L5 | | |
| | | TRANSISTORS |
| Q1 | 19A704708P2 | Silicon, NPN: sim to NEC 2SC3356. |
| Q2 | 19A701940P1 | Silicon, NPN: sim to MRF-559. |
| | | RESISTORS |
| R1 | 19B800607P471 | Metal film: 470 ohms + or -5%, 1/8 w. |
| R2 | 19B800607P222 | Metal film: 2.2K ohms + or -5%, 1/8 w. |
| R3 | 19B800607P102 | Metal film: 1K ohms + or -5%, 1/8 w. |
| R4 | 19B800607P330 | Metal film: 33 ohms + or -5%, 1/8 w. |
| к5 Р6 | 19B800607P272 | wetal film: 2.7K onms + or -5%, 1/8 w. |
| R0 P7 | 190000070100 | Motol film: 10 obme + or 5%, 1/8 W. |
| and R8 | 190000011100 | ייסיאס איז |
| | | CAPACITORS |
| C101 | 19A705108P36 | Capacitor, Mica Chip: 91pF + or - 5%, 500 VDCW, temp coef 0 |
| C102 | 19A702236P11 | Ceramic: 2.7 pF + or -0.25pF, 50 VDCW, temp coef 0 + or -30 PPM/'C. |
| C103 | 19A702061P17 | Ceramic: 12 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. |

RF BOARD 188D5062G4 (485-505 MHz) Issue 5

LBI-39017K

| SYMBOL | | DESCRIPTION |
|----------------------|------------------------------|--|
| STIVIBUL | FART NO. | |
| C104 | 19A702061P99 | Ceramic: 1000 pF + or -5%, 50 VDCW, temp coet 0 + or -30 PPM/ ^c C. |
| C105 | 19A702052P14 | Ceramic: 0.01 uF + or - 10%, 50 VDCW. |
| C106 | 19A702061P73 | Ceramic: 330 pF + or -5%, 50 VDCW, temp coef 0 + or -30 PPM/'C. |
| C107 | 19A701534P8 | Tantalum: 22 uF + or -20%, 16 VDCW. |
| C108 | 19A701534P16 | Tantalum: 6.8 uF + or -20%, 35 VDCW. |
| C109 and C110 | 19A702052P14 | Ceramic: 0.01 uF + or - 10%, 50 VDCW. |
| C111 | 19A701534P16 | Tantalum: 6.8 uF + or -20%, 35 VDCW. |
| C112 | 19A702236P25 | Ceramic: 10 pF + or5 pF, 50 VDCW, temp coef -30 PPM/'C. |
| C113 thru C115 | 19A702061P73 | Ceramic: 330 pF + or -5%, 50 VDCW, temp coef 0 + or -30 PPM/C. |
| C116 | 19A702061P61 | Ceramic: 100 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. |
| C117 | 19A702052P22 | Ceramic: 0.047 uF + or - 10%, 50 VDCW. |
| C118 | 19A701534P7 | Tantalum: 10 uF + or -20%, 16 VDCW. |
| C119 | 19A702061P73 | Ceramic: 330 pF + or -5%, 50 VDCW, temp coef 0 + or -30 PPM/'C. |
| C120 | 19A702236P50 | Ceramic: 100 pF + or -5%, 50 VDCW, temp coef 0 + or -30 PPM/'C. |
| C121 | 19A702052P26 | Ceramic: 0.1uF + or - 10%, 50 VDCW |
| C122 C123 | 19A702052P28 19A702052P14 | Ceramic: 0.022 uF + or -10%, 50 VDCW. Ceramic: 0.01 uF + or - 10%, 50 VDCW. |
| C124 | 19A705108P36 | Capacitor, Mica Chip: 91pF + or - 5%, 500 VDCW, temp coef 0 |
| C125 and C126 | 19A702061P73 | Ceramic: 330 pF + or -5%, 50 VDCW, temp coef 0 + or -30 PPM/C. |
| C130 | 19A705108P3 | Mica: 3.9pF ± 0.25 pF. 500 VDCW, temp coef 0 \pm 200 PPM/°C. |
| C131 | 19A705108P15 | Mica: 12 pF + or -5%, 500 VDCW. |
| C132 | 19A705108P208 | Mica: 3.0pF ± 0.25 pF. 500 VDCW, temp coef 0 \pm 200 PPM/°C. |
| C133 | 19A702052P26 | Ceramic: 0.1uF + or - 10%, 50 VDCW |
| C134 | 19A701534P16 | Tantalum: 6.8 uF + or -20%, 35 VDCW. |
| C140 and C141 | 19A702236P19 | Ceramic: 5.6 pF + or5 pF, 50 VDCW, temp coef -30 PPM/C. |
| C142 | 19A702236P38 | Ceramic: 33 pF + or -5%, 50 VDCW, temp coef 0 + or -30 PPM/'C. |
| C143 | 19A702236P15 | Ceramic: 3.9 pF + or -0.25pF, 50 VDCW, temp coef 0 + or -30 PPM/C. |
| C201 | 19A702052P14 | Ceramic: 0.01 uF + or - 10%, 50 VDCW. |
| C203 | 19A702061P11 | Ceramic: 6.8 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. |
| C204 | 19A702052P26 | Ceramic: 0.1uF + or - 10%, 50 VDCW |
| C205 | 19A701534P17 | Tantalum: 47 uF + or -20%, 10 VDCW. |
| C207 | 19A705205P21 | Tantalum: 22 uF + or -20%, 20 VDCW. |
| C208 | 19A702052P14 | Ceramic: 0.01 uF + or - 10%, 50 VDCW. |
| C209 | 19A702061P93 | Ceramic: 2200 pF + or - 5%, 50 VDCW, temp coef - 30 PPM. |
| C210 | 19A702052P14 | Ceramic: 0.01 uF + or - 10%, 50 VDCW. |

| C211 19A702081P33 Ceramic: 27 pF + or -5%, 50 VDCW, temp coel 0 + or -3% C251 19A702082P3 Electrokytic: 100 uF + or -10%, 50 VDCW. C212 19A702082P14 Ceramic: 100 pF + or -10%, 50 VDCW. C253 19A701534P1 Tantalum: 1 uF + or -20%, 35 VDCW. C214 19A702082P14 Ceramic: 0.01 uF + or -10%, 50 VDCW. C255 19A701534P1 Tantalum: 1 uF + or -20%, 35 VDCW. C216 19A702082P14 Ceramic: 0.01 uF + or -10%, 50 VDCW. C255 19A701534P1 Tantalum: 1 uF + or -20%, 35 VDCW. C216 19A702082P14 Ceramic: 0.01 uF + or -10%, 50 VDCW. C265 19A702082P14 Ceramic: 30 pF + or -35 pF, 50 VDCW. C211 19A702081P29 Ceramic: 0.01 uF + or -10%, 50 VDCW. C403 19A702081P3 Ceramic: 30 pF + or -35 pF, 50 VDCW. C221 19A702081P3 Ceramic: 0.01 uF + or -10%, 50 VDCW. C404 19A702081P3 Ceramic: 30 pF + or -35 pF, 50 VDCW. C222 19A702081P3 Ceramic: 0.01 uF + or -10%, 50 VDCW. C405 19A702081P3 Ceramic: 0.01 uF + or -10%, 50 VDCW. C223 19A702081P3 Ceramic: 0.01 uF + or -10%, 50 VDCW. C406 19A702081P3 Ceramic: 0.0 | m to |
|--|-------------|
| C212 19A702052P5 Ceramic: 1000 pF + or -10%, 50 VDCW. C223 19A701534P4 Tantalum: 1 uF + or - 20%, 35 VDCW. C214 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C254 19A701534P4 Tantalum: 1 uF + or - 20%, 15 VDCW. C216 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C255 19A702052P7 Ceramic: 220 pF + or -10%, 50 VDCW. C217 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C402 19A702052P7 Ceramic: 3.0 pF + or - 25 pF, 50 VDCW. C220 19A702052P14 Ceramic: 220 pF + or - 5%, 50 VDCW. C403 19A702052P18 Ceramic: 3.0 pF + or - 25 pF, 50 VDCW. C221 19A702052P14 Ceramic: 200 pF + or - 5%, 50 VDCW. C404 19A702051P19 Ceramic: 3.0 pF + or - 5%, 50 VDCW. C222 19A702052P14 Ceramic: 100 pF + or - 5%, 50 VDCW. C405 19A702051P16 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW. C223 19A702052P14 Ceramic: 100 pF + or - 5%, 50 VDCW. C406 19A702051P17 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW. C223 19A702052P14 Ceramic: 100 pF + or - 5%, 50 VDCW. C407 19A702052P16 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW. C223 19A702052P14 | iii to |
| C213 19A702352P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C253 19A70332P7 Tantalum: 10 uF + or - 20%, 16 VDCW. C214 19A702352P1 Metal: 0.047 uF + or - 10%, 50 VDCW. C254 19A701334P7 Tantalum: 10 uF + or - 20%, 35 VDCW. C215 19A702352P1 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C256 19A702352P7 Ceramic: 220 pF + or - 10%, 50 VDCW. C216 19A702052P1 Ceramic: 30 pF + or - 5%, 50 VDCW. (temp coef 0 C404 19A702052P1 Ceramic: 320 pF + or - 25 pF, 50 VDCW. C211 19A702052P14 Ceramic: 220 pF + or - 5%, 50 VDCW, temp coef 0 C404 19A702061P13 Ceramic: 320 pF + or - 5%, 50 VDCW. C222 19A702061P93 Ceramic: 200 pF + or - 5%, 50 VDCW. C404 19A702061P11 Ceramic: 470 pF + or - 0.5 pF, 50 VDCW. C223 19A702061P93 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C405 19A702061P12 Ceramic: 1.00 pF + or - 5%, 50 VDCW. C224 19A702061P193 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C407 19A702051P12 Ceramic: 0.10 uF + or - 0.5 pF, 50 VDCW. C224 19A702061P13 Ceramic: 0.01 uF + or - 5%, 50 VDCW. C409 19A702238P11 | |
| and C214 C244 Tak/1038474 Tak/1038474 Tak/1038474 Tak/1038474 C215 19A703802P3 Metal: 0.047 uF + or -10%, 50 VDCW. C255 19A70205474 Ceramic: 200 F + or -10%, 50 VDCW. C216 19A702056794 Geramic: 0.01 uF + or - 10%, 50 VDCW. C256 19A702056797 Geramic: 20 pF + or -256 pF, 50 VDCW. C218 19A702056792 Geramic: 20 pF + or -5%, 50 VDCW, temp coel 0 + or -30 PPM. C402 19A702061793 Geramic: 30 pF + or -256 pF, 50 VDCW, temp coel 0 + or -30 PPM. C404 19A702061793 Geramic: 120 pF + or -5%, 50 VDCW, temp coel 0 + or -30 PPM. C404 19A702061793 Geramic: 120 pF + or -5%, 50 VDCW, temp coel 0 + or -30 PPM. C404 19A702061793 Geramic: 120 pF + or -5%, 50 VDCW, temp coel 0 + or -30 PPM. C405 19A702061793 Geramic: 10 uF + or -10%, 50 VDCW, temp coel 0 + or -30 PPM. C406 19A702061793 Geramic: 10 uF + or -10%, 50 VDCW, temp coel 0 + or -30 PPM. C407 19A702052769 Geramic: 10 uF + or - 10%, 50 VDCW, temp coel 0 + or -30 PPM. C408 19A702052769 Geramic: 10 uF + or - 10%, 50 VDCW, temp coel 0 + or -30 PPM. C409 19A702036179 Geramic: 10 uF + or - 10%, 50 VDCW, temp coel 0 + or -30 PPM. C410 19A702036179 Geramic: 10 uF + or - 5 | |
| C215 19A703902P3 Metal: 0.047 uF + or -10%, 50 VDCW. C2265 19A70130544 Tantalium: 1 uF + or -269, 50 VDCW. C216 19A702052P14 Ceramic: 0.01 uF + or -10%, 50 VDCW. C2266 19A702052P7 Ceramic: 220 pF + or -10%, 50 VDCW. C217 19A702052P14 Ceramic: 220 pF + or -5%, 50 VDCW. (Used in G4). C402 19A702054P9 Mica: 6.8 pF + or -25 pF, 50 VDCW. C221 19A702052P14 Ceramic: 200 pF + or -5%, 50 VDCW. temp coef 0 C403 19A702061P63 Ceramic: 120 pF + or -5%, 50 VDCW. C222 19A702061P93 Ceramic: 200 pF + or -5%, 50 VDCW. temp coef 0 C405 19A702061P10 Ceramic: 10 pF + or -5%, 50 VDCW. C223 19A702051P93 Ceramic: 10 pF + or -5%, 50 VDCW. temp coef 0 C405 19A702051P93 Ceramic: 10 pF + or -5%, 50 VDCW. C224 19A702051P94 Ceramic: 0.01 uF + or -10%, 50 VDCW. C407 19A702051P93 Ceramic: 10 pF + or -5%, 50 VDCW. C225 19A702051P17 Ceramic: 0.01 uF + or -5%, 50 VDCW. temp coef 0 C408 19A702051P19 Ceramic: 10 uF + or -10%, 50 VDCW. C226 19A702051P13 Ceramic: 0.01 uF + or -5%, 50 VDCW. temp coef 0 C410 19A702051P17 Ceramic: 10 uF + or -5%, 50 VDCW. C411 19 | |
| C216 19A702052P14 Ceramic: 0.01 uF + or -10%, 50 VDCW. C217 19A702052P14 Ceramic: 220 pF + or -10%, 50 VDCW. (Used in G4). C402 19A702061P29 Mice: 68 pF + or -25 pF, 50 VDCW. C218 19A702061P29 Ceramic: 20 pF + or -10%, 50 VDCW. (Used in G4). C403 19A702061P63 Ceramic: 120 pF + or -25 pF, 50 VDCW. C220 19A702061P193 Ceramic: 20 pF + or -5%, 50 VDCW. temp coef 0 C404 19A702061P63 Ceramic: 120 pF + or -5%, 50 VDCW. C221 19A702061P99 Ceramic: 20 pF + or -5%, 50 VDCW. temp coef 0 C405 19A702061P63 Ceramic: 47 pF + or -0.5 pF, 50 VDCW. C222 19A702061P99 Ceramic: 0.01 uF + or -10%, 50 VDCW. temp coef 0 C406 19A702061P63 Ceramic: 47 pF + or -0.5 pF, 50 VDCW. C223 19A702061P77 Ceramic: 0.01 uF + or -10%, 50 VDCW. C407 19A702052P26 Ceramic: 10.0 uF + or -10%, 50 VDCW. C224 19A702061P77 Ceramic: 47 0 pF + or -5%, 50 VDCW, temp coef 0 C408 19A702052P26 Ceramic: 3.0 PF + or -0.5 pF, 50 VDCW. C225 19A702061P103 Ceramic: 47 0 pF + or -5%, 50 VDCW, temp coef 0 C410 19A702052P14 Ceramic: 3.0 PF + or -0.5 pF, 50 VDCW. C228 19A702051P13 Ceramic: 10 uF | |
| C217 19A703902P4 Metal: $0.56 \ weather arrow 10\%, 50 \ VDCW. (Used in G4). C402 19A705108P9 Mica: 6.8 \ pF + ar - 25 \ pF, 50 \ VDCW. C218 19A702061P23 Ceramic: 2.2 \ pF + ar - 5\%, 50 \ VDCW. temp coel 0 + ar - 30 \ PM. C403 19A702061P63 Ceramic: 3.2 \ pF + ar - 25 \ pF, 50 \ VDCW. (and the composition of the compositis composition of the composit$ | |
| C403 19A702061P29 Ceramic: $3.9 \text{ pF} + \alpha - 25 \text{ pF}, 50 \text{ VDCW}, temp coef 0 + \alpha - 30 \text{ PPM}. C403 19A702236P15 Ceramic: 3.9 \text{ pF} + \alpha - 25 \text{ pF}, 50 \text{ VDCW}, tem - \alpha + 30 \text{ PPM}. C220 19A702052P14 Ceramic: 20.0 \text{ F} + \alpha - 5\%, 50 \text{ VDCW}, temp coef - 30 \text{ PPM}. C404 19A702061P63 Ceramic: 20.0 \text{ F} + \alpha - 5\%, 50 \text{ VDCW}, temp coef - 30 \text{ PPM}. C222 19A702052P14 Ceramic: 3.0 \text{ F} + \alpha - 5\%, 50 \text{ VDCW}, temp coef 0 + \alpha - 30 \text{ PPM}. C406 19A702061P63 Ceramic: 4.7 \text{ F} + \alpha - 0.5 \text{ pF}, 50 \text{ VDCW}, or -60 \text{ PFM}. C222 19A702052P14 Ceramic: 0.01 \text{ F} + \alpha - 5\%, 50 \text{ VDCW}, temp coef 0 + \alpha - 30 \text{ PPM}. C406 19A702061P9 Ceramic: 0.1 \text{ UF} + \alpha - 10\%, 50 \text{ VDCW}, temp coef 0 + \alpha - 30 \text{ PPM}. C406 19A702061P9 Ceramic: 0.1 \text{ UF} + \alpha - 10\%, 50 \text{ VDCW}, temp coef 0 + \alpha - 30 \text{ PPM}. C408 19A702061P9 Ceramic: 0.1 \text{ UF} + \alpha - 10\%, 50 \text{ VDCW}, temp coef 0 + \alpha - 30 \text{ PPM}. C409 19A7020361P1 Ceramic: 3.0 \text{ PF} + \alpha - 325 \text{ PF}, 50 \text{ VDCW}, tem - 30 \text{ PPM}. C225 19A702061P13 Ceramic: 0.1 \text{ UF} + \alpha - 10\%, 50 \text{ VDCW}. C410 19A702236P11 Ceramic: 3.2 \text{ PF} + \alpha - 325 \text{ PF}, 50 \text{ VDCW}, tem - 30 \text{ PPM}. C226 19A702061P13 Ceramic: 0.0 \text{ UF} + \alpha - 5\%, 50 \text{ VDCW}. C411 19A702236P17 $ | |
| 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C404 19A702061P63 Ceramic: 120 pF + or - 5%, 50 VDCW, terp - 30 PPM. 2221 19A702061P93 Ceramic: 100 pF + or - 5%, 50 VDCW, temp coef C405 19A702061P11 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, terp - 0.5 pF, 50 VDCW, or - 60 PPM. 2222 19A702061P93 Ceramic: 100 pF + or - 5%, 50 VDCW, temp coef 0 C406 19A702061P9 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, or - 60 PPM. 2223 19A702061P93 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C407 19A702052P26 Ceramic: 0.1 uF + or - 10%, 50 VDCW. 2224 19A702061P77 Ceramic: 4.7 pF + or - 5%, 50 VDCW, temp coef 0 C408 19A702261P99 Ceramic: 0.00 pF + or - 5%, 50 VDCW, temp coef 0 2225 19A702061P103 Ceramic: 4.7 pF + or - 5%, 50 VDCW, temp coef 0 C409 19A702236P11 Ceramic: 2.7 pF + or - 0.25 pF, 50 VDCW, temp coef 0 2228 19A702061P13 Ceramic: 10 uF + or - 5%, 50 VDCW, temp coef 0 C410 19A702236P17 Ceramic: 3.3 pF + or - 0.5 pF, 50 VDCW, temp coef 0 2228 19A702061P13 Ceramic: 10 uF + or - 5%, 50 VDCW, temp coef 0 C411 19A702236P17 Ceramic: 3.3 pF + or - 0.5 pF, 50 VDCW, tem - or 30 PPM. | əmp |
| 1 19A702061P93 Ceramic: 2200 pF + or - 5%, 50 VDCW, temp coef C405 19A702061P11 Ceramic: 6.8 pF + or - 0.5 pF, 50 VDCW, or -60 PPM. 2 19A702061P93 Ceramic: 0.00 pF + or -5%, 50 VDCW, temp coef 0 C406 19A702052P26 Ceramic: 0.1 uF + or - 0.5 pF, 50 VDCW, or -30 PPM. 3 19A702061P77 Ceramic: 0.0 uF + or - 5%, 50 VDCW, temp coef 0 C408 19A702061P99 Ceramic: 10 uF + or - 10%, 50 VDCW, temp coef 0 5 19A702061P103 Ceramic: 0.0 uF + or - 5%, 50 VDCW, temp coef 0 C409 19A702236P11 Ceramic: 2.7 pF + or - 0.5 pF, 50 VDCW, temp coef 0 7 19A702061P103 Ceramic: 0.0 uF + or - 5%, 50 VDCW, temp coef 0 C410 19A702236P11 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp coef 0 3 19A702052P14 Ceramic: 0.0 uF + or - 5%, 50 VDCW, temp coef 0 C410 19A702236P11 Ceramic: 3.3 pF + or - 0.5 pF, 50 VDCW, temp coef 0 7 19A702061P13 Ceramic: 10 uF + or - 10%, 50 VDCW, temp coef 0 C410 19A702236P1 Ceramic: 3.3 pF + or - 0.5 pF, 50 VDCW, temp coef 0 9 19A702052P16 Ceramic: 10 uF + or - 10%, 50 VDCW C411 19A702236P1 Ceramic: 12 pF + or - 0.5 pF, 50 VDCW, or - 30 PPM. 1 19A702052P14 Ceramic: 0.0 uF + or - 10%, 50 VDCW. <td< td=""><td>ıp coef 0</td></td<> | ıp coef 0 |
| 19A702061P99 Ceramic: 1000 pF + or -5%, 50 VDCW, temp coef 0 C406 19A702061P9 Ceramic: 4.7 pF + or -0.5 pF, 50 VDCW, or -60 PPM. 123 19A702052P14 Ceramic: 0.01 uF + or -10%, 50 VDCW. C407 19A702052P26 Ceramic: 1.0up F + or -5%, 50 VDCW, temp coef 0 124 19A702061P77 Ceramic: 470 pF + or -5%, 50 VDCW, temp coef 0 C408 19A702051P9 Ceramic: 100 pF + or -5%, 50 VDCW, temp coef 0 125 19A702061P103 Ceramic: 0.01 uF + or -10%, 50 VDCW. C409 19A702236P11 Ceramic: 2.7 pF + or -0.25 pF, 50 VDCW, temp coef 0 27 19A702061P13 Ceramic: 10.pF + or -5%, 50 VDCW, temp coef 0 C410 19A702236P17 Ceramic: 4.7 pF + or -5%, 50 VDCW, temp coef 0 28 19A702061P13 Ceramic: 10.pF + or -5%, 50 VDCW, temp coef 0 C411 19A702236P17 Ceramic: 3.3 pF + or -0.5 pF, 50 VDCW, temp coef 0 29 19A702061P61 Ceramic: 10.pF + or -5%, 50 VDCW, temp coef 0 C411 19A702236P17 Ceramic: 12.pF + or -0.25 pF, 50 VDCW, temp coef 0 30 19A702052P26 Ceramic: 10.pF + or -5%, 50 VDCW, temp coef 0 C412 19A702051P7 Ceramic: 12.pF + or -0.25 pF, 50 VDCW, temp coef 0 31 19A702052P14 Ceramic: 0.01 uF + or -10%, 50 VDCW. C413 19A702051P7 | emp |
| 222319A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C40719A702052P26Ceramic: 0.1uF + or - 10%, 50 VDCW22419A702061P77Ceramic: 470 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM.C40819A702061P99Ceramic: 100 pF + or - 5%, 50 VDCW, temp coef 0 + or -30 PPM.C.22519A702052P14Ceramic: 100 µF + or - 5%, 50 VDCW, temp coef 0 + or -30 PPM.C40919A702236P11Ceramic: 2.7 µF + or -0.25 µF, 50 VDCW, or -30 PPM.C.22819A702052P14Ceramic: 100 µF + or - 10%, 50 VDCW, temp coef 0 + or - 30 PPM.C41019A702236P17Ceramic: 3.3 µF + or - 0.5 µF, 50 VDCW, or -30 PPM.22919A702061P61Ceramic: 10 µF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM.C41119A702061P7Ceramic: 2.7 µF + or -0.5 µF, 50 VDCW, or -30 PPM.22319A702052P26Ceramic: 0.1 µF + or - 10%, 50 VDCW, temp coef 0 + or - 30 PPM.C41119A702236P11Ceramic: 2.7 µF + or -0.5 µF, 50 VDCW, or -30 PPM.23319A702052P26Ceramic: 0.1 µF + or - 10%, 50 VDCW, Panasonic LS Series.C41419A702236P6Ceramic: 1.0 µF + or - 5%, 50 VDCW, temp or - 30 PPM.23419A702052P14Ceramic: 0.01 µF + or - 10%, 50 VDCW.C415 and and C41619A702236P6Ceramic: 1.0 µF + or - 5%, 50 VDCW, temp or - 30 PPM.23319A702052P14Ceramic: 0.01 µF + or - 10%, 50 VDCW.C41419A702236P6Ceramic: 1.0 µF + or - 5%, 50 VDCW, temp or -30 PPM.23419A702052P14Ceramic: 0.01 µF + or - 10%, 50 VDCW.C41719A702236P15Ceramic: 1.0 µF + or - 5%, 50 VDCW, temp or -30 PPM | emp |
| C22419A702061P77Ceramic: 470 pF + or - 5%, 50 VDCW, temp coef 0 + or -30 PPM/C.C40819A702061P99Ceramic: 1000 pF + or -5%, 50 VDCW, t + or -30 PPM/C.C22519A702061P103Ceramic: 4700 pF + or - 5%, 50 VDCW, temp coef 0 + or -30 PPM/C.C40919A702236P11Ceramic: 2.7 pF + or -0.25 pF, 50 VDCW, temp or -30 PPM.C22719A702052P14Ceramic: 10.01 uF + or -10%, 50 VDCW.C41019A702236P17Ceramic: 4.7 pF + or -5%, 50 VDCW, temp or -30 PPM.C22819A702061P13Ceramic: 10 pF + or - 5%, 50 VDCW, temp coef 0 + or -30 PPM.C41119A702236P17Ceramic: 3.3 pF + or - 0.5 pF, 50 VDCW, or - 120 PPM.C22919A702052P26Ceramic: 10 uF + or - 10%, 50 VDCWC41219A702236P11Ceramic: 2.7 pF + or -0.25 pF, 50 VDCW, or - 120 PPM.C23019A702052P26Ceramic: 0.1 uF + or - 10%, 50 VDCWC41319A702061P7Ceramic: 1.2 pF + or - 0.25 pF, 50 VDCW, or - 30 PPM.C23119A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C41419A702236P6Ceramic: 1.0 pF + or - 0.25 pF, 50 VDCW, or -30 PPM.C23319A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C41419A702236P6Ceramic: 1.0 pF + or - 5%, 50 VDCW, temp or -30 PPM.C23419A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C41719A702236P15Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM.C23419A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C41719A702236P15Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM.C23419A702052P14Ceramic: 0.01 uF + or - 10%, 50 | |
| 2225 19A702061P103 Ceramic: 4700 pF + or - 5%, 50 VDCW, temp coef 0 + or -30 PPM/C. C409 19A702236P11 Ceramic: 2.7 pF + or -0.25 pF, 50 VDCW, or -30 PPM. 2227 19A702052P14 Ceramic: 0.1 uF + or - 10%, 50 VDCW. C410 19A702236P17 Ceramic: 4.7 pF + or -5%, 50 VDCW, temp or -30 PPM. 2228 19A702061P13 Ceramic: 10 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C411 19A702236P17 Ceramic: 3.3 pF + or - 0.5 pF, 50 VDCW, or - 120 PPM. 2229 19A702052P26 Ceramic: 10.1 uF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C412 19A702236P11 Ceramic: 2.7 pF + or -0.5 pF, 50 VDCW, or -30 PPM. 2230 19A702052P26 Ceramic: 0.1 uF + or - 10%, 50 VDCW C412 19A702061P17 Ceramic: 12 pF + or - 0.5 pF, 50 VDCW, or -30 PPM. 2231 19A702052P14 Ceramic: 0.1 uF + or - 10%, 50 VDCW, temp coef 0 + or - 30 PPM. C414 19A702236P6 Ceramic: 1.0 pF + or -0.25 pF, 50 VDCW, tem coef 0 + or - 30 PPM. 2232 19A702061P77 Ceramic: 0.01 uF + or - 10%, 50 VDCW, temp coef 0 + or - 30 PPM. C414 19A702236P6 Ceramic: 1.0 pF + or -0.25 pF, 50 VDCW, temp er - 30 PPM. 2234 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, er - 30 PPM/C. <t< td=""><td>mp coef 0</td></t<> | mp coef 0 |
| C22719A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C41019A702236P17Ceramic: 4.7 pF + or -5%, 50 VDCW, terp + or -30 PPM.C22819A702061P13Ceramic: 10 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM.C41119A702061P7Ceramic: 3.3 pF + or - 0.5 pF, 50 VDCW, or - 120 PPM.C22919A702052P26Ceramic: 0.0 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM.C41219A702236P11Ceramic: 2.7 pF + or - 0.25 pF, 50 VDCW, or - 30 PPM.C23019A702052P26Ceramic: 0.1 uF + or - 10%, 50 VDCWC41319A702061P17Ceramic: 12 pF + or - 5%, 50 VDCW, terpC23119A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C41419A702236P6Ceramic: 1.0 pF + or - 5%, 50 VDCW, terpC23319A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C41419A702236P6Ceramic: 1.0 pF + or - 5%, 50 VDCW, terpC23419A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C41719A702236P15Ceramic: 3.9 pF + or - 25 pF, 50 VDCW, terpC23519A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C41719A702236P15Ceramic: 3.9 pF + or - 25 pF, 50 VDCW, terpC23619A702052P14Ceramic: 0.01 uF + or - 10%, 50 VDCW.C41719A702236P15Ceramic: 3.9 pF + or25 pF, 50 VDCW, terpC23719A702061P17Ceramic: 1.2 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM.C41919A702236P15Ceramic: 3.9 pF + or25 pF, 50 VDCW, terpC23819A702061P17Ceramic: 1.2 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM.C42119A702236P50Ceramic: 1.00 pF + or | temp |
| 2228 19A702061P13 Ceramic: 10 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C411 19A702061P7 Ceramic: 3.3 pF + or - 0.5 pF, 50 VDCW, or - 120 PPM. 2229 19A702052P26 Ceramic: 100 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C412 19A702236P11 Ceramic: 2.7 pF + or -0.25 pF, 50 VDCW, or - 30 PPM. 2230 19A702052P26 Ceramic: 0.1 uF + or - 10%, 50 VDCW C413 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW, temp or - 30 PPM. 2231 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C414 19A702236P6 Ceramic: 1.0 pF + or - 0.25 pF, 50 VDCW, temp or - 30 PPM. 2232 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C414 19A702061P17 Ceramic: 1.0 pF + or - 0.25 pF, 50 VDCW, temp or - 30 PPM. 2233 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C415 19A702061P63 Ceramic: 120 pF + or - 5%, 50 VDCW, temp or - 30 PPM. 2234 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM. 2237 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C419 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM./C. 2238 19A702061P9 | p coef 0 |
| 2229 19A702061P61 Ceramic: 100 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C412 19A702236P11 Ceramic: 2.7 pF + or -0.25 pF, 50 VDCW, or -30 PPM. 2230 19A702052P26 Ceramic: 0.1uF + or - 10%, 50 VDCW C413 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW, temp 2231 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW; sim to Panasonic LS Series. C414 19A702236P6 Ceramic: 1.0 pF + or - 0.25 pF, 50 VDCW, temp 2232 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C414 19A702236P6 Ceramic: 1.0 pF + or - 0.25 pF, 50 VDCW, temp 2234 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C416 C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, temp 2236 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM. 2237 19A702061P17 Ceramic: 1.2 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C419 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/'C. 238 19A702061P9 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp or -60 PPM. C421 19A702236P50 Ceramic: 100 pF + or -5%, 50 VDCW, temp or -30 PPM/'C. | emp |
| 230 19A702052P26 Ceramic: 0.1uF + or - 10%, 50 VDCW C413 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW, ter + or - 30 PPM. 231 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW; sim to Panasonic LS Series. C413 19A702236P6 Ceramic: 1.0 pF + or - 5%, 50 VDCW, ter + or - 30 PPM. 233 19A702061P77 Ceramic: 0.01 uF + or - 10%, 50 VDCW, temp coef 0 + or - 30 PPM. C415 and C416 19A702061P63 and C416 Ceramic: 120 pF + or - 5%, 50 VDCW, ter + or - 30 PPM. 234 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, tor30 PPM. 234 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM. 237 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C419 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/°C. 238 19A702061P9 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. C421 19A702236P50 Ceramic: 10 0 pF + or -5%, 50 VDCW, temp or -30 PPM/°C. | temp |
| 19A703314P10 Electrolytic: 10 uF -10+50%, 50 VDCW; sim to Panasonic LS Series. 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW; sim to Panasonic LS Series. 32 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C414 19A702236P6 Ceramic: 10 pF + or -0.25 pF, 50 VDCW, + or - 30 PPM. 33 19A702061P77 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C415 19A702061P63 Ceramic: 120 pF + or -5%, 50 VDCW, ter + or -30 PPM. 34 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C416 C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/C. 36 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C419 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/C. 38 19A702061P9 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. C421 19A702236P50 Ceramic: 100 pF + or -5%, 50 VDCW, temp or -30 PPM/C. | n coof 0 |
| 232 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C414 19A702236P6 Ceramic: 1.0 pF + or -0.25 pF, 50 VDCW. 233 19A702061P77 Ceramic: 470 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. 19A702061P63 Ceramic: 1.20 pF + or -5%, 50 VDCW, temp c416 234 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C416 19A702236P15 Ceramic: 3.9 pF + or -5%, 50 VDCW, temp c - 30 PPM. 236 19A702052P14 Ceramic: 1.2 pF + or - 10%, 50 VDCW. C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/C. 237 19A702061P17 Ceramic: 1.2 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C419 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/C. 238 19A702061P9 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. C421 19A702236P50 Ceramic: 100 pF + or -5%, 50 VDCW, temp - or -30 PPM/C. | |
| 133 19A702061P77 Ceramic: 470 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. 19A702061P63 Ceramic: 120 pF + or -5%, 50 VDCW, temp - 30 PPM. 134 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C415 - C417 19A702236P15 Ceramic: 3.9 pF + or - 25 pF, 50 VDCW, temp or - 30 PPM/C. 136 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW. C417 19A702236P15 Ceramic: 3.9 pF + or - 25 pF, 50 VDCW, or -30 PPM/C. 137 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C419 19A702236P15 Ceramic: 3.9 pF + or - 25 pF, 50 VDCW, or -30 PPM/C. 138 19A702061P9 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. C421 19A702236P50 Ceramic: 100 pF + or -5%, 50 VDCW, temp + or -30 PPM/C. | temp coet 0 |
| 234 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C416 C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/°C. 236 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/°C. 237 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C419 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/°C. 238 19A702061P9 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. C421 19A702236P50 Ceramic: 100 pF + or -5%, 50 VDCW, temp + or -30 PPM/°C. | ıp coef 0 |
| 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. C417 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/C. :237 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C419 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/C. :238 19A702061P9 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. C421 19A702236P50 Ceramic: 100 pF + or -5%, 50 VDCW, temp + or -30 PPM/C. | |
| C237 19A702061P17 Ceramic: 12 pF + or - 5%, 50 VDCW, temp coef 0 + or - 30 PPM. C419 19A702236P15 Ceramic: 3.9 pF + or25 pF, 50 VDCW, or -30 PPM/C. C238 19A702061P9 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp or - 60 PPM. C421 19A702236P50 Ceramic: 100 pF + or -5%, 50 VDCW, temp + or -30 PPM/C. | mp |
| 238 19A702061P9 Ceramic: 4.7 pF + or - 0.5 pF, 50 VDCW, temp C421 19A702236P50 Ceramic: 100 pF + or -5%, 50 VDCW, temp or - 60 PPM. | mp |
| | ıp coef 0 |
| C239 19A702061P11 Ceramic: 6.8 pF + or - 0.5 pF, 50 VDCW, temp C502 19A702236P52 Ceramic: 120 pF, + or -5%, 50 VDCW. | |
| C503 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. | |
| 19A702061P23 Ceramic: 16 pr + 01 - 5%, 50 VDCW, temp coer 0 + or - 30 PPM/C. C504 19A702061P29 Ceramic: 22 pF + or - 5%, 50 VDCW, temp coer 0 + or - 30 PPM. | p coef 0 |
| 241 19A702061P73 Ceramic: 330 pF + or -5%, 50 VDCW, temp coef 0 + or -30 PPM/C. C505 19A702061P25 Ceramic: 18 pF + or -5%, 50 VDCW, tem or -30 PPM/C. or -30 PPM/C. | o coef 0 + |
| 242 19A702052P26 Ceramic: 0.1uF + or - 10%, 50 VDCW C506 19A701534P7 Tantalum: 10 uF + or -20%, 16 VDCW. | |
| 2245 19A703314P10 Electrolytic: 10 uF -10+50%, 50 VDCW; sim to Panasonic LS Series. C507 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. | |
| 46 19A702061P73 Ceramic: 330 pF + or -5%, 50 VDCW, temp coef 0 C509 C509 cr - 30 PPM/°C. C509 C512 104703001D1 Commin. 4 nF + or -30 PPM/°C. | |
| 247 19A702052P14 Ceramic: 0.01 uF + or - 10%, 50 VDCW. | omp |
| 248 19A702061P73 Ceramic: 330 pF + or -5%, 50 VDCW, temp coef 0 nd + or -30 PPM/C. | |
| C514 19A702061P33 Ceramic: 27 pF + or -5%, 50 VDCW, ten or -30 PPM/C.) 19A702052P14 Ceramic: 0.01 uF + or -10%, 50 VDCW. 0 |) COET () + |
| C515 19A702061P29 Ceramic: 22 pF + or - 5%, 50 VDCW, ter and C516 + or - 30 PPM. | p coef 0 |

PARTS LIST

DESCRIPTION

| | | DESCRIPTION | SYMBOL | | DESCRIPTION | | |
|---------------------|----------------------------|---|--------------|--|---|--|--|
| | PART NO. | DESCRIPTION | J 405 | 198800891P1 | Coil RE Choke: sim to Paul Smith SK-890-1 | | |
| C517 and | 19A702052P26 | Ceramic: 0.1uF + or - 10%, 50 VDCW | 1 502 | 19A705470P35 | Coil Fixed 6 8uH sim to Toko 380I B-6R8M | | |
| C518 | | | 1 503 | REG 704 14/37 | Coil Fixed: 10 μ H + or - 10% | | |
| C519 | 19A702052P5 | Ceramic: 1000 pF + or -10%, 50 VDCW. | 1504 | 108901/128/ | Coll, FIXed: 10 UH + or - 10%. | | |
| C520 | 19A702052P14 | Ceramic: 0.01 uF + or - 10%, 50 VDCW. | 1505 | 108200420821 | Coil, 59 MHZ. | | |
| C521 | 19A703314P10 | Electrolytic: 10 uF -10+50%, 50 VDCW; sim to Panasonic LS Series. | L505 | 198209420821 | Jeffers 4436-8J. | | |
| C522 | 19A702052P26 | Ceramic: 0.1uF + or - 10%, 50 VDCW | L506 thru | 19B801413P4 | Coil, 39 MHz. | | |
| C523 and | 19A701534P4 | Tantalum: 1 uF + or - 20%, 35 VDCW. | L508 | 19B801415P2 Transformer, 455 KHz.: sim to AEPD 162B327 | | | |
| C524 | | | L510 | 19A705470P13 | Coil: 0.10 uH + or -20%. | | |
| C525 | 19A701534P7 | Tantalum: 10 uF + or -20%, 16 VDCW. | L520 | 19A705470P31 | Coil: 3.3 uH + or -20%: sim to Toko 380LB-3R3M. | | |
| C526 | 19A702236P1 | Ceramic: 0.5 pF + or1 pF, 50 VDCW, temp coef -30 PPM. | | | ····· TRANSISTORS ······ | | |
| | | DIODES | Q101 | 344A3225P1 | Silicon, NPN: sim to MJF3055. | | |
| D101 | 19A705377P1 | Silicon, Hot Carrier: sim to MMB0201. | Q102 | 19A703197P2 | Silicon, PNP; sim to MMBT4403 low profile. | | |
| D104 | 344A3316P1 | Silicon, Pin. | Q103 | 19A704972P1 | Silicon, PNP: sim to Motorola 2N4918. (Used in | | |
| D106 | 19A702526P2 | Silicon: Schottky Barrier; sim to BAT 17. | Q104 | 19A700076P2 | Silicon, NPN: sim to MMBT3904, low profile. | | |
| D202 | 19A702526P2 | Silicon: Schottky Barrier; sim to BAT 17. | Q105 | 19A700059P2 | Silicon, PNP: sim to MMBT3906, low profile. | | |
| and D203 | | | Q201 | 19A704708P2 | Silicon, NPN: sim to NEC 2SC3356. | | |
| D401 | 344A3316P1 | Silicon, Pin. | Q202 | 19A700059P2 | Silicon, PNP: sim to MMBT3906, low profile. | | |
| D402 D501 | 19A700155P2 19A700028P1 | Silicon: 100 mA, 35 PIV; sim to BAT 18. Silicon: 75 mA, 75 PIV; sim to 1N4148. | Q203 | 19A700076P2 | Silicon, NPN: sim to MMBT3904, low profile. | | |
| and D502 | | | Q204 | 19A704708P2 | Silicon, NPN: sim to NEC 2SC3356. | | |
| | | JACKS | Q206 | 19A700076P2 | Silicon, NPN: sim to MMBT3904, low profile. | | |
| J101 | 19A705512P1 | Connector, RF SMB Series: sim to AMP No. | Q207 | 19A700059P2 | Silicon, PNP: sim to MMBT3906, low profile. | | |
| thru J103 | | 221111-1. | Q208 thru | 19A700076P2 | Silicon, NPN: sim to MMBT3904, low profile. | | |
| J201 | 19A700072P1 | Printed wire: 2 contacts rated @ 2.5 amps; sim to Molex 22-03-2021. | Q210 | 40470470000 | | | |
| J501 | 19A700072P1 | Printed wire: 2 contacts rated @ 2.5 amps; sim | Q401 | 19A704708P2 | Silicon, NPN: SIM to NEC 25C3356. | | |
| | | to Molex 22-03-2021. | Q501 | 19A702524P2 | N- Type, field effect; sim to MIMBEU310. | | |
| J702 | 19A704779P11 | Connector; sim to Molex 22-17-2122. | Q502 | 19A110010P3 | in Channel, field effect, sim to Type 3N 1877. | | |
| J704 | 19A700072P29 | Printed wire: 3 contacts rated at 2.5 amps; sim to Molex 22-27-2031. | Q503 | 19A700023P2 | Silicon, NPN: sim to 2N3904. | | |
| J705 | 19A700072P30 | Printed wire: 4 contacts rated at 2.5 amps; sim to Molex 22-27-2041 | | | ····· RESISTORS ····· | | |
| | | | R101 | 19B800607P103 | Metal film: 10K ohms + or -5%, 1/8 w. | | |
| 1 402 | 40470002407 | | R102 | 19B800607P560 | Metal film: 56 ohms + or -5%, 1/8 w. | | |
| L102 | 19A700024P7 | Coll, RF: 330 nH + or - 10%. | R103 | 19B800607P821 | Metal film: 820 ohms + or -5%, 1/8 w. | | |
| L103 thru | 19A704921P1 | Coll. | R104 | 19B800607P223 | Metal film: 22K ohms + or -5%, 1/8 w. | | |
| L106 | 10170517000 | | R105 | 19B800607P473 | Metal film: 47K ohms + or -5%, 1/8 w. | | |
| L120 | 19A/054/0P3 | Coil, Fixed: 15 HF; SIM to 10k0 38UNB-15hM. | R106 | 19B800607P102 | Metal film: 1K ohms + or -5%, 1/8 w. | | |
| ∟130 and L131 | 190000891P1 | COII, RE CHORE. SITH TO PAUL SMITH SK-890-1. | R107 | 19B800607P394 | Metal film: 390K ohms + or -5%, 1/8 w. | | |
| L202 | 19A705470P5 | Coil. Fixed: 22 nH: sim to Toko 380NB-22nM | R108 | 19B800607P123 | Metal flim: 12K ohms + or -5%, 1/8 w. | | |
| and L203 | | | R109 | 19B800607P394 | Metal film: 390K ohms + or -5%, 1/8 w. | | |
| L401 | 19B800891P2 | Coil. RF Choke: sim to Paul Smith SK-890-1 | R110 | 19B800607P102 | Metal film: 1K ohms + or -5%, 1/8 w. | | |
| L402 | 19B800891P1 | Coil. RF Choke: sim to Paul Smith SK-890-1 | R111 | 19B800779P8 | Variable, cermet: 4.7K ohms + or -25%, .3 w. | | |
| L403 | 19B800890P3 | Coil, RF: 11.7 uH + or -5%, sim to Paul Smith | R112 | 19B800607P103 | Metal film: 10K ohms + or -5%, 1/8 w. | | |
| L404 | 19B800891P2 | SK-896-1. Coil. RF Choke: sim to Paul Smith SK-890-1 | R113 | 19B800607P102 | Metal film: 1K ohms + or -5%, 1/8 w. | | |
| | | | R114 | 19B800607P103 | Metal film: 10K ohms + or -5%, 1/8 w. | | |

PARTS LIST

| STNIDUL | PART NO. | DESCRIPTION | SYMBOL | PART NO. | DESCRIPTION | SYMBOL | PART NO. | DESCRIPTION |
|--------------|---------------|---|--------------|---------------|---|-------------|--------------|---|
| R115 | 19B800607P562 | Metal film: 5.6K ohms + or -5%, 1/8 w. | R230 | 19B800607P332 | Metal film: 3.3K ohms + or -5%, 1/8 w. | U105 | RYT1246003/4 | Sensor Temperature; sim to LM35. |
| R116 | 19B800607P183 | Metal film: 18K ohms + or -5%, 1/8 w. | R231 | 19B800607P472 | Metal film: 4.7K ohms + or -5%, 1/8 w. | U201 | 19D901958G5 | Voltage Controlled Oscillator. |
| R117 | 19B800607P221 | Metal film: 220 ohms + or -5%, 1/8 w. | R232 | 19B800607P103 | Metal film: 10K ohms + or -5%, 1/8 w. | U202 | 19A700029P44 | Digital: BILATERAL SWITCH. |
| R118 | 19A702931P326 | Metal film: 18.2K ohms + or -1%, 200 VDCW, 1/8 w. | R233 | 19B800607P332 | Metal film: 3.3K ohms + or -5%, 1/8 w. | U203 | 19A704971P1 | Linear: +5 Volt Regulator; sim to MC78L05ACP. |
| R119 | 19B800607P100 | Metal film: 10 ohms + or -5%, 1/8 w. | R234 | 19B800607P472 | Metal film: 4.7K ohms + or -5%, 1/8 w. | U204 | 19B801351P16 | Crystal, Oscillator: 12.8 MHz. |
| thru R121 | | | R235 | 19B800607P183 | Metal film: 18K ohms + or -5%, 1/8 w. | U205 | 19A704287P2 | Prescaler: /128, /129; sim to MC12018. |
| R122 | 19B800607P821 | Metal film: 820 ohms + or -5%, 1/8 w. | R236 | 19B800607P471 | Metal film: 470 ohms + or -5%, 1/8 w. | U206 | 19B800902P4 | Digital: Synthesizer, CMOS Serial Input. |
| R123 | 19B800607P100 | Metal film: 10 ohms + or -5%, 1/8 w. | R237 | 19B800607P103 | Metal film: 10K ohms + or -5%, 1/8 w. | U207 | 344A3820P1 | Voltage Regulator: Linear, 8.5 Vdc.; sim to SGS |
| R124 | 19B800607P471 | Metal film: 470 ohms + or -5%, 1/8 w. | thru R239 | | | 11504 | 4047040004 | |
| R125 | 19A702931P259 | Metal film: 4020 ohms + or -1%, 200 VDCW, 1/8 w. | R240 | 19B800607P154 | Metal film: 150K ohms + or - 5%, 1/8 w. | 0501 | 19A704619P1 | Linear: Osc/Mixer/IF/Det/Amp; sim to MC3361AP. |
| R126 | 19A702931P201 | Metal film: 1000 ohms + or -1%, 200 VDCW, 1/8 w. | R242 | | | 0502 | 19A704073P2 | Linear: 8 voit Regulator; sim to MC/8L08CP. |
| R127 | 19A702931P262 | Metal film: 4320 ohms + or -1%, 200 VDCW, 1/8 w. | R245 | 19B800607P223 | Metal film: 22K ohms + or -5%, 1/8 w. | 0503 | 344A3820P1 | Voltage Regulator: Linear, 8.5 Vdc.; sim to SGS 4885CX. |
| R128 | 19B800607P1 | Metal film: Jumper. | R246 | 19B800607P102 | Metal film: 1K ohms + or -5%, 1/8 w. | | | ····· CRYSTALS ····· |
| R129 | 19B800607P153 | Metal film: 15K ohms + or -5%, 1/8 w. | R249 | 19B800607P100 | Metal film: 10 ohms + or -5%, 1/8 w. | Y501 | 19A705376P5 | Crystal, Fixed Frequency: 45.455 MHz + or -10 |
| R130 | 19B800607P474 | Metal film: 470K ohms + or -5%, 1/8 w. | R251 | 19B800607P100 | Metal film: 10 ohms + or -5%, 1/8 w. | | | PPM. |
| R140 | 19A702931P301 | Metal film: 10K ohms + or -1%, 200 VDCW, 1/8 w. | R254 | | | | | FILTER |
| R141 | 19A702931P210 | Metal film: 1240 ohms + or -1%, 200 VDCW, 1/8 w. | R255 | 19B800779P16 | Variable: 100K ohms + or -25%, 100 VDCW, .3 watt. | Z401 | 19A705458P10 | FILTER, HELICAL: 485-505 MHz; sim to 302LXP-18065. |
| R142 | 19B800607P221 | Metal film: 220 ohms + or -5%, 1/8 w. | R256 | 19B800607P103 | Metal film: 10K onms + or -5%, 1/8 w. | and Z402 | | |
| Dooo | 400000070404 | Matel films 400 shares a set 50/ 4/0 m | R401 | 19B801486P151 | Metai film: 150 onms + or -5%, 1/2 w. | Z403 | 19B801025P4 | MIX, BALANCED; sim to Mini-Circuits SRA-1W. |
| R202 | 19B800607P101 | Metal film: 100 onms + or -5%, 1/8 W. | R403 | 19B800607P102 | Metal film: 1K ohms + or -5%, 1/8 w. | Z501 | 19A705613G42 | Filter, Crystal. |
| R203 | 198800607P560 | Metal film: 56 onms + or -5%, 1/8 w. | R404 | 19B800607P472 | Metal film: 4.7K ohms + or -5%, 1/8 w. | Z502 | 19A705613G42 | Filter, Crystal. |
| R204 | 19B800607P221 | Metal film: 220 onms + or -5%, 1/8 w. | R405 | 19B800607P271 | Metal film: 270 ohms + or -5%, 1/8 w. | Z503 | 19B801021P4 | Filter, bandpass: 455 kHz; sim to Murata CFZM-455F. |
| R205 | 198800607P332 | Metal film: 3.3K onms + or -5%, 1/8 w. | R406 | 19B800607P471 | Metal film: 470 ohms + or -5%, 1/8 w. | | | |
| R206 | 19B800607P222 | Metal film: 2.2K onms + or -5%, 1/8 w. | R501 | 19B800607P181 | Metal film: 180 ohms + or -5%, 1/8 w. | | | ······ MISCELLANEOUS ······ |
| R207 | 19B800607P181 | Metal film: 180 onms + or -5%, 1/8 w. | R502 | 19B800607P270 | Metal film: 27 ohms + or -5%, 1/8 w. | 13 | 19B801566P17 | SHIELD. |
| R208 | 19B800607P473 | Metal film: 4/K onms + or -5%, 1/8 w. | R503 | 19B800607P472 | Metal film: 4.7K ohms + or -5%, 1/8 w. | 14 | 19B801578P1 | CLIP, SHIELD. |
| and | 198800607P332 | Metal film: 3.3K onms + or -5%, 1/8 W. | R504 | 19B800607P270 | Metal film: 27 ohms + or -5%, 1/8 w. | 19 | 19B801863P2 | SHIELD. |
| R210 | 400000070404 | Matel films 400 shares a set 50/ 4/0 m | R505 | 19B800607P683 | Metal film: 68K ohms + or -5%, 1/8 w. | | | |
| R211 | 19B800607P101 | Metal film: 100 onms + or -5%, 1/8 w. | R506 | 19B800607P823 | Metal film: 82K ohms + or -5%, 1/8 w. | | | |
| R213 | 198800607P103 | Metal film: 10K onms + or -5%, 1/8 w. | R507 | 19B800607P183 | Metal film: 18K ohms + or -5%, 1/8 w. | | | |
| R214 | 198800607P331 | Metal film: 330 onms + or -5%, 1/8 w. | R508 | 19B800607P1 | Metal film: Jumper. | | | |
| R215 | 1988006079822 | Metal film: 8.2K onms + or -5%, 1/8 w. | R509 | 19B800607P822 | Metal film: 8.2K ohms + or -5%, 1/8 w. | | | |
| R216 | 19B800607P222 | Metal film: 2.2K onms + or -5%, 1/8 w. | R510 | 19B800607P270 | Metal film: 27 ohms + or -5%, 1/8 w. | | | |
| R217 | 19B800607P101 | Metal film: 100 onms + or -5%, 1/8 w. | R511 | 19B800607P473 | Metal film: 47K ohms + or -5%, 1/8 w. | | | |
| R218 | 198800607P683 | Metal film: 68K onms + or -5%, 1/8 w. | R512 | 19B800607P822 | Metal film: 8.2K ohms + or -5%, 1/8 w. | | | |
| R219 | 19B800607P273 | Metal film: 27K onms + or -5%, 1/8 w. | R513 | 19B800779P4 | Variable: 1K ohms + or -25%, 100VDCW, .3 w. | | | |
| R221 | 198800607P474 | Metal film: 4/UK onms + or - 5%, 1/8 w. | R514 | 19B800607P682 | Metal film: 6.8K ohms + or -5%, 1/8 w. | | | |
| R222 | 198800607P333 | Metal film: 33K onms + or -5%, 1/8 w. | R515 | 19B800607P821 | Metal film: 820 ohms + or -5%, 1/8 w. | | | |
| R223 | 19B800607P105 | Metal film: 1M onms + or -5%, 1/8 W. | R520 | 19B800607P106 | Metal film: 10 meg ohms + or -5%, 1/8 w. | | | |
| R224 | 190000072004 | Metal IIIII: TK ONINS + OF -3%, 1/8 W. | | | INTEGRATED CIRCUITS | | | |
| R226 | 19B800779P4 | Variable: 1K onms + or -25%, 100VDCvv, .3 w. | U101 | 19A705457P3 | PA Module: 470-512 MHz; sim to M57704SH. | | | |
| R22/ | 190000070000 | Matal film: 22K abma L at 59(1/2 | U102 | 19A134717P3 | Linear: 8 Volt Regulator; sim to MC7808CT. | | | |
| R220 | 190000070402 | Metal film: $22 \times 011115 \pm 01 - 5\%$, $1/8 \text{ W}$. | U103 | 19A701789P2 | Linear: Dual Op Amp; sim to LM358. | | | |
| K229 | 198800607P183 | weiai IIIm: 18K onms + or -5%, 1/8 W. | and | | | | | |

LBI-39017K IC DATA

RF POWER AMPLIFIER U101 19A705457P1 (M57704M (403-440 MHz) 19A705457P2 (M57794H (440-470 MHz) 19A705457P3 (M57704SH (470-512 MHz)



- 1. Pin
- 2. Vcc1 1ST STAGE
- 3. Vcc 2ND STAGE
- 4. Vcc OUTPUT STAGE
- 5. Pout
- 6. FIN GROUND

8 VOLT REGULATOR U102, U105 RYT1246003/4 (LM35)



DUAL OPERATIONAL AMPLIFIER U103 19A701789P2 (LM358)



IC DATA & SCHEMATIC DIAGRAM



IC DATA







PRESCALER U205 19A704287P2



19B800902P4

OSC/MIXER/IF/DET/AMP U501 19A704619P1 (MC3361AP)





BOTTOM VIEW PIN 1 - OUTPUT PIN 2 - GROUND PIN 3 - INPUT

LBI-39017K







BLOCK DIAGRAM





VIEW FROM COMPONENT SIDE

OUTLINE DIAGRAM

VIEW FROM SOLDER SIDE



SCHEMATIC DIAGRAM



LBI-39017K





RF BOARD 188D5062G1-G3

÷

(188D5060, Sh. 2, Rev. 13)

SCHEMATIC DIAGRAM



LBI-39017K

188D5062G1-G3

(188D5060, Sh. 3, Rev. 13)



188D5062G4 (188D6179, Sh. 1, Rev. 13)

RF BOARD

SCHEMATIC DIAGRAM



÷



LBI-39017K

188D5062G4

(188D6179, Sh. 2, Rev. 13)



188D5062G4

(188D6179, Sh. 3, Rev. 13)

RF BOARD

OUTLINE DIAGRAM

VIEW FROM COMPONENT SIDE







NOTES:

5. THE FOLLOWING ITEMS ARE MOS DEVICES REQUIRING CARE PER 19A701294: Q502, U202, U206.

2501 AND 2502 ARE A MATCHED PAIR OF CRYSTAL FILTERS WHICH MUST BE ORIENTED WITH "B" RESONATOR AS SHOWN "B" RESONATOR IS IDENTIFIED BY DOT ON CAN. WHEN NO DOT IS PRESENT, VIEW THE PART FROM THE SIDE WHERE THE PART NUMBER AND CENTER FREQUENCY ARE VISIBLE AS IN VIEW "A" THE TOP LEAD WILL BE THE "A" RESONATOR, THE MIDDLE LEAD WILL BE GROUND AND THE BOTTOM LEAD WILL BE THE "B" RESONATOR.

COMPONENTS C207, C256 AND ITEM 13 ARE HAND SOLDERED TO ∕9.∖ BOTTOM SIDE OF PWB AS SHOWN. KEEP LEADS AS SHORT AS POSSIBLE. SOLDER ITEM 13 TO CENTER PIN OF Z502.

LBI-39017K



RF BOARD 188D5062G4

(188D5062, Sh. 2, Rev. 16)