

 **MOBILE RADIO**

MASTR

Progress Line

MAINTENANCE MANUAL




DESK-MATE STATION

**TWO-WAY FM
DESK-MATE
STATION
COMBINATION**

**952 - 960 MHz
LOCAL CONTROL
LOCAL/DC REMOTE
CONTROL
AND
LOCAL/TONE REMOTE
CONTROL
LBI - 4606**

DF-9023



DESK MICROPHONE

GENERAL  ELECTRIC

TABLE OF CONTENTS

EQUIPMENT INDEX	Page iii
SPECIFICATIONS	iv
COMBINATION NOMENCLATURE	1
DESCRIPTION	1
Converter Panel & Signal Generator	1
Transmitter/Driver	1
Receive	2
Power Supply	2
Local Control Panel	2
Control Shelf Assembly	3
INITIAL ADJUSTMENT	3
Test Equipment Required	3
Transmitter/Driver	3
Transmitter Converter	3
Receiver	3
Receiver Converter	3
Power supply	3
Control Shelf	4
OPERATION	4
To Receive a Message	4
To Transmit a Message	4
MAINTENANCE	4
Test and Troubleshooting Procedure	4
Preventive Maintenance	4
OUTLINE DIAGRAM (Control Panel)	6
INTERCONNECTION DIAGRAMS	
Local Control Station	7
Local/Remote Control Station	9
PARTS LIST	
Local Control Panel 19D402460G1 & G2	8
Local Control Panel 19D146799G1 & G2	10
Frequency-Selector Switches 19A121629G1 - G6	10
Desk Microphone Models 4EM28A10 & 4EM28B10	13
Desk-Mate Cabinet 7354211G4	12
Microphone Model 4EM25A10	14
Handset Models 4EM26A10, 4EM26C10 and Hookswitch 19B204867G2	15

WARNING

Under no circumstances should any person be permitted to handle any portion of the of the equipment that is supplied with high voltage; or to connect any external apparatus to the units while the units are supplied with power. KEEP AWAY FROM LIVE CIRCUITS.

EQUIPMENT INDEX

EQUIPMENT	TYPE OR MODEL NUMBER
Converter Panel & Signal Generator	19D413291G1 19D413397G1
Transmitter	4ET59C42, C43
Receiver	4ER42H11, H17
Desk-Mate Cabinet	7354211G4
Station Power Supply	4EP38A12
Antenna Relay (mounts on Converter Panel)	19B216688G1
Control Shelf	19D416725G1
Local/Tone Remote Control Control Shelf System Board (Back Plane) Audio Board Intercom Board SECUR-IT Tone Board Transmitter Control Board	19D416721G1 19D416667G3, G4 19D416758G1 19D416728G1 19D416660G1, G4
Local/DC Remote Control Control Shelf System Board (Back Plane) Control Shelf Blank Panel Audio Board Intercom Board DC Control Board	19D416721G2 19D320228P1 19D416667G3, G4 19D416758G1 19D416661G1—G4
Local Control Panel	19D402460G1
Local/Remote Control Panel	19D416799G1
Multi-Frequency Switches	19A121629G1—G5
Microphone (with Channel Guard) (without Channel Guard)	19C307106P1 19C307105P1
117-VAC Power Cable	7491206P1
Alignment Tools (hex slug type) (slotted screw type)	4038831P2 4033530G2
Lock Assembly Keys Lock (with key)	5491682P4 (BF-10A) 5491682P22

SPECIFICATIONS***GENERAL**

FCC FILING NUMBER	ES-34-A
DIMENSIONS	
Desk-Mate Station	30-3/8" x 14" x 25-1/2"
Pole-Mount Station	42" x 23" x 12-1/2"
Floor-Mount Station	69" x 22" x 23"
WEIGHT	
Desk-Mate	Approximately 150 pounds
Pole-Mount	Approximately 200 pounds
Floor-Mount	Approximately 300 pounds
DUTY CYCLE (Transmit & Receive)	Continuous
INPUT VOLTAGE	117 VAC, $\pm 10\%$, 50/60 Hz
INPUT POWER	Transmit: 1.66 amps max, 195 watts Receive: 0.8 amps max, 95 watts
OPERABLE TEMPERATURE RANGE	-30°C (-22°F) to +60°C (+140°F)
FREQUENCY RANGE	952-960 Megahertz

TRANSMITTER	RECEIVER
(Includes Converter & Driver Transmitter)	(Includes Converter & 450 MHz Rec)
RF Power Output: ** 10 watts	RF Input Impedance: 50 ohms
RF Output Impedance: 50 ohms	Channel Spacing: 100 kHz
Spurious and Harmonic Emission: -60 dB	Sensitivity: **
Modulation Deviation: 0 to ± 15 kHz (36F3)	E1A 12 dB SINAD 1.0 μ V
Frequency Stability: $\pm 0.0002\%$ from -30°C. to +60°C., $\pm 25^\circ$ C. Reference	20 dB Quieting 1.25 μ V
FM Noise: -50 dB	Critical Squelch 0.60 μ V
Audio Response: Within +1 and -3 dB of 6 dB/octave pre-emphasis, 300 to 3000 Hz per E1A	Channel Guard Squelch 10 dB SINAD
Audio Distortion: Less than 3%	Selectivity:
	E1A 2-Signal -90 dB (100 kHz channels)
	Frequency Stability +0.0002% from (1st Oscillator) -30°C. to +60°C. +25°C. Reference
	Modulation Acceptance: ± 19 kHz
	Spurious and Image Rejection: -60 dB
	Audio Response Within +1 and -8 dB of 6 dB/octave de- emphasis, 300 to 3000 Hz
	Audio Output: 5 watts at 3.5 ohms +18 dBm at 600 ohms at less than 5% dis- tortion

* These specifications are intended primarily for use by the serviceman. Refer to the appropriate Specification Sheet for complete specifications.

** Rating is based on using a separate antenna for the receiver and transmitter. When using a single antenna with antenna relay, power output and receiver sensitivity will be 1.5 dB lower.

COMBINATION NOMENCLATURE

1st Digit	2nd Digit	3rd Digit	4th Digit	5th Digit	6th Digit	7th Digit	8th & 9th Digits
Mechanical Package	Operating Voltage	RF Power Output Range	Channel Spacing	Control	Number of Freq.	Options	Frequency Range
D Desk-Mate Station	T 117 VAC	4 8-16 watts	8 50 KHz (Rating of 450 MHz Receiver)	J Local Tone Remote Control Station	A 1-Freq. T 1-Freq. R	S Standard	99 952-960 MHz
				K Local DC Remote Control Station		U Channel Guard	
				L Local Control Station			

DESCRIPTION

General Electric MASTR Progress Line Desk Mate Stations are attractively styled base stations that operate in the 952-960 megahertz band. This band is normally utilized for radio link operation in radio controlled base station systems.

The Desk Mate cabinet can be located on either side of a desk to provide additional working space. All operating controls are conveniently located on the control panel on the front of the cabinet. Both the transmitter exciter and the receiver are fully transistorized. Silicon transistors are used throughout for added reliability.

Both side panels on the station cabinet can be easily removed to gain access to the transmitter, receiver and power supply. The transmitter and receiver modules are equipped with centralized metering jacks, and are mounted on swingout chassis for simplified alignment and troubleshooting.

CONVERTER PANEL & SIGNAL GENERATOR

The Converter Panel with built-in Signal Generator provides both transmit receive functions in the 952-960 megahertz band. The panel includes:

- 960 to 450 megahertz receiver converter stage.

- 476-480 to 952-960 megahertz transmitter doubler stage.
- 960 megahertz crystal controlled signal generator.
- Antenna Switching Relay K2651.

TRANSMITTER/DRIVER

The Transmitter/Driver is a single frequency transmitter which provides a 476-480 megahertz signal output to the




Figure 1 - Typical Station Equipment Arrangement

doubler stage of the converter panel. The transmitter/driver is available with or without Channel Guard capability.

RECEIVER (450-470 MHz)

A 450 megahertz output from the receiver converter stage of the converter panel connects to a single frequency, 450-470 megahertz Receiver (Model 4ER42H11 & H17). This receiver acts as an IF amplifier and is available with and without Channel Guard capability. The receiver is completely contained in an aluminum casting, which provides excellent shielding.

POWER SUPPLY

Station Power Supply Model 4EP38A12 provides operating voltages for both the transmitter and receiver. In addition to plate, screen and bias voltages for the transmitter, the power supply provides:

- Regulated -20 volts for the transistorized transmitter exciter-board.
- Regulated +10 volts for the receiver, receiver converter, and for transmitter Channel Guard.
- Regulated +13.4 volts for transmitter filaments, receiver audio, relays, and pilot lights.

LOCAL CONTROL PANEL

The Local Control Panel is conveniently located on the front of the Desk Mate Station and contains all operating controls for the station.

THE VOLUME control, SQUELCH control, ON-OFF switch, and indicator lamps are located on the front of the control panel below the speaker grille. (For Local/Remote Stations, an INTERCOM-SUPV switch is also located below the speaker grille).

A loudspeaker is mounted on the rear of the control panel. In Local Control Stations, a microphone preamplifier is also mounted on the rear of the control panel.

Microphone Pre-Amplifier A901 (Local Control Station)

Microphone pre-amplifier A901 provides an additional 10-dB gain for use with desk-type microphones. When a military mike or handset is used, the pre-amplifier is disconnected from the circuit by moving lead P1 from J1 to J2 (refer to Front Panel Outline Diagram) so that the signal is connected directly to the transmitter.

The audio signal from the desk-type mike is connected to the pre-amp transistor Q1 through coupling capacitor C1. Following amplifier Q1, the signal is coupled through audio coupling capacitor C2 to the transmitter.

Base bias for Q1 is provided through voltage divider circuit R1 and R2 from the 10-volt regulated supply.

AC Input (Local Control Station)

The 117-volt AC input is connected directly to terminals 1 and 2 of TB903. All power to the station is controlled by switch S901. Turning S901 ON lights the green Power-On light. This indicates that the transmitter and receiver are turned on.

An optional 220/110 VAC Step Down Transformer Kit is available for use when the input line voltage is 220 VAC.

— WARNING —

117-volts AC is always present at terminals 1 and 2 of TB903, even when S901 is in the OFF position. Always use care when servicing the Control Panel.

Intercom-Supervisory Switch S903 (Local/Remote Station)

Intercom-Supervisory Switch S903 is a two-position toggle switch located in the station transmitter keying circuit. When S903 is in the INTERCOM-SUPV position, transmitter keying is disabled. This prevents station operation by associated Transistorized Control Consoles (giving the station supervisory control), and permits intercom operation between the station and the consoles. The normal (down) position of S903 permits normal remote control station operation.

Optional Handset and Hookswitch

Handset Model 4EM26C10 and Hookswitch 19B204867G2 are optional equipment for the Stations. With the handset on the hookswitch, audio can be heard through speaker LS901. When the handset is lifted off the hookswitch, the normally closed contacts of S1 in the hookswitch open, muting the speaker. The call can be heard in the handset earpiece. The push-to-talk button on the handset is pressed to transmit a message.

The handset plug connects to J901 located on the rear grille of the station cabinet.

CONTROL SHELF ASSEMBLY

Control Shelf 19D416725G1 contains the System Board, the AC input circuit and plug-in printed wire modules with solid state circuitry for up to six DC Remote Control functions and up to twelve Tone Remote Control functions. The Control Shelf also contains the Intercom Module.

AC Input

The 117-VAC input is connected directly to TB1202-1 and -2 on the Control Shelf. Power switch S1201 is wired in series with the Local Control Panel power switch S901. To operate the station, S1201 must always be in the ON position as both S1201 and S901 are in series. Turning off either switch will cut off the power to the station. When both switches are in the On position the green pilot light will be illuminated.

An optional 220/110 Volt AC Stepdown Transformer Kit is available for use when the input line voltage is 220 Volts AC.

WARNING

117 VAC is always present at terminals 1 and 2 of TB1202, even when S1201 is in the OFF position. Always use care when servicing the cabinet power module on the Control Shelf.

Telephone Lines

Instructions for connecting the Remote Station to the telephone line(s) are included in Maintenance Manual LBI-4490 for the Control Shelf.

INITIAL ADJUSTMENT

After the MASTR Desk Mate Station has been installed as described in the Installation Manual, the transmitter, receiver, power supply and Remote Control Shelf must be adjusted by an electronics technician who holds a 1st or 2nd Class FCC Radiotelephone or Radiotelegraph license before the station can be placed in operation.

TEST EQUIPMENT REQUIRED

The following test equipment is required for the adjustment of both transmitter and receiver:

1. A tuning tool and a screwdriver.

2. GE Test Meter Type EX-3-A or EX-8-K, Station Test Metering Panel (Optional), or a 20,000 ohms-per-volt multimeter.
3. A signal source operating at the system frequency (preferably the transmitter which will normally be monitored by the receiver).
4. Wattmeter

TRANSMITTER/DRIVER ADJUSTMENT

The initial adjustment for the transmitter/driver includes checking the frequency and modulation. For the initial adjustment procedure, refer to MAINTENANCE MANUAL LBI-4084 for transmitter Models 4ET59C42 & 43.

TRANSMITTER CONVERTER

The initial adjustment for the transmitter converter includes final tuning, loading, and checking the power output. (While inserting a 25-watt input from the transmitter/driver, check for at least 10 watts at the converter output). For the initial adjustment procedure, refer to MAINTENANCE MANUAL LBI-4082 for the converter panel.

RECEIVER (Models 4ER42H11 & 17)

The initial adjustment for the 450-470 mHz receiver includes adjusting the receiver operating frequency to the output frequency of the receiver converter. To obtain the converter output frequency, subtract the oscillator mixing frequency (marked on the ICOM in the converter) from the system operating frequency. For the initial adjustment procedure, refer to MAINTENANCE MANUAL LBI-4085 for the receiver.

RECEIVER CONVERTER

The initial adjustment from the receiver converter includes matching to the antenna and adjusting frequency to the system operating frequency. For the initial adjustment procedure, refer to MAINTENANCE MANUAL LBI-4082 for the converter panel.

POWER SUPPLY ADJUSTMENT**Local Control Stations**

The initial adjustment for power supply Model 4EP38A12 includes setting the VOLUME control (R511) on the power supply to mid-range and setting the SQUELCH control (R512) on the power supply fully clockwise.

After these adjustments are made, the VOLUME and SQUELCH controls on the station Control Panel will normally operate near mid-range.

CONTROL SHELF ADJUSTMENT

The initial adjustment for the control shelf includes:

- Turning the power switch (S1201) ON.
- Adjusting the required Tone or DC controls.

For tone and DC controls adjustment procedures, refer to MAINTENANCE MANUAL LBI-4490 for the Control Shelf.

OPERATION

The basic procedures for receiving and transmitting messages are as follows:

TO RECEIVE A MESSAGE

1. Turn the radio on by pressing the ON button to the ON position. The green power-on light will glow, indicating that power is applied to the unit.
2. Turn the SQUELCH control clockwise (to the right) as far as possible.
3. Adjust the VOLUME control until the "hissing" sound is easily heard but not annoyingly loud.
4. Now, slowly turn the SQUELCH control counterclockwise (to the left) until the "hissing" sound disappears.

The radio is now ready to receive messages from other radios in the system.

TO TRANSMIT A MESSAGE

1. Apply power to the transmitter by

pressing the ON button to the ON position. Let the unit warm up for 30 seconds.

2. Press the push-to-talk button on the microphone and speak in a normal (or softer) voice six inches away from the front of the mike. Release the button as soon as the message has been given. The red signal light on the Control Panel will glow each time the microphone button is pressed, indicating that the transmitter is on the air. The receiver is muted whenever the transmitter is keyed.

MAINTENANCE

TEST AND TROUBLESHOOTING PROCEDURES

The individual Maintenance Manuals for the transmitter and receiver describe standard test procedures which the serviceman can use to compare the actual performance of the transmitter or receiver against the specifications of the unit.

In addition, specific troubleshooting procedures are available to assist the serviceman in troubleshooting the transmitter, receiver and power supply.



For best results in servicing the station, the TEST PROCEDURES should be used in conjunction with the TROUBLESHOOTING PROCEDURES. Both sheets are listed in the Table of Contents of the applicable Maintenance Manual.


PREVENTIVE MAINTENANCE

To insure high operating efficiency and to prevent mechanical and electrical failures from interrupting system operations, routine checks should be made of all mechanical and electrical parts. This preventive maintenance should include the maintenance checks listed in Table 1.

TABLE 1
PREVENTIVE MAINTENANCE PROGRAM

CHECK THE FOLLOWING ONCE A YEAR:	
1. Transmitter frequency and deviation (FCC requires this check-up ONCE a year).	<input type="checkbox"/>
2. Measure and record the forward and reflected power to the antenna system.	<input type="checkbox"/>
3. Check input voltage at TB1202-1 and 02 on control shelf. Reading should be within 20% of 117 VAC. (Also check during routine service calls).	<input type="checkbox"/>
4. Record transmitter meter readings. Compare with readings taken during initial tune-up. Retune, if necessary.	<input type="checkbox"/>
5. Record receiver meter readings. Compare with readings taken during initial tune-up. Retune, if necessary.	<input type="checkbox"/>
6. Check for positive indication of pressure on transmission line pressure gauge (if pressurized line is used).	<input type="checkbox"/>
7. Clean dust from fan blades and lubricate bearings.	<input type="checkbox"/>
8. Burnish pitted or coated relay contacts to smooth out metallic deposits or remove the coating.	<input type="checkbox"/>
MAKE THE FOLLOWING MAINTENANCE CHECKS DURING ROUTINE SERVICE CALLS:	
1. Check antenna lines and mast for mechanical stability.	<input type="checkbox"/>
2. Visually check: External cables Internal cables Plugs Sockets Terminal boards	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
3. Check for tightness of nuts, bolts, and screw to make sure nothing is working loose from its mounting.	<input type="checkbox"/>
4. Replace tubes as necessary. (It may be convenient to replace all station tubes during the yearly check-up).	<input type="checkbox"/>





INSTRUCTIONS:

1. CABLES SHOULD BE CONSTRUCTED IN ACCORDANCE WITH WIRING INSTRUCTIONS A4031623.
2. ALL WIRES ARE #16 AWG. EXCEPT AS SHOWN.
3. MARK WIRES IN CABLE ON BOTH ENDS WITH CORRESPONDING WIRE NUMBER USING MARKER STRIP 19B209030 EXCEPT ENDS GOING TO TB902.
4. TERMINATE ALL WIRES AT TB501 & TB502 WITH TERMINAL 19B209260P102 EXCEPT AS FOLLOWS:

WIRES	USE TERMINALS
#25 (AT TB502-15)	19B209268P101
#26 (TB502-14)	19B209268P101

ALL OTHER WIRE TERMINATIONS ARE SOLDER CONNECTIONS.
5. CABLE SHOULD BE CONSTRUCTED IN SUCH A WAY AS TO ALLOW MOUNTING CONTROL PANEL AT EITHER END OF CABINET.
6. MAKE WIRE #20 AT R901 LONG ENOUGH TO BE MOVED FROM R901-1 TO S7-4L AS PER INSTALLATION INSTRUCTIONS 19C303643.
7. TERMINATE ALL HARNESS WIRES IN BOTTOM HOLE OF TERMINALS ON TB902, USE TOP HOLE FOR JUMPERS & KITS.

NOTES:

1. PLUG OF W901 SHOULD BE INSERTED SO THAT WIRE #25 CONNECTS TO NEUTRAL OF BUILDING WIRING SYSTEM.
2. IF RECEIVER MUTE IS NOT DESIRED, MOVE N22-BL WIRE INSIDE 4EP38A FROM TB501-16 TO TB501-7.
3. WHEN USING MIL. MIKE OR HANDSET, REMOVE PRE-AMP A901 FROM CIRCUIT BY MOVING P1 FROM J1 TO J2.
4. CONNECT TO CONVENIENT CHASSIS MOUNTING SCREW.

IN ORDER TO RETAIN RATED EQUIPMENT PERFORMANCE, REPLACEMENT OF ANY SERVICE PART SHOULD BE MADE ONLY WITH A COMPONENT HAVING THE SPECIFICATIONS SHOWN ON THE PARTS LIST FOR THAT PART.

ALL RESISTORS ARE 1/2 WATT UNLESS OTHERWISE SPECIFIED AND RESISTOR VALUES IN OHMS UNLESS FOLLOWED BY K=1000 OHMS OR MEG=1,000,000 OHMS. CAPACITOR VALUES IN PICOFARADS (EQUAL TO MICROMICROFARADS) UNLESS FOLLOWED BY UF= MICROFARADS. INDUCTANCE VALUES IN MICROHENRYS UNLESS FOLLOWED BY MH= MILLIHENRYS OR H=HENRYS.

SEE APPLICABLE PRODUCTION CHANGE SHEETS IN INSTRUCTION BOOK SECTION DEALING WITH THIS UNIT, FOR DESCRIPTION OF CHANGES UNDER EACH REVISION LETTER.

THIS ELEM DIAG APPLIES TO	
	REV LETTER
PL19D402460G1	C
PL19D402460G2	C

(19D402404, Rev. 9)

INTERCONNECTION DIAGRAM

MASTR DESK-MATE STATION COMBINATION
LOCAL CONTROL

PARTS LIST

LBI-3625C

DESK-MATE STATION
FRONT END CONTROL PANEL
19D402460-G1 and G2
REV C

SYMBOL	G-E PART NO.	DESCRIPTION
A901		PRE-AMPLIFIER MICROPHONE ASSEMBLY 19B204663-G1
		----- CAPACITORS -----
C1 and C2	19A115028-P114	Polyester: 0.1 μ f \pm 20%, 200 VDCW.
		----- JACKS AND RECEPTACLES -----
J1 and J2	4033513-P4	Contact, electrical: sim to Bead Chain L93-3.
		----- PLUGS -----
P1	4029840-P2	Contact, electrical: sim to Amp 42827-2.
		----- TRANSISTORS -----
Q1	19A115123-P1	Silicon, NPN; sim to Type 2N2712.
		----- RESISTORS -----
R1	3R77-P434J	Composition: 0.43 megohm \pm 5%, 1/2 w.
R2	3R77-P823K	Composition: 82,000 ohms \pm 10%, 1/2 w.
R3	3R77-P103J	Composition: 10,000 ohms \pm 5%, 1/2 w.
R4	3R77-P202J	Composition: 2000 ohms \pm 5%, 1/2 w.
		----- CAPACITORS -----
C901*	19B209233-P2	Electrolytic, non-polarized: 25 μ f \pm 20%, 25 VDCW; sim to Sprague Type 44DC. Added by Rev B.
		----- INDICATING DEVICES -----
DS901 and DS902	19C307037-P19	Lamp, incandescent: miniature, 14 v; sim to GE 756.
		----- JACKS AND RECEPTACLES -----
J901	7117934-P2	Connector, chassis: 4 female contacts; sim to Amphenol Type 91-PC4F.
		----- LOUDSPEAKERS -----
LS901*	19C307123-P3	Permanent magnet, 6-inch: 3.2 ohms \pm 10% Voice Coil imp., 3 W maximum operating, 150-300 Hz resonance, paper dust cap; sim to Pioneer 5-709524. In Models earlier than Rev. C:
	19C307123-P1	Permanent magnet, 6-inch: 3.2 ohms \pm 10% voice coil imp, 3 w max operating, 150-300 Hz resonance, paper dust cap; sim to Russell Speaker S-3406.
		----- PLUGS -----
P902	7478726-P6	Connector, cable: 4 male contacts; sim to Amphenol Type 91-MC4M.
		----- RESISTORS -----
RS01	7478301-P48	Attenuator, variable, audio, L pad: 3.5 ohms, 4 w, 40 db max attenuation min.
RS02	5493682-P5	Variable, carbon film: 2500 ohms \pm 20%, 0.5 w; sim to CTS Series 45.
		----- SWITCHES -----
S901	19B209147-P1	Push: SPST, 3 amps at 250 VAC or 6 amps at 125 VAC; sim to Cutler-Hammer 8134K6.
S902	5491899-P4	Toggle: DPDT, 3 amps at 250 VAC or 6 amps at 125 VDC; sim to Cutler-Hammer 8373K8. (Used in 19D402460-G2).

SYMBOL	G-E PART NO	DESCRIPTION
TB902	7775500-P19	----- TERMINAL BOARDS ----- Phen: 9 terminals.
TB903	19C301088-P1	Phen: 15 amps at 1200 VRMS, 2 terminals; sim to GE CR151D.
		----- CABLES -----
W901	7491206-P1	Cord and plug: 3 conductor, 10 amps at 125 VRMS max, approx 15 feet long.
		----- SOCKETS -----
XDS901*	19B209342-P2	Lamp; sim to Leecraft 7-04-1.
	7141855-P12	In Models earlier than Rev A: Lamp: cylindrical red plastic lens; sim to Dialight 135-410-1431.
XDS902*	19B209342-P2	Lamp: sim to Leecraft 7-04-1.
	7141855-P13	In Models earlier than Rev A: Lamp: cylindrical green plastic lens; sim to Dialight 135-410-1432.
		MECHANICAL PARTS (SEE RC-1153)
1	NP243558	Nameplate; etched aluminum. (Used in 19D402460-G1).
2	NP243557	Nameplate; etched aluminum. (Used in 19D402460-G2).
3	19A121675-G1	Knob. (Used with RS01, RS02 and Dummy).
4	19B204642-P1	Grille.
5	19B201879-P1	Spring tension clip; sim to Tinnerman C42798-011-2. (Used with printed board).
6	7160861-P4	Nut: sheet spring; sim to Tinnerman C6452-82-157.
7	N111P1508C13	Phillips® screw: No. 8-18 x 1/2 inch.
8	7763541-P7	Cable clamp.
9	19A121365-G1	Can. (Used with A901).
10	19B204803-G1	Support.
11	4032256-P1	Shaft: nylon, dummy.
12	19B204800-P1	Support. (Used with RS01 and RS02).
13	4032230-P1	Retaining ring: sim to Waldes Kohinoor 5131-37.
14	N402P13C13	Plain washer.
15	4032237-P1	Lens, green.
16	4032237-P2	Lens, red.

DESK MATE CONTROL PANEL

RC-1153A

PARTS LIST


LBI-3561A

DESK-MATE STATION CABINET
7354211-G4

SYMBOL	GE PART NO.	DESCRIPTION
	7354211-P8	Door: (fits either side).
	4035449-P5	Bumper, door: rubber, sim to Atlantic India Rubber 1165.
	N529P38C	Plug. (for cable Knockouts at bottom of assembly).
	7354211-P7	Mounting rack. (2 drilled angles).
	5491682-P13	Lock and Key. Sim to Yale and Towne F7678DXL. Includes Key 5491682-P4 (Yale and Towne BF-10A).
	N80P19008C13	Screw, phillips: 12-24 x 1/2. (Used to secure rack panel assemblies).
	N403P21C13	Lockwasher: external tooth, No. 12. (Used to secure rack panel assemblies).
	19A121317-G2	Interconnection Harness.

*COMPONENTS ADDED, DELETED OR CHANGED BY PRODUCTION CHANGES.

*COMPONENTS ADDED, DELETED OR CHANGED BY PRODUCTION CHANGES.



(19E501118, Rev. 0)

SCHEMATIC DIAGRAM **MASTR DESK-MATE STATION COMBINATION** **LOCAL/TONE REMOTE & LOCAL/DC REMOTE** **CONTROL PANEL**

PARTS LIST

LBI-4526

LOCAL/REMOTE CONTROL PANEL
19D416799G1, G2

SYMBOL	GE PART NO.	DESCRIPTION
C901	19B209233P1	----- CAPACITORS ----- Electrolytic, non-polarized: 25 μ f \pm 20%, 25 VDCW; sim to Sprague 41D.
		----- INDICATING DEVICES ----- Lamp, incandescent: 14 v; sim to GE 756.
DS901 and DS902	19C307037P19	----- JACKS AND RECEPTACLES ----- (Part of W901).
J901		----- LOUDSPEAKERS ----- Permanent magnet, 6-inch: 3.2 ohms \pm 10% voice coil imp, 7.5 w max operating, 150-300 Hz resonance, paper dust cap; sim to Russell Speaker S-34068.
LS901	19C307123P3	----- PLUGS ----- (Part of W901).
P901 thru P903		----- RESISTORS ----- Variable, audio, L-pad: 3.5 ohms \pm 15%, 4 w; sim to PR Mallory L-pad.
R901	7478301P48	Variable, carbon film: 2500 ohms \pm 20%, 0.5 w; sim to CTS Series 45.
R902	5493662P5	----- SWITCHES ----- Push: SPST, 3 amps at 250 VAC or 6 amps at 125 VAC; sim to Cutler-Hammer 8134K8.
S901	19B209147P1	Toggle: DPDT, 6 amps at 125 VAC/VDC; sim to Cutler-Hammer 8373K8.
S902	19B219746G1	Toggle: DPDT, 6 amps at 125 VAC/VDC; sim to Cutler-Hammer 8373K8.
S903	5491899P4	----- TERMINAL BOARDS ----- (Part of W901).
TB902		----- CABLES ----- HARNESSE ASSEMBLY 19A129452G1
W901		----- JACKS AND RECEPTACLES ----- Receptacle: 4 female contacts; sim to Amphenol Type 91-PN4F-1000.
P901 thru P903		----- PLUGS ----- Connector. Includes: Contact, pin: female, brass; sim to Molex Products 1381-T. (Quantity 11). Contact, pin: male, brass; sim to Molex Products 1380-T. (Quantity 2). Shell: sim to Molex Products 1360R-1.
TB902	7775500P19	----- TERMINAL BOARDS ----- Phenolic: 9 terminals.
XDS901 and XDS902	19B209342P2	----- SOCKETS ----- Lampholder, bayonet: sim to Leecraft 7-04.

SYMBOL	GE PART NO.	DESCRIPTION
		----- MISCELLANEOUS ----- Grille.
	19B204642P1	Knob, push-on: sim to Rohden Mfg Co. 25107.5-7E. (Used with R901, R902, S901).
	19A115679P1	Support. (Used with XDS901, XDS902).
	19A122727P1	Plain washer: No. 6. (Used with LS901).
	N402P37C6	Cable clip, spring tension. (Used with W901).
	7763541P8	Hex nut: No. 15/32-32. (Used with S903).
	7115195P2	Lockwasher: No. 15/32; sim to Shakeproof 1222-1. (Used with S903).
	7115130P11	Ring, retaining: sim to Waldes Kohinoor 5131-37. (Used with dummy plug).
	4032230P1	Plain washer: No. 3/8, steel. (Used with dummy plug).
	N402P13C6	Dummy plug.
	4032256P1	Hex nut, brass: No. 3/8-32. (Used with R902).
	7165075P2	Flatwasher, steel: No. 5/8. (Used with R901, R902, and dummy plug).
	7127662P1	Lockwasher: sim to Shakeproof 1220-2. (Used with R901 and R902).
	7115130P9	Nut, sheet spring: sim to Tinnerman C6452-8Z-67. (Secures grille to support).
	7160861P4	Tap screw, phillips: No. 8-32 x 1/2. (Secures grille to support).
	N111P1508C6	Nameplate. (GE).
	NP243513	Nameplate, etched aluminum. (WITHOUT CHANNEL GUARD).
	NP257587	Lens, panel light: green plastic lens; sim to Dialight Type 5004. (Used with DS902).
	4032237P1	Lens, panel light: red plastic lens; sim to Dialight Type 5004. (Used with DS901).
	4032237P2	Lampholder, bayonet: sim to Leecraft 700-50. (Used with DS901 and DS902).
	19B209342P3	Tap screw: No. 4-40 x 1/4. (Secures Indicator Support).
	19B201074P204	Nameplate, etched aluminum. (WITH CHANNEL GUARD).
	NP249235	

PARTS LIST

LBI-3624A
FREQUENCY - SELECTOR SWITCHES
19A121629G1 - G6

SYMBOL	G-E PART NO.	DESCRIPTION
		----- SWITCHES ----- Rotary: 4 poles, 2 positions, non-shortng contacts, 2 amps at 25 VDC or 1 amp at 110 VAC; sim to Oak Type "A" or Centralab Series 100.
S1	5495454-P18	Rotary: 2 poles, 2 positions, non-shortng contacts, 2 amps at 25 VDC or 1 amp at 110 VAC; sim to Oak Type "A" or Centralab Series 100.
S2 & S3	5495454-P1	Rotary: 2 sections, 4 poles, 3 positions, non-shortng contacts, 2 amps at 25 VDC or 1 amp at 110 VAC; sim to Oak Type "A" or Centralab Series 100.
S4 & S6	5495454-P20	Rotary: 2 sections, 4 poles, 4 positions, non-shortng contacts, 2 amps at 28 VDC or 1 amp at 110 VAC; sim to Oak Type "F".
S5	5495227-P25	

*COMPONENTS ADDED, DELETED OR CHANGED BY PRODUCTION CHANGES.

PARTS LIST




LBI-94228

MAGNETIC CONTROLLED DESK MICROPHONE

MODEL 4EM28A10 (19C307105-P1)
 MODEL 4EM28B10 (19C307106-P1)
 (SEE RC-1227)

SYMBOL	G-E PART NO.	DESCRIPTION
MECHANICAL PARTS		
MODEL 4EM28A10		
1		Pushbutton. Shure Brothers RP-68.
2		Washer. Shure Brothers 30A697.
3		Spring. Shure Brothers 44A149.
4		Cap and grille. Shure Brothers RP-72.
5		Magnetic controlled cartridge. Shure Brothers RP-13.
6		Washer. Shure Brothers 34A223.
7		Shield. Shure Brothers 53A528.
8		Damping pad. Shure Brothers 20B33.
9		Housing. (Part of item 4).
10		Base. (Part of item 4).
11		(Not used).
12		Pin. Shure Brothers 31A848.
13		Bracket. Shure Brothers 53A637.
14		Cable and plug. Shure Brothers RP-65.
15		Cable clamp. Shure Brothers 53A532.
16		Bottom plate. Shure Brothers 90A1015.
17		(Not used).
18		Mounting bracket. Shure Brothers 53A633.
19		Switch. Shure Brothers RP-70.
MODEL 4EM28B10		
1		(Not used).
2		Washer. Shure Brothers 30A697.
3		Spring. Shure Brothers 44A149.
4		Cap and grille. Shure Brothers RP-72.
5		Magnetic controlled cartridge. Shure Brothers RP-13.
6		Washer. Shure Brothers 34A223.
7		Shield. Shure Brothers 53A528.
8		Damping pad. Shure Brothers 20B33.
9		Housing. (Part of item 4).
10		(Not used).
11		Base. (Part of item 4).
12		Pin. Shure Brothers 31A848.
13		Bracket. Shure Brothers 53A637.
14		(Not used).
15		Cable clamp. Shure Brothers 53A532.
16		(Not used).
17		Bottom plate. Shure Brothers 90B1015.
18		Mounting bracket. Shure Brothers 53A633.
19		Switch. Shure Brothers RP-71.
20		Pushbutton (Transmit). Shure Brothers RP-69.
21		Locking arm. Shure Brothers 53A667.
22		Cable and plug. Shure Brothers RP-66.
23		Switch. (Part of item 19).
24		Pushbutton (Monitor). (Part of item 20).

*COMPONENTS ADDED, DELETED OR CHANGED BY PRODUCTION CHANGES.



* JUMPER MAY BE REMOVED FOR PARALLEL OR SPECIAL OPERATION

NOTES:


1. SWITCH #1 OF THE MICROPHONE CIRCUIT MUST CLOSE FIRST AND OPEN LAST.
2. MONITOR AND TRANSMIT BUTTONS ARE MECHANICALLY INTERLOCKED, MAKING IT NECESSARY TO PRESS MONITOR BUTTON BEFORE TRANSMITTING. TO MONITOR CONTINUOUSLY, PRESS MONITOR BUTTON DOWN AND SLIDE FORWARD TO "LOCK" POSITION. PRESS AND PUSH BACK BUTTON TO RELEASE. TO OPERATE MONITOR AND TRANSMIT FUNCTIONS INDEPENDENTLY, REMOVE LOCKING ARM BRACKET (PART 21 SHOWN ABOVE AND IN PARTS LIST).

PARTS LIST

LBI-3558B
 MILITARY MICROPHONE
 MODEL 4EM25A10
 (PL-19B209102-P1)
 (SEE RC-1163)

SYMBOL	G-E PART NO.	DESCRIPTION
		MECHANICAL PARTS
		MODEL 4EM25A10
1		Cable clamp. Shure Brothers RP-16.
2		Switch. Shure Brothers RP26.
3		Case (back) and mounting button: plastic. Shure Brothers RP-87.
4		Switch button: red plastic. Shure Brothers RP-25.
5		Spring. Shure Brothers RP-1.
6		Shield. Shure Brothers RP-23.
7		Magnetic controlled cartridge. Shure Brothers RP-13.
8		Case (front) plastic. (Part of item 3).
9		Cable and plug: approx 6 feet long. Shure Brothers RP-14.

*COMPONENTS ADDED, DELETED OR CHANGED BY PRODUCTION CHANGES.



PARTS LIST


LBI-4606

LBI-3559B

HANDSET
MODEL 4EM26A10
MODEL 4EM26C10
19B209100G1

SYMBOL	GE PART NO.	DESCRIPTION
		(REFER TO RC-1158)
1		Self tap screw, blind head: No. 4 x 5/16. Shure Brothers 30C640C.
2		Cable clamp. Shure Brothers 53A532.
3		Shield. Shure Brothers RP19.
4		Switch. Shure Brothers RP81.
5		Case. Shure Brothers RP49. (Used in 4EM26A10). Case. Shure Brothers 21RP899F. (Used in 4EM26C10).
6		Adapter. Shure Brothers 65A230.
7		Magnetic controlled cartridge. Shure Brothers RP41.
8	3R77P222K	Composition: 2200 ohms $\pm 10\%$, 1/2 w.
9		Receiver cap. (Part of item 5).
10		Washer. Shure Brothers 34A321.
11		Escutcheon. Shure Brothers 53A536A.
12		Actuator. Shure Brothers 53A556.
13		Spring. Shure Brothers 44A140.
14		Plunger bar. Shure Brothers RP82.
15		Flat head screw, socket cap: No. 4-40 x 1/4. Shure Brothers 30C557B.
16		Transmitter cap. (Part of RP49).
17		Washer. Shure Brothers 34A309.
18		Magnetic controlled cartridge. Shure Brothers RP13.
19		Cable and plug. Shure Brothers RP48. (Used in 4EM26A10). Cable and plug. Shure Brothers 21RP738F. (Used in 4EM26C10).
		HOOKSWITCH ASSEMBLY 19B204867G2
		----- MISCELLANEOUS -----
20	4029851P5	Cable clamp; sim to WEC Kesser 3/16-4.
21	19A121612P1	Holder and switch: thermoplastic case, contact rating 1 amp at 125 v.
22	19A121720G1	Cable: approx 8-1/2 feet long.
23	5493035P10	Resistor, wirewound, ceramic: 3.5 ohms $\pm 5\%$, 5 w; sim to Hamilton Hall Type HR.
24	7775500P55	Terminal board, phen: 5 terminals.

*COMPONENTS ADDED, DELETED OR CHANGED BY PRODUCTION CHANGES



ORDERING SERVICE PARTS

Each component appearing on the schematic diagram is identified by a symbol number, to simplify locating it in the parts list. Each component is listed by symbol number, followed by its description and GE Part Number.

Service Parts may be obtained from Authorized GE Communication Equipment Service Stations or through any GE Radio Communication Equipment Sales Office. When ordering a part, be sure to give:

1. GE Part Number for component
2. Description of part
3. Model number of equipment
4. Revision letter stamped on unit

These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with installation, operation or maintenance.

Should further information be desired, or should particular problems arise which are not covered sufficiently for the purchaser's purposes, contact the nearest Radio Communication Equipment Sales Office of the General Electric Company.

MAINTENANCE MANUAL

LBI 4606

MOBILE RADIO DEPARTMENT
GENERAL ELECTRIC COMPANY • LYNCHBURG, VIRGINIA 24502

GENERAL  ELECTRIC

DF-9023