
# Computer Automation Technology, Inc. CAT-300 Repeater Controller

# CAT-300 Repeater Controller

Finally a full feature repeater controller with voice synthesizer and autopatch for an incredible price of \$299.00.

### Features Include:

- \* Voice Synthesizer
- \* Twelve Voice Messages
- \* CW Identifier
- \* Programmable Courtesy Tones
- \* Forty-Five Control Functions
- \* Full Feature Autopatch
- \* User Speed Dials
- \* Emergency Speed Dials
- \* Reverse Autopatch
- \* Autopatch Cover Tone
- \* Autopatch Time Extender
- \* Phone Number Read Back
- \* Caller ID Suppression
- \* DTMF or Pulse Dialing
- \* DTMF Pad Test
- \* DTMF Repeater Access
- \* DTMF Window
- \* DTMF Audio Muting
- \* Programmable Prefix Codes
- \* Programmable Timers
- \* User Function Inputs
- \* User Function Switches
- \* DVR Controller



#### Voice Synthesizer

A [412] word vocabulary carefully selected for amateur repeater operation is available to construct [12] different voice messages. Each message can be [23] words in length. Configure your repeater ID and announcements to suit your particular needs. Chimes, sound effects and female salutations are also included.

#### DTMF Key-Pad Test

The key-pad test will read back the numbers decoded in a synthesized voice. This includes the words "STAR" and "POUND."

#### Courtesy Tone

Memory space is provided for [8] custom courtesy tones. Each tone can consist of up to three different tone frequencies of various lengths and separations.

#### CW ID

The CAT-300 will switch to a CW ID when a user talks over the voice ID.

#### Autopatch

A full feature autopatch with storage for [25] speed dial numbers highlights the CAT-300. Each speed dial location accepts [11] digit numbers and includes space for call letters. The same is true for the [5] Emergency speed dial locations. Regular calls are preceded by a phone number read-back. This feature can be suppressed by a mic key-click. Long distance protection is provided by a first number 0-1 check. An autopatch time extender command rounds out the features. In addition to the Reverse autopatch, full telephone control and programming provides extra security.

#### Digital Voice Recorder

An optional DVR, controlled by the CAT-300 through the MF-1000 serial card, can be added to your repeater. Control of the DVR is fully integrated into the CAT-300 control and command structure. The CAT-300 will permit you to substitute any of the [16] DVR tracks in place of the messages normally generated by the voice synthesizer. In fact, you can even intermix DVR tracks with voice messages.

#### User Function Output Switches

Three remote switches control equipment at your repeater site. DTMF commands are available to turn QFF, ON or Momentarily change state, any time you choose.

#### Repeater Programming

An extensive set of programming commands permits you to customize your repeater's operation. Protection is provided by a user programmable [7] digit un-lock number. Once un-locked, use the programming commands to load voice messages, speed dial numbers, change prefix codes and timer settings.

#### User Function Inputs

Two inputs activated by a positive voltage from other equipment at the repeater site, causes the CAT-300 to execute any repeater command. External repeater control or information about the repeater site will be instantly available.

#### CAT-300DX Repeater Controller

By replacing the DS1220Y RAM with the DS1243Y, memory is increased from [16K] to [64K] and a digital clock is added. With this additional memory, and a software up-date, the CAT-300 is converted to a CAT-300DX at an equally incredible price of \$399.00.

#### Voice Clock [CAT-300DX]

The voice will announce the time upon request, at the completion of an autopatch, during repeater IDs, or on the hour through the grandfather clock feature.

#### Autopatch [CAT-300DX]

Speed Dial storage is increased to [100] locations with the additional memory contained in the CAT-300DX.

#### Macro [CAT-300DX]

By entering a macro number, the CAT-300 will execute up to [5] commands in a string. Store up to [10] macros in memory. Customize the control functions to suit your particular needs.


#### CAT-300 Schematic

#### Scheduler [CAT-300DX]

An advanced [40] position scheduler fully automates the operation of the repeater. Pre-schedule your repeater's operation to one minute accuracy. Program the hours, minutes, day of week, or day of month and month of year. The CAT-300 will do the rest.

#### Memory Save [CAT-300DX]

Configure the CAT-300 to suit your special requirements. Save the current settings of the control channels, prefix codes, timers and [12] voice messages. Space is provided for [4] memory saves. These memory saves can be later recalled with a DTMF command or through the action of the scheduler.



# **Voice Vocabulary Word List**

Sound Effects
Chime 1......
Chime 2......
Chime 3......
Gunshot.....
Laughter.....
Female
Good Morning...
Good Aternoon..
Good Evening...
Time Variables
Time of Day...\*
Day of Week...\*
Day and Month...\*

\* CAT-300[DX]

Zero	Between	Fire	Long	Point	The(shortE)
One	Bravo	Fog	Look	Police	The(long E)
Two	Break	For	Low	Position	Then
Three	Ву	Foxhunt	Lower	Pound	This
Four	C	Foxtrot	М	Power	This-is
Five	Calibrate	Freezing	Machine	Preset	Thousand
Six	Call	Frequency	Macro	Program	Thunderstorms
Seven	Calling	Friday	Make	Put	Thursday
Eight	Cancel	From	Manual	Q	Time
Nine	Cat Caution	Front Full	Many	Quebec	Timer
Ten Eleven	Center	G	March	R Radio	Today
Twelve	Celsius	Gear	May Measure	Radios	Tomorrow
Thirteen	Change	Get	Measured	Rain	Tonight Tornado
Fourteen	Charlie	Go	Meeting	Range	Tower
Fifteen	Check	Golf	Mega	Rate	Traffic
Sixteen	Circuit	Good	Message	Ready	Transmit
Seventeen	Clear	Green	Meter	Receive	Transmitter
Eighteen	Clock	Ground	Meters	Receiver	Try
Nineteen	Closed	Н	Mike	Red	Tuesday
Twenty	Club	Hail	Miles	Release	Turn
Thirty	Code	Half	Milli	Remark	Туре
Forty	Come	Ham	Million	Remote	บ
Fifty	Complete	Hamfest	Minus	Repair	Uniform
Sixty	Completed	Have	Minute	Repeat	Unit
Seventy	Computer	Hazardous	Minutes	Repeater	Until
Eighty	Condition	Heavy	Mobile	Reset	Up
Ninety	Connect	Henry	Modified	Right	Use(noun)
<b>A</b>	Contact	Hertz	Monday	Road	Use(verb)
A.M	Control	High	Month	Roger	<b>v</b>
Abort	Cycle	Hotel	More than	Romeo	Verify
Above	<b>D</b>	Hour	Move	Route	Version
Acknowledge	Danger	Hours	Much	S	Victor
Action	Data	Hundred	N	Safe	Volts
Adjust	Date	I	Near	Saturday	W
Advise	Day	Ice	Net	Scattered	Wait
Affirmative	Days	Icing	New	Seconds	Warning
Again	December	Identify	Next	Security	Watch
Air Alert	Decrease	Immediately	Night	Send	Watta
All	Degree Delay	In Increase	No Normal	Sent	Weather
Alpha	Delta	India	North	September Sequence	Wednesday
Alternate	Department	Information	Not	Service	Weekday
Altitude	Direction	Ing(suffix)	November	Set	Welcome
Amateur	Do	Inputs	Now	Severe	West
Amps	Down	Intruder	Number	Short	What
An	Drizzle	Is	0	Showers	Whiskey
And	Due	It	O'clock	Side	Will
Answer	Dynamic	J	October	Sierra	Wind
April	E	January	Of	Slow	With
Are	East	Juliet	Off	Snow	X
Area	Echo	July	Ohms	South	X-Ray
As	Ed (suffix)	June	On	Speed	Υ
Assistance	Emergency	K	Open	Star	Yankee
Association	End	Key	Operation	Start	Year
At	Enter	Keypad	Operator	Stop	Yellow
Attempt	Equals	Kilo	Or	Storm	Yes
Attention	Error	L	Oscar	Sunday	Yesterday
August	Evacuation	Last	Other	Switch	You
Automatic	Exit	Left	Out	System	Your
Autopatch	Expect	Less than	Over	S (plural)	Z
Auxiliary	F	Let	P	T	Zed
Avenue	Fail	Light	P.M	Tango	Zero
Average	Failure Fahrenheit	Lima	Papa	Telephone	Zone
B Back		Line	Patch	Temperature	Zulu
Band	Fast	Link List	Per	Test	Pause 1
Base	February	Load	Plan	Than	Pause 2
Below	Feet	Lockout	Please	Thank-You	Pause 3
	- HV	LOVEUUL	Plus	That	Pause 4

#### MF-1000 Serial Interface Card

This card controls the digital voice recorder. The MF-1000 selects the track and the Play, Record, and Reset functions. Eight expanded user function switches are also included.

#### Repeater Control Channels

REPEATER TRANSMITTER ENABLE REPEATER CTCSS ENABLE CONTROL OPERATOR CTCSS ENABLE TURN ON DELAY ENABLE DTMF KEY-PAD TEST ENABLE DTMF MUTING ENABLE AUTOPATCH SPEED DIAL ENABLE **EMERGENCY 911 ENABLE** AUTOPATCH PRE-DIAL ENABLE PHONE NUMBER READ BACK ENABLE RING DETECTOR ENABLE TALK OVER VOICE ENABLE REPEATER ID #2 ENABLE DROPOUT MESSAGE ENABLE USER FUNCTION INPUT #2 USER FUNCTION SWITCH #2

REPEATER TIMEOUT ENABLE REPEATER CTCSS OVERRIDE ENABLE SQUELCH TAIL ENABLE DTMF ACCESS ENABLE DTMF WINDOW ENABLE AUTOPATCH ENABLE EMERGENCY SPEED DIAL ENABLE AUTOPATCH TIME-OUT ENABLE LONG DISTANCE ENABLE REVERSE AUTOPATCH ENABLE COURTESY BEEP ENABLE REPEATER ID #1 ENABLE SQUELCH TAIL MESSAGE ENABLE USER FUNCTION INPUT #1 USER FUNCTION SWITCH #1 USER FUNCTION SWITCH #3

#### **Specifications**

Microprocessor (80C535) Memory EPROM (512K) Memory RAM (16K)Memory RAM [CAT-300DX] (64K)Clock Accuracy (±1 minute per month) Voice Synthesizer Texas Instruments TSP53C30 DTMF Transceiver Mitel MT-8880 Operating Temperature -15 to +55 degrees C Power Requirements +9 to +15VDC at 100 ma Size 7.0" X 6.0"

#### Warranty

Computer Automation Technology warrants this product to the original purchaser to be free from defective materials and workmanship for a period of (1) year from the date of purchase when returned prepaid.

# Ordering Information

CAT-300 Repeater Controller Board, Wired & Tested. \$299.00.

CAT-300DX Repeater Controller Board, Wired & Tested. \$399.00.

DX-300 Repeater Controller [DX] Up-grade. \$129.00

M-300 Detailed sixty page manual. \$20.00 (Included with Purchase)

MF-1000 Serial Interface Card, Wired & Tested. \$59.00

SHIPPING UPS Surface \$7.00 - UPS 2nd Day \$12.00 - C.O.D. \$5.00 (Continental U.S.)

(Price and Specifications subject to change without notice.)

# Computer Automation Technology Inc.

4631 N.W. 31st. Avenue, Suite 142 Fort Lauderdale, Florida 33309 (305) 978-6171