

MAINTENANCE MANUAL I/O BOARD P29/5000057000

TABLE OF CONTENTS			
	<u>Page</u>		
DESCRIPTION	. 1		
OUTLINE DIAGRAM	. 2		
PARTS LIST	. 3		


DESCRIPTION

The I/O Board is a collection of connectors designed to add signal capacity to the system. The board contains no active components; its only purpose is to deliver signals to and from the backplane. The board contains several plugs/jacks to provide a path for audio inputs/outputs to the system.

The I/O Board contains:

- Removable screw terminals for the "UNSEL---SEL" recorders
- "PAGER INPUT HI---PAGER PTT"

- A DB9 for all of the "CALL DIRECTOR" signals
- Removable screw terminals for PTT's
- A DB9 for "FOOT SWITCH 1" (B/G PTT, MONITOR PTT)
- A DB9 for "FOOT SWITCH 2"(B/G PTT, MONITOR PTT)
- Removable screw terminals for "RELAY 1 RELAY 2"
- Removable screw terminals for "DIG. IN 1 DIG. IN 2".



(P29/3700113000, Component Side, Rev. 1) (P29/3700113000, Solder Side, Rev. 1)

I/O BOARD

Copyright © October 1991, Ericsson GE Mobile Communications Inc.

I/O BOARD P29/5000057000

Revised: August 29,1991 Revised: September 30,1991 Revision: 0

ITEM	QUANTITY	REFERENCE	PART
1	3	P1,P2,P3	CONNECTOR DB9 FEMALE
2	5	ST1 ,ST2,ST3,ST4,ST5	WEIDMULLER 12593.6 BL4
3	1	J1	AMP 532955-8
4	1	PCB	



Ericsson GE Mobile Communications Inc.Mountain View Road • Lynchburg, Virginia 24502