

## COMBINATION NOMENCLATURE

| Digit 1                                    | Digit 2                                     | Digit 3                  | Digit 4            | Digit 5                                | Digit 6                              | Digit 7                                     | Digits 8 & 9               |
|--------------------------------------------|---------------------------------------------|--------------------------|--------------------|----------------------------------------|--------------------------------------|---------------------------------------------|----------------------------|
| Mechanical Package                         | Operating Voltage                           | RF Power Output Range    | Channel Spacing    | Mounting                               | Number of Freq.                      | Options                                     | Frequency Range            |
| <b>M</b><br>MASTR Mobile Unit              | <b>T</b><br>12-VDC Unit                     | <b>5</b><br>16-38 watts  | <b>4</b><br>20 kHz | <b>T</b><br>Trunk-Mount Mobile         | <b>A</b><br>1-Freq. Tx<br>1-Freq. Rx | <b>S</b><br>Standard                        | <b>11</b><br>25-33 MHz     |
| <b>S</b><br>MASTR Mobile Telephone Service | <b>A</b><br>6/12-VDC Unit with 6-V cables   | <b>6</b><br>38-64 watts  | <b>5</b><br>25 kHz | <b>F</b><br>Front Mount Mobile         | <b>B</b><br>2-Freq. Tx<br>1-Freq. Rx | <b>U</b><br>Channel Guard                   | <b>22</b><br>33-42 MHz     |
|                                            | <b>E</b><br>6/12-VDC Unit with 12-V cables  | <b>7</b><br>64-128 watts | <b>6</b><br>30 kHz | <b>S</b><br>Simplex Manual w/search    | <b>C</b><br>2-Freq. Tx<br>2-Freq. Rx | <b>W</b><br>Noise Blanker and Channel Guard | <b>33</b><br>42-50 MHz     |
|                                            | <b>U</b><br>28/12-VDC Unit with 28-V cables |                          | <b>7</b><br>40 kHz | <b>P</b><br>Simplex Manual w/reverting | <b>D</b><br>1-Freq. Tx<br>2-Freq. Rx | <b>P</b><br>UHS Receiver                    | <b>44</b><br>66-77 MHz     |
|                                            | <b>J</b><br>28/12-VDC Unit with 12-V cables |                          | <b>8</b><br>50 kHz |                                        | <b>E</b><br>3-Freq. Tx<br>3-Freq. Rx | <b>G</b><br>UHS Receiver and Channel Guard  | <b>45</b><br>77-88 MHz     |
|                                            |                                             |                          | <b>9</b><br>60 kHz |                                        | <b>F</b><br>4-Freq. Tx<br>4-Freq. Rx | <b>N</b><br>Noise Blanker                   | <b>55</b><br>132-150.8 MHz |
|                                            |                                             |                          |                    |                                        |                                      |                                             | <b>66</b><br>150.8-174 MHz |
|                                            |                                             |                          |                    |                                        |                                      |                                             | <b>77</b><br>406-420 MHz   |
|                                            |                                             |                          |                    |                                        |                                      |                                             | <b>88</b><br>450-470 MHz   |
|                                            |                                             |                          |                    |                                        |                                      |                                             | <b>89</b><br>470-494 MHz   |
|                                            |                                             |                          |                    |                                        |                                      |                                             | <b>91</b><br>494-512 MHz   |

Issue 2  
June 1980  
**11000-6 (PC31)**

**PUBLICATION INDEX**  
**MASTR® PROFESSIONAL SERIES**

PRODUCT CODE 31  
MASTR® PROFESSIONSL SERIES

OPERATOR'S MANUAL

BINDER

COMBINATION MANUAL (GREEN)

| <u>DIGIT 1</u> | <u>DIGITS 8 &amp; 9</u> |
|----------------|-------------------------|
| M              | 11,22,33                |
| M              | 44,45                   |
| M              | 55,66                   |
| M              | 77,88                   |
| M              | 89,91                   |
| S              | (ALL)                   |

INSTALLATION MANUAL

DIGIT 1

M  
S

TRANSMITTER MANUAL (ORANGE)

| <u>DIGIT 3</u> | <u>DIGITS 8 &amp; 9</u> |
|----------------|-------------------------|
| 5              | 11,22,33                |
| 7              | 11,22,33                |
| 5              | 44,45                   |
| 5              | 55,66                   |
| 7              | 55,66                   |
| 5,7            | 77,88                   |
| 5,6            | 89,91                   |

RECEIVER MANUAL (BROWN)

| <u>DIGIT 4</u> | <u>DIGIT 7</u> | <u>DIGITS 8 &amp; 9</u> |
|----------------|----------------|-------------------------|
| 4              | S,U            | 11,22,33                |
| 4              | N,W            | 11,22,33                |
| 7              | S              | 11,22,33                |
| 4              | S,U            |                         |
| 7              | S              | 44,45                   |
| 6              | S,U,P,G        | 55,66                   |
| 6              | N,W            | 55,66                   |
| 9              | S              | 55,66                   |
| 5              | S,U,P,G        | 77,88                   |
| 8              | S,P            | 77,88                   |
| 5              | S,U,P,G        | 89,91                   |

POWER SUPPLY MANUAL (BLUE)

| <u>DIGIT 2</u> | <u>DIGIT 3</u> |
|----------------|----------------|
| A,E            | 5              |
| T              | 5              |
| U,J            | 5              |
| T              | 6,7            |

CONTROL UNIT MANUAL (BLUE)

| <u>DIGIT 1</u> |
|----------------|
| M              |

S

LBI3525

ECP200

LBI3627/DF9013

LBI3639/DF9013

LBI3500/DF9013

LBI3640/DF9013

LBI4435/DF9013

LBI8617/DF9017

LBI3526/DF9013

LBI8632/DF9017

LBI3926/DF3121

LBI3927/DF3122

LBI3948/DF3123

LBI3869/DF3124

LBI4267/DF3125

LBI3998/DF3126

LBI4432/DF3126

LBI4123/DF1095

LBI4124/DF1095

LBI4125/DF1095

LBI3947/DF1097

LBI3974/DF1097

LBI3867/DF1094

LBI4034/DF1094

LBI4170/DF1094

LBI3999/DF1086

LBI4043/DF1086

LBI4434/DF1086

LBI3576/DF0059

LBI3503/DF0059

LBI3578/DF0059

LBI3504/DF0059

Refer To Options

7110 Through 7190

& 7376 Through 7389

On Option Index.

Included in LBI8617

MASTR<sup>®</sup> PROFESSIONAL MOBILE OPTIONS (PC31)

| OPTION | PUBLICATION     | DESCRIPTION                              |
|--------|-----------------|------------------------------------------|
| 3211   | None            | Delete Low Band Antenna                  |
| 3213   | None            | Delete High Band Antenna                 |
| 3253   | LBI3184         | Noise Suppression Kit                    |
| 3457   | None            | GE Lease Decal                           |
| 5702   | LBI8617*/DF9017 | Blue Control Unit GE/Bell System         |
| 5703   | LBI8617*/DF9017 | Red Control Unit GE/Bell System          |
| 5705   | LBI8617*/DF9017 | Beige Control Unit GE/Bell System        |
| 5708   | LBI8617*/DF9017 | White Control Unit GE/Bell System        |
| 5709   | LBI8617*/DF9017 | Pink Control Unit GE/Bell System         |
| 5750   | LBI8632/DF9017  | Inst. Panel Mtg. Kit                     |
| 5795   | LBI8617*/DF9017 | Gen. Tel. Control Unit Beige             |
| 5796   | LBI8617/DF9017  | Gen. Tel. Control Unit Red               |
| 5797   | LBI8617*/DF9017 | Gen. Tel. Control Unit Blue              |
| 5798   | LBI8617/DF9017  | Gen. Tel. Control Unit White             |
| 5806   | LBI8617*/DF9017 | Replace Bell Control Unit                |
| 5807   | LBI8632/DF9017  | 23-Ft. Control Cable                     |
| 5808   | LBI8617*/DF9017 | Sub. Gen Tel. Handset for Bell Handset   |
| 5809   | None            | 5-Watt Speaker                           |
| 5812   | None            | Changes Decoder                          |
| 5816   | LBI8617/DF9017  | External Alarm Kit                       |
| 5817   | LBI8617/DF9017  | Key Lock Switch                          |
| 5818   | None            | Channel Jewel Kit                        |
| 5823   | None            | Battery Charge Kit                       |
| 5824   | None            | Lease Decal                              |
| 5844   | LBI8617/DF9017  | Blue Control Unit GE/Ind.                |
| 5845   | LBI8617/DF9017  | Beige Control Unit GE/Ind.               |
| 5846   | LBI8617/DF9017  | Red Control Unit GE/Ind.                 |
| 5848   | LBI8617/DF9017  | White Control Unit GE/Ind.               |
| 7002   | LBI3526*        | Ledge Mount Kit                          |
| 7008   | LBI3732         | Ext./Int. Speaker Kit                    |
| 7011   | None            | Window Mound SPKR. Kit                   |
| 7012   | None            | High Band/UHF Ant. (Low Loss coax)       |
| 7013   | LBI3662/DF9013  | Weatherproof Box, STD Combo.             |
| 7014   | LBI3662/DF9013  | Weatherproof Box, DFE Combo              |
| 7015   | LBI3662/DF9013  | Cable Entrance Kit for Options 7013,7014 |
| 7016   | LBI3662/DF9013  | Mtg. Kit for Options 7013 & 7014         |
| 7017   | LBI3857         | Trunk to Front Mount Mod Kit             |
| 7018   | LBI3858         | Front to Trunk Mount Mod. Kit            |
| 7019   | None            | 60-Watt Input Mod.                       |
| 7021   | LBI3701/DF8385  | Handset w/o Sel Call Option              |
| 7022   | None            | Handset With Sel Call Option             |
| 7024   | None            | BLKR Disable                             |
| 7026   | LBI4050/DF8401  | PSLM                                     |
| 7027   | LBI4050/DF8401  | PSLM                                     |
| 7028   | LBI4050/DF8401  | PSLM                                     |
| 7029   | LBI4050/DF8401  | PSLM                                     |
| 7030   | LBI4050/DF8401  | PSLM                                     |
| 7031   | None            | OCDM Decal                               |
| 7039   | None            | Mult. Freq. Cable                        |
| 7041   | LBI4323*/DF0060 | UHF 120-Watt Input Option                |
| 7050   | LBI4192/DF8401  | SLM                                      |
| 7062   | LBI3660/DF5027  | Ext. CG Enc. 2- Tone                     |
|        | LBI3664/DF5027  |                                          |
| 7063   | LBI3660/DF5027  | Ext. CG Enc. 3- Tone                     |
|        | LBI3664/DF5027  |                                          |
| 7064   | LBI3660/DF5027  | Ext. CG Enc. 4- Tone                     |
|        | LBI3664/DF5027  |                                          |

| OPTION | PUBLICATION                        | DESCRIPTION                                 |
|--------|------------------------------------|---------------------------------------------|
| 7065   | LBI3660/DF5027                     | Ext. CG Enc. 5- Tone                        |
|        | LBI3664/DF5027                     |                                             |
| 7066   | LBI3660/DF5027                     | Ext. CG Enc. 6- Tone                        |
|        | LBI3664/DF5027                     |                                             |
| 7067   | See Applicable Transmitter Manual  | Tx Only Channel Guard                       |
| 7069   | See Applicable Transmitter Manual  | 2- Tone CG                                  |
| 7070   | See Applicable Receiver Manual     | CG Tone Reject Filter                       |
| 7081   | None                               | Control Unit Dimmer Kit                     |
| 7082   | LBI3526*/DF9013                    | Trunk Mount Spacer Kit                      |
| 7083   | None                               | 23-Ft. 12 v. Power Cable                    |
| 7084   | None                               | 23-Ft. 1-Freq. Control Cable                |
| 7085   | None                               | 23-Ft. Multi Freq. Control Cable            |
| 7091   | LBI3701/DF8385                     | CG Hookswitch                               |
| 7092   | None                               | Noise Cancelling Mic.                       |
| 7094   | See Applicable Control Unit Manual | Low Band Ant.                               |
| 7096   | See Applicable Control Unit Manual | High Band/UHF Ant.                          |
| 7097   | LBI3526*/DF9013                    | Microphone Kit                              |
| 7098   | LBI3526*/DF9013                    | Handset/Hookswitch                          |
| 7099   | LBI3526*/DF9013                    | Trunk Mt. Hdw. Kit                          |
| 7101   | LBI3526*/DF9013                    | Front Mt. Hdw. Kit                          |
| 7104   | LBI3844*                           | Post Limiter Filter Kit                     |
| 7110   | LBI3505/DF4070                     | Control Unit 4EC59A10                       |
| 7112   | LBI3505/DF4070                     | Control Unit 4EC59A10                       |
| 7114   | LBI3505/DF4070                     | Control Unit 4EC59A14                       |
| 7116   | LBI3505/DF4070                     | Control Unit 4EC59A14                       |
| 7118   | LBI3505/DF4070                     | Control Unit 4EC59A18                       |
| 7120   | LBI3505/DF4070                     | Control Unit 4EC59A18                       |
| 7122   | LBI3505/DF4070                     | Control Unit 4EC59A22                       |
| 7124   | LBI3505/DF4070                     | Control Unit 4EC59A22                       |
| 7126   | LBI3506/DF4070                     | Control Unit 4EC59A26                       |
| 7128   | LBI3506/DF4070                     | Control Unit 4EC59A28                       |
| 7132   | LBI3506/DF4070                     | Control Unit 4EC59A32                       |
| 7134   | LBI3507/DF4070                     | Control Unit 4EC59A34                       |
| 7150   | LBI3511/DF4070                     | Control Unit 4EC59A50                       |
| 7152   | LBI3511/DF4070                     | Control Unit 4EC59A52                       |
| 7154   | LBI3511/DF4070                     | Control Unit 4EC59A54                       |
| 7156   | LBI3511/DF4070                     | Control Unit 4EC59A56                       |
| 7158   | LBI3512/DF4070                     | Control Unit 4EC59A58                       |
| 7160   | LBI3512/DF4070                     | Control Unit 4EC59A60                       |
| 7166   | LBI3511/DF4070                     | Control Unit 4EC59A66                       |
| 7168   | LBI3511/DF4070                     | Control Unit 4EC59A68                       |
| 7170   | LBI3511/DF4070                     | Control Unit 4EC59A70                       |
| 7172   | LBI3511/DF4070                     | Control Unit 4EC59A72                       |
| 7174   | LBI3512/DF4070                     | Control Unit 4EC59A74                       |
| 7176   | LBI3512/DF4070                     | Control Unit 4EC59A76                       |
| 7180   | LBI4313/DF4070                     | Control Unit 4EC59A99 w/PSLM & Auto Dimmer  |
| 7182   | LBI4313/DF4070                     | Control Unit 4EC59A100 w/PSLM & Auto Dimmer |

| OPTION | PUBLICATION    | DESCRIPTION                               |
|--------|----------------|-------------------------------------------|
| 7184   | LBI4196/DF4070 | Control Unit 4EC59A84                     |
| 7186   | LBI4196/DF4070 | Control Unit 4EC59A86                     |
| 7188   | LBI4196/DF4070 | Control Unit 4EC59A88                     |
| 7190   | LBI4196/DF4070 | Control Unit 4EC59A90                     |
| 7195   | None           | Change Rx to 33-42 MHz (1-Freq)           |
| 7196   | None           | Change Rx to 33-42 MHz (2-Freq)           |
| 7197   | None           | Change Rx to 33-42 MHz (3-Freq)           |
| 7198   | None           | Change Rx to 33-42 MHz (4-Freq)           |
| 7199   | None           | MTS Control Unit Edit Option              |
| 7262   | LBI4245/DF8401 | UHF DFE 2-Freq. Trunk Mt. 1-Ant.          |
| 7264   | LBI4245/DF8401 | UHF DFE 2-Freq. w/Preamp Trunk Mt. 1-Ant. |
| 7276   | LBI3660/DF5027 | Ext. CG Enc. 2- Tone (Eqpt. w/ICOM)       |
|        | LBI3664/DF5027 |                                           |
| 7277   | LBI3660/DF5027 | Ext. CG Enc. 3- Tone (Eqpt. w/ICOM)       |
|        | LBI3664/DF5027 |                                           |
| 7278   | LBI3660/DF5027 | Ext. CG Enc. 4- Tone (Eqpt. w/ICOM)       |
|        | LBI3664/DF5027 |                                           |
| 7279   | LBI3660/DF5027 | Ext. CG Enc. 5- Tone (Eqpt. w/ICOM)       |
|        | LBI3664/DF5027 |                                           |
| 7280   | LBI3660/DF5027 | Ext. CG Enc. 6- Tone (Eqpt. w/ICOM)       |
|        | LBI3664/DF5027 |                                           |
| 7282   | LBI4245/DF8401 | UHF DFE Trunk Mt., 1-Freq. Rx, 1-Ant.     |
| 7284   | LBI4245/DF8401 | UHF DFE Trunk Mt., 1-Freq. Rx, 1-Ant.     |
| 7287   | LBI4245/DF8401 | UHF DFE w/2 PPM ICOM                      |
| 7301   | LBI3980/DF3124 | 2 PPM ICOM, Tx                            |
|        | LBI4430/DF3136 | 2 PPM ICOM, Tx                            |
|        | LBI4000/DF3136 | 2 PPM ICOM, Tx                            |
| 7302   | LBI3980/DF3124 | 2 PPM ICOM, Tx                            |
|        | LBI4430/DF3136 | 2 PPM ICOM, Tx                            |
|        | LBI4000/DF3136 | 2 PPM ICOM, Tx                            |
| 7303   | LBI3980/DF3124 | 2 PPM ICOM, Tx                            |
|        | LBI4430/DF3136 | 2 PPM ICOM, Tx                            |
|        | LBI4000/DF3136 | 2 PPM ICOM, Tx                            |
| 7304   | LBI3980/DF3124 | 2 PPM ICOM, Tx                            |
|        | LBI4430/DF3136 | 2 PPM ICOM, Tx                            |
|        | LBI4000/DF3136 | 2 PPM ICOM, Tx                            |
| 7305   | LBI3980/DF3124 | 2 PPM ICOM w/CG Tx                        |
|        | LBI4430/DF3136 | 2 PPM ICOM w/CG Tx                        |
|        | LBI4000/DF3136 | 2 PPM ICOM w/CG Tx                        |
| 7306   | LBI3980/DF3124 | 2 PPM ICOM w/CG Tx                        |
|        | LBI4430/DF3136 | 2 PPM ICOM w/CG Tx                        |
|        | LBI4000/DF3136 | 2 PPM ICOM w/CG Tx                        |
| 7307   | LBI3980/DF3124 | 2 PPM ICOM w/CG Tx                        |
|        | LBI4430/DF3136 | 2 PPM ICOM w/CG Tx                        |
|        | LBI4000/DF3136 | 2 PPM ICOM w/CG Tx                        |
| 7308   | LBI3980/DF3124 | 2 PPM ICOM w/CG Tx                        |
|        | LBI4430/DF3136 | 2 PPM ICOM w/CG Tx                        |
|        | LBI4000/DF3136 | 2 PPM ICOM w/CG Tx                        |
| 7309   | LBI3980/DF3124 | 2 PPM ICOM, Tx                            |
|        | LBI4000/DF3136 | 2 PPM ICOM, Tx                            |
|        | LBI4266/DF3125 | 2 PPM ICOM, Tx                            |
|        | LBI4430/DF3136 | 2 PPM ICOM, Tx                            |
| 7310   | LBI4266/DF3125 | 2 PPM ICOM, Tx                            |
|        | LBI4000/DF3136 | 2 PPM ICOM, Tx                            |
|        | LBI4430/DF3136 | 2 PPM ICOM, Tx                            |
| 7311   | LBI4266/DF3125 | 2 PPM ICOM, Tx                            |
|        | LBI4000/DF3136 | 2 PPM ICOM, Tx                            |
|        | LBI4430/DF3136 | 2 PPM ICOM, Tx                            |

| OPTION | PUBLICATION     | DESCRIPTION                           |
|--------|-----------------|---------------------------------------|
| 7312   | LBI4266/DF3125  | 2 PPM ICOM, Tx                        |
|        | LBI4000/DF3136  | 2 PPM ICOM, Tx                        |
|        | LBI4430/DF3136  | 2 PPM ICOM, Tx                        |
| 7313   | LBI4266/DF3125  | 2 PPM ICOM, Tx w/CG                   |
|        | LBI4000/DF3136  | 2 PPM ICOM, Tx w/CG                   |
|        | LBI4430/DF3136  | 2 PPM ICOM, Tx w/CG                   |
| 7314   | LBI4266/DF3125  | 2 PPM ICOM, Tx w/CG                   |
|        | LBI4000/DF3136  | 2 PPM ICOM, Tx w/CG                   |
|        | LBI4430/DF3136  | 2 PPM ICOM, Tx w/CG                   |
| 7315   | LBI4266/DF3125  | 2 PPM ICOM, Tx w/CG                   |
|        | LBI4000/DF3136  | 2 PPM ICOM, Tx w/CG                   |
|        | LBI4430/DF3136  | 2 PPM ICOM, Tx w/CG                   |
| 7316   | LBI4266/DF3125  | 2 PPM ICOM, Tx w/CG                   |
|        | LBI4000/DF3136  | 2 PPM ICOM, Tx w/CG                   |
|        | LBI4430/DF3136  | 2 PPM ICOM, Tx w/CG                   |
| 7341   | LBI3867*/DF1094 | 2 PPM ICOM Rx                         |
|        | LBI3999*/DF1086 | 2 PPM ICOM Rx                         |
| 7342   | LBI3867*/DF1094 | 2 PPM ICOM Rx                         |
|        | LBI3999*/DF1086 | 2 PPM ICOM Rx                         |
| 7343   | LBI3867*/DF1094 | 2 PPM ICOM Rx                         |
|        | LBI3999*/DF1086 | 2 PPM ICOM Rx                         |
| 7344   | LBI3867*/DF1094 | 2 PPM ICOM Rx                         |
|        | LBI3999*/DF1086 | 2 PPM ICOM Rx                         |
| 7347   | LBI4138/DF8405  | C.C.T.                                |
| 7349   | LBI4138/DF8405  | Variable Timing Cycle, C.C.T.         |
| 7351   | LBI4243/DF8401  | LB DFE Trunk Mount 1-Freq, 1-Ant.     |
|        | LBI4241/DF8401  | HB DFE Trunk Mount 1-Freq, 1-Ant.     |
|        | LBI4245/DF8401  | UHF DFE Trunk Mount 1-Freq, 1-Ant.    |
| 7352   | LBI4243/DF8401  | LB DFE Trunk Mount 2-Freq, 1-Ant.     |
|        | LBI4241/DF8401  | HB DFE Trunk Mount 2-Freq, 1-Ant.     |
|        | LBI4245/DF8401  | UHF DFE Trunk Mount 2-Freq, 1-Ant.    |
| 7353   | LBI4243/DF8401  | LB DFE Trunk Mount 3-Freq, 1-Ant.     |
|        | LBI4241/DF8401  | HB DFE Trunk Mount 3-Freq, 1-Ant.     |
|        | LBI4245/DF8401  | UHF DFE Trunk Mount 3-Freq, 1-Ant.    |
| 7354   | LBI4241/DF8401  | HB Rx Preamp                          |
|        | LBI4245/DF8401  |                                       |
| 7355   | LBI4241/DF8401  | DFE, HB, Preamp, 1-Ant. 2-Freq.       |
|        | LBI4245/DF8401  |                                       |
| 7356   | LBI4241/DF8401  | DFE, HB, Preamp, 1-Ant. 3-Freq.       |
|        | LBI4245/DF8401  |                                       |
| 7357   | None            | DFE, HB, Preamp, 1-Ant. 1-Freq, 2 PPM |
| 7358   | None            | DFE, HB, Preamp, 1-Ant. 2-Freq, 2 PPM |
| 7359   | None            | DFE, HB, Preamp, 1-Ant. 3-Freq, 2 PPM |
| 7361   | None            | Delete Control Unit                   |
| 7363   | None            | Delete 1 Rx Crystal                   |
| 7364   | None            | Delete 2 Rx Crystals                  |
| 7365   | None            | Delete 3 Rx Crystals                  |
| 7366   | None            | Delete 1 ICOM                         |
| 7367   | None            | Delete 2 ICOMs                        |
| 7368   | None            | Delete 3 ICOMs                        |
| 7376   | LBI4315/DF4070  | 4-Freq. PSLM                          |
| 7377   | LBI4315/DF4070  | 4-Freq. PSLM                          |
| 7378   | LBI4315/DF4070  | 4-Freq. PSLM                          |
| 7379   | LBI4315/DF4070  | 4-Freq. PSLM                          |

| OPTION | PUBLICATION    | DESCRIPTION            |
|--------|----------------|------------------------|
| 7380   | LBI4313/DF4070 | 2-Freq. PSLM           |
| 7381   | LBI4313/DF4070 | 2-Freq. PSLM           |
| 7382   | LBI4313/DF4070 | 2-Freq. PSLM           |
| 7383   | LBI4313/DF4070 | 2-Freq. PSLM           |
| 7383   | LBI4344        | 4-Freq. PSLM Field Mod |
| 7387   | LBI4344        | 4-Freq. PSLM Field Mod |
| 7388   | LBI4344        | 2-Freq. PSLM Field Mod |
| 7389   | LBI4344        | 2-Freq. PSLM Field Mod |
| 7520   | LBI4306/DF3125 | W.S.T. High Band       |
| 7521   | LBI4306/DF3125 | W.S.T. High Band       |
| 7522   | LBI4306/DF3125 | W.S.T. High Band       |
| 7523   | LBI4306/DF3125 | W.S.T. High Band       |
| 7524   | LBI4306/DF3125 | W.S.T. High Band       |
| 7525   | LBI4306/DF3125 | W.S.T. High Band       |

**LEGEND:**

NONE= NO INSTRUCTION  
 \*= INSTRUCTIONS  
 PROVIDED AS PART  
 OF ASSOCIATED  
 EQUIPMENT MANUAL

GENERAL ELECTRIC COMPANY • MOBILE COMMUNICATIONS DIVISION  
 WORLD HEADQUARTERS • LYNCHBURG, VIRGINIA 24502 U.S.A.

**GENERAL  ELECTRIC**  
 U.S.A.