

COMBINATION NOMENCLATURE

Digit 1	Digit 2	Digit 3	Digit 4	Digit 5	Digit 6	Digit 7	Digits 8 & 9
Mechanical Package	Operating Voltage	RF Power Output Range	Channel Spacing	Control	Number of Freq.	Options	Frequency Range
D Desk Mate Station	M 117 VAC	4 8-16 watts	4 20 kHz	L Local Control Station	A 1-Freq. Tx 1-Freq. Rx	S Standard	11 25-33 MHz
P Pole Mount Station		5 16-38 watts	5 25 kHz	K Local/Remote Control Station	B 2-Freq. Tx 1-Freq. Rx	N Noise Blanker	22 33-42 MHz
V Floor Mount Station		6 38-64 watts	6 30 kHz	R Remote Control Station	C 2-Freq. Tx 2-Freq. Rx	U Channel Guard	33 42-50 MHz
		7 64-128 watts	7 40 kHz		D 1-Freq. Tx 2-Freq. Rx	W Noise Blanker & Channel Guard	44 66-77 MHz
		8 128-256 watts	8 50 kHz	Y Repeater Station	E 3-Freq. Tx 3-Freq. Rx	P UHS Receiver	45 77-88 MHz
		9 Over 256 watts	9 60 kHz		F 4-Freq. Tx 4-Freq. Rx	G UHS Receiver & Channel Guard	55 132-150.8 MHz
						66 150.8-174 MHz	
							77 406-420 MHz
							88 450-470 MHz
							89 470-494 MHz
							91 494-512 MHz
							99 952-960 MHz

11000-6 (PC32)
Issue 2
March 1980

PUBLICATION INDEX
MASTR PROFESSIONAL STATION

PRODUCT CODE 32
MASTR® PROFESSIONAL STATION

OPERATOR'S MANUAL

<u>DIGIT 1</u>	<u>DIGIT 5</u>
D	K,L

LBI3516

INSTALLATION MANUAL

<u>DIGIT 1</u>	<u>DIGITS 8 & 9</u>
D	ALL BUT 99
D	99
P	ALL BUT 99
P	99
V	ALL BUT 99
V	99

LBI3517/DF9014
LBI4101/DF9023
LBI3518/DF9014
LBI4102/DF9023
LBI3519/DF9014
LBI4103/DF9023
ECP200

COMBINATION MANUAL (GRAY)

<u>DIGIT 1</u>	<u>DIGIT 3</u>	<u>DIGIT 5</u>
D	4	K,L
D,P,V	4	R
D,P,V	4	Y
D	5,6,7	K
D	5,6,7	L
D	5,6,7	R
D	5,6,7	Y
P	5,6,7	R
P	5,6,7	Y
V	5,6,7	R
V	5,6,7	Y
V	8,9	R
V	8,9	Y

LBI4088/DF9023
LBI4089/DF9023
LBI4090/DF9023
LBI4144/DF9014
LBI3568/DF9014
LBI4145/DF9014
LBI3603/DF9014
LBI4146/DF9014
LBI3605/DF9014
LBI4147/DF9014
LBI3603/DF9014
LBI4148/DF9014
LBI3630/DF9014

TRANSMITTER MANUAL (ORANGE)

<u>DIGIT 3</u>	<u>DIGITS 8 & 9</u>
7	11,22,33
9	11,22,33
4	44,45
7	55,66
5	55,66
9	55,66
5,7	77,88
5,6	89,91
8	88

LBI3927/DF3122
LBI3926/DF3121
LBI3598/DF3060
LBI3948/DF3123
LBI4267/DF3125
LBI3869/DF3124
LBI3869/DF3124
LBI3615/DF3061
LBI4000/DF3135
LBI4430/DF3136
LBI4000/DF3136
LBI3597/DF3062
LBI4084/DF3136

RECEIVER MANUAL (BROWN)

<u>DIGIT 4</u>	<u>DIGIT 7</u>	<u>DIGITS 8 & 9</u>
4	S,U	11,22,33
4	S,U	44,45
4	N,W	11,22,33
7	S	11,22,33
7	S	44,45
6	S,U,P,G	55,66
6	N,W	55,66
9	S	55,66
5	S,U,P,G	77,88
5	S,U,P,G	89,91
8	S,P	77,88
8	S,U	99

LBI4123/DF1095
LBI3947/DF1097
LBI4124/DF1095
LBI4125/DF1095
LBI3974/DF1097
LBI3867/DF1094
LBI4034/DF1094
LBI4170/DF1094
LBI3933/DF1085
LBI4434/DF1086
LBI4043/DF1086
LBI4085/DF1086

CONVERTER MANUAL (GRAY)

<u>DIGITS 8 & 9</u>
99

LBI4082/DF9023

POWER SUPPLY MANUAL (BLUE)

<u>DIGIT 3</u>
4,5,6,7
8,9

LBI4323/DF0060
LBI4323/DF0060
LBI3610/DF0036

CONTROL MANUAL (BLUE)

<u>DIGIT 5</u>
K,R
Y

LBI4155/DF4072
LBI3853/DF4082

MASTR® PROFESSIONAL SERIES STATIONS OPTIONS (PC32)

OPTION	PUBLICATION	DESCRIPTION
3457	None	GE Lease Decal
3551	LBI4566/DF9014	Pole Mount Cabinet Heater
5169	LBI4155/DF4072	Line Compensation
7044	LBI4323*/DF0060	120-Watt PA Input, HB & UHF
	LBI4000*/DF3136	120-Watt PA Input, HB & UHF
7045	LBI3615*/DF3061	250-Watt Station
7069	See Applicable Transmitter Manual	2-Tone CG
7104	LBI3844	Post Limiter Filter, Field Kit
7309	LBI4266*/DF3125	HB 90-Watt Tx w/2 PPM ICOMs (1)
7310	LBI4266*/DF3125	HB 90-Watt Tx w/2 PPM ICOMs (2)
7311	LBI4266*/DF3125	HB 90-Watt Tx w/2 PPM ICOMs (3)
7312	LBI4266*/DF3125	HB 90-Watt Tx w/2 PPM ICOMs (4)
7313	LBI4266*/DF3125	HB 90-Watt Tx w/2 PPM ICOMs (1), UHS/NB/CG
7314	LBI4266*/DF3125	HB 90-Watt Tx w/2 PPM ICOMs (2), UHS/NB/CG
7315	LBI4266*/DF3125	HB 90-Watt Tx w/2 PPM ICOMs (3), UHS/NB/CG
7316	LBI4266*/DF3125	HB 90-Watt Tx w/2 PPM ICOMs (4), UHS/NB/CG
7317	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (1) NB
7318	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (2) NB
7319	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (3) NB
7320	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (4) NB
7321	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (1) CG/UHS/NB
7322	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (2) CG/UHS/NB
7323	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (3) CG/UHS/NB
7324	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (4) CG/UHS/NB
7325	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (1)
7326	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (2)
7327	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (3)
7328	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (4)
7329	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (1) CG
7330	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (2) CG
7331	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (3) CG
7332	LBI3980*/DF3124	HB H. PWR. (30-Watt Driver), 2PPM ICOMs (4) CG
7335	LBI3845	UHF Tx ICOM Conversion Kit
7336	LBI3845	UHF Tx w/CG, ICOM Conversion Kit
7337	LBI3951	UHF MASTR Rx ICOM Conversion Kit
7338	LBI4256/DF9023	960 MHz Conversion for Control Station
7339	LBI4256/DF9023	960 MHz Conversion for Repeater Control
7340	LBI4256/DF9023	960 MHz Conversion for Repeater Control w/Duplexer
7341	LBI3867*/DF1094	HB Rx 2PPM ICOMs (1)
	LBI4034*/DF1094	
7342	LBI3867*/DF1094	HB Rx 2PPM ICOMs (2)
	LBI4034*/DF1094	
7343	LBI3867*/DF1094	HB Rx 2PPM ICOMs (3)
	LBI4034*/DF1094	
7344	LBI3867*/DF1094	HB Rx 2PPM ICOMs (4)
	LBI4034*/DF1094	

OPTION	PUBLICATION	DESCRIPTION
7426	None	Delete Paging Transmitter
7458	LBI4050/DF8401	PSLM
7462	LBI4591/DF9032	Radio Controlled Base Station Appl. Kit
7463	LBI4591/DF9032	Radio Controlled Base Station Appl. Kit
7464	LBI4591/DF9032	Radio Controlled Base Station Appl. Kit
7465	LBI4591/DF9032	Radio Controlled Base Station Appl. Kit
7466	LBI4586/DF5032	Shared Repeater Panel
7470	See Applicable Combination Manual	Military Mike for DM Station
7502	LBI3664/DF5027	2-Tone, Ext. CG Encoder, w/o ICOM DM Station
7503	LBI3664/DF5027	3-Tone, Ext. CG Encoder, w/o ICOM DM Station
7504	LBI3664/DF5027	4-Tone, Ext. CG Encoder, w/o ICOM DM Station
7505	LBI3664/DF5027	5-Tone, Ext. CG Encoder, w/o ICOM DM Station
7506	LBI3664/DF5027	6-Tone, Ext. CG Encoder, w/o ICOM DM Station
7511	LBI4125/DF1095	1-Freq. Wideband LB Rx
7512	LBI4125/DF1095	1-Freq. Wideband LB Rx
7513	LBI4125/DF1095	1-Freq. Wideband LB Rx
7514	LBI3974/DF1097	1-Freq. Wideband MB Rx
7515	LBI3974/DF1097	1-Freq. Wideband MB Rx
7516	LBI4170/DF1094	1-Freq. Wideband Rx
7517	LBI4170/DF1094	1-Freq. Wideband Rx
7541	LBI4223	1-Freq. LB Receiver
7542	LBI4223	1-Freq. LB Receiver
7543	LBI4223	1-Freq. LB Receiver
7544	LBI3947/DF1097	1-Freq. MB Receiver
7545	LBI3947/DF1097	1-Freq. HB Receiver
7546	LBI3867/DF1094	1-Freq. HB Receiver
7547	LBI3867/DF1094	1-Freq. HB Receiver
7548	LBI4043/DF1086	1-Freq. Rx 406-470 MHz Wideband
7549	LBI4043/DF1086	1-Freq. Rx 406-470 MHz Wideband
7552	LBI3660*/DF5027	2-Tone, Ext. CG Enc. w/ICOM, DM Station
	LBI3664*/DF5027	
7553	LBI3660*/DF5027	3-Tone, Ext. CG Enc. w/ICOM, DM Station
	LBI3664*/DF5027	
7554	LBI3660*/DF5027	4-Tone, Ext. CG Enc. w/ICOM, DM Station
	LBI3664*/DF5027	
7555	LBI3660*/DF5027	5-Tone, Ext. CG Enc. w/ICOM, DM Station
	LBI3664*/DF5027	
7556	LBI3660*/DF5027	6-Tone, Ext. CG Enc. w/ICOM, DM Station
	LBI3664*/DF5027	
7561	LBI4123/DF1095	1-Freq. CG LB Receiver
7562	LBI4123/DF1095	1-Freq. CG LB Receiver
7563	LBI4123/DF1095	1-Freq. CG LB Receiver
7564	LBI3947/DF1097	1-Freq. CG MB Receiver
7565	LBI3947/DF1097	1-Freq. CG MB Receiver
7566	LBI3867/DF1094	1-Freq. CG HB Receiver
7567	LBI3867/DF1094	1-Freq. CG HB Receiver
7603	LBI3663/DF9014	Repeater Station Appl.
7604	LBI3663/DF9014	30-100 Watt Repeater Base Station Appl.
7605	LBI3663/DF9014	25-174 MHz, 330-Watt Repeater Base Station
7606	None	110-220 Volt Step Down Kit (Above 128 Watts)
7608	LBI3568/DF9014	110-220 Volt Step Down Kit (Below 128 Watts)
7609	LBI3753/DF9014	Station Test Meter Panel
7610	LBI4093/DF4072	Carrier Operated Relay
7611	LBI4000*/DF3136	60-Watt Input for Citizen Band
	LBI4323*/DF0060	
7612	None	HB Tx Mod For Pt. 81
7613	LBI4100/DF3060	150-300 Watt Transmitter

OPTION	PUBLICATION	DESCRIPTION
7615	LBI4260	250-Watt Station (Marine) Pt. 81
7616	LBI4000/DF3136	30-Watt Input for Radio Control Station
	LBI4323/DF0060	30-Watt Input for Radio Control Station
7617	LBI3663/DF9014	450-470 MHz, 250-Watt Repeater Base Station Appl.
7620	LBI4155/DF4072	Intercom- Compressor
7621	LBI4155/DF4072	Compressor Amplifier
7622	LBI3781/DF5032	Power Control & Intercom Panel
7623	LBI3781/DF5032	Line Control & Tone Modules
7624	LBI3781/DF5032	25 Ft. Cable, Shared Remote Station
7630	None	Tx Relay Kit
7631	None	OCDM Decal
7639	LBI3684/DF5031	T90 Decode for Repeater Stations
7645	LBI3699*/DF5032	Tone Panel
7646	LBI3699*/DF5032	Tone Module/Network for Shared Repeater
7648	LBI3753/DF9014	Tx Metering Cover
7649	LBI3753/DF9014	Rx Metering Cover
7650	LBI3823/DF9014	Remote/Repeater Control
	LBI4155/DF4072	Remote/Repeater Control w/Repeater Disable
7659	LBI3934/DF9014	Remote/Repeater Control w/CG
7660	LBI4155/DF4072	Remote/Repeater Control w/CG & Repeater Disable
7661	None	Blank Panel
7662	LBI3853/DF4082	Carrier Operated Relay
7667	LBI3971/DF8388	150-162 MHz Duplexer, 2-12 MHz Spacing
7668	LBI3971/DF8388	160-174 MHz Duplexer, 2-14 MHz Spacing
7671	LBI3971/DF8388	150-162 MHz Duplexer, 3-12 MHz Spacing
7672	LBI3971/DF8388	160-174 MHz Duplexer, 3-14 MHz Spacing
7673	LBI3971/DF8388	450-512 MHz Duplexer, 3-20 MHz Spacing
7674	LBI3971/DF8388	450-512 MHz Duplexer, 5-20 MHz Spacing
7675	LBI3971/DF8388	450-512 MHz Duplexer, 5-20 MHz Spacing
7676	LBI4050/DF8401	PSLM, Local & Remote 1-Freq. Tx
7677	LBI4050/DF8401	PSLM, Local & Remote 2-Freq. Tx
7678	LBI4050/DF8401	PSLM, Remote 1-Freq. Tx
7679	LBI4050/DF8401	PSLM, Remote 2 Freq. Tx
7685	LBI4300/DF9026	Local Control Station w/Sat. Rx
	LBI4294/DF5041	Local Control Station w/Sat. Rx
7686	LBI4300/DF9026	Local Control Station w/Sat. Rx
	LBI4294/DF5041	Local Control Station w/Sat. Rx
7687	LBI4301/DF9026	Local Control Station w/Sat. Rx
	LBI4582/DF5021	Tone/Audio Panel for Remote Cont. Station
7688	LBI4303/DF9026	Remote/Repeater Station w/Sat. Rx & Voting Selector
7689	LBI4302/DF9026	Repeater Station w/Sat. Rx & Voting Selector
7690	LBI30002/DF9025	Voting Selector Rx. Module
7701	LBI3702/DF8385	Handset Hookswitch w/o CG
7702	LBI3702/DF8385	Handset Hookswitch w/CG
7703	LBI3702/DF8385	Handset Hookswitch DM Station Local/Remote w/CG
7704	See Applicable	HB Rx RF Gain Control
	Combination Manual	
7705	See Applicable	Military Mike for DM Station
	Combination Manual	
7706	See Applicable	Military Mike for DM Station w/CG
	Combination Manual	

OPTION	PUBLICATION	DESCRIPTION
7708	LBI4172*/DF0060	2nd. Receiver Power Supply & Modification
7709	LBI4172*/DF0060	2nd. Receiver Power Supply & Modification
7711	LBI3839/DF5035	DM Station Universal Sel Call
7712	LBI4172*/DF0060	2nd. Receiver w/CG
7713	LBI4172*/DF0060	2nd. Receiver w/CG
7715	None	Audio Filter
7716	LBI4155/DF4072	Intercom Kit
7717	LBI4155/DF4072	Compressor Amplifier
7718	LBI3955/DF9014	Blower Kit
7719	LBI3957/DF9014	Cabinet Blower Assy.
7720	LBI8315/DF8397	Compression Amp.
7721	LBI4172*/DF0060	2nd Receiver Power Supply & Modification
7722	LBI4172*/DF0060	2nd Receiver Power Supply & Modification
7736	LBI4080/DF5036	Repeater Control Digital Decoder, 590 Hz
7737	LBI4080/DF5036	Repeater Control Digital Decoder, 1500 Hz
7738	LBI4080/DF5036	Repeater Control Digital Decoder, 2805 Hz
7742	LBI4046/DF5036	Digital Decoder, Local/Remote, 590 Hz
7743	LBI4046/DF5036	Digital Decoder, Local/Remote, 1500 Hz
7744	LBI4046/DF5036	Digital Decoder, Local/Remote, 2805 Hz
7749	See Applicable	Transmit Encode CG
	Transmitter Manual	
7750	See Applicable	Tone Reject Filter
	Transmitter Manual	
7751	LBI4256/DF9023	Duplexer, 960 MHz
7753	LBI3971/DF8388	450-512 MHz Duplexer, 3-20 MHz Spacing
7754	LBI3971/DF8388	450-512 MHz Duplexer, 3-20 MHz Spacing
7776	None	Auxiliary AC Power Supply
7777	None	Relay Kit (1 Relay) used w/options 7742-7744
7778	None	Relay Kit (2 Relay) used w/options 7742-7744
7779	None	Relay Kit (3 Relay) used w/options 7742-7744
7807	LBI4172*/DF0060	2nd. Rx w/Ant. Matching Unit, 30-50 MHz
	LBI3571/DF8388	2nd. Rx w/Ant. Matching Unit, 30-50 MHz
7808	LBI4172*/DF0060	2nd. Rx w/Ant. Matching Unit, 30-50 MHz
	LBI3571/DF8388	2nd. Rx w/Ant. Matching Unit, 30-50 MHz
7809	LBI4172*/DF0060	2nd. Rx w/Ant. Matching Unit, 30-50 MHz
	LBI3572/DF8388	
7811	LBI4125/DF1095	1-Freq. Wideband LB Rx
7812	LBI4125/DF1095	1-Freq. Wideband LB Rx
7813	LBI4125/DF1095	1-Freq. Wideband LB Rx
7814	LBI3974/DF1097	1-Freq. Wideband MB Rx
7815	LBI3974/DF1097	1-Freq. Wideband MB Rx
7816	LBI4170/DF1094	HB Wideband Rx, 4ER41D10
7817	LBI4170/DF1094	HB Wideband Rx, 4ER41D11
7818	LBI4043/DF1086	1-Freq. Rx, 406-470 MHz w/Preamp, Wideband
7819	LBI4043/DF1086	1-Freq. Rx, 406-470 MHz w/Preamp, Wideband
7831	LBI3867/DF1094	1-Freq. Rx, HB w/Preamp, Narrowband
7832	LBI3867/DF1094	1-Freq. Rx, HB w/Preamp, Narrowband
7833	LBI3867/DF1094	1-Freq. Rx, HB w/Preamp & CG, Narrowband
7834	LBI3867/DF1094	1-Freq. Rx, HB w/Preamp & CG, Narrowband
7841	LBI4123/DF1095	1-Freq. Rx, LB
7842	LBI4123/DF1095	1-Freq. Rx, LB
7843	LBI4123/DF1095	1-Freq. Rx, LB
7844	LBI3947/DF1097	1-Freq. Rx, MB
7845	LBI3947/DF1097	1-Freq. Rx, MB
7846	LBI3867/DF1094	1-Freq. Rx, HB
7847	LBI3867/DF1094	1-Freq. Rx, HB
7848	LBI4043/DF1086	1-Freq. Rx, 406-470 MHz Wideband
7849	LBI4043/DF1086	1-Freq. Rx, 406-470 MHz Wideband
7851	LBI4124/DF1094	1-Freq. Rx, LB/Noise Blanker

OPTION	PUBLICATION	DESCRIPTION
7852	LBI4124/DF1094	1-Freq. Rx, LB/Noise Blanker
7853	LBI4124/DF1094	1-Freq. Rx, LB/Noise Blanker
7856	LBI4034*/DF1094	1-Freq. Rx, HB/Noise Blanker
7857	LBI4034*/DF1094	1-Freq. Rx, HB/Noise Blanker
7861	LBI4123/DF1095	1-Freq. Rx, LB w/CG
7862	LBI4123/DF1095	1-Freq. Rx, LB w/CG
7863	LBI4123/DF1095	1-Freq. Rx, LB w/CG
7864	LBI3947/DF1097	1-Freq. Rx, w/CG MB Rx
7865	LBI3947/DF1097	1-Freq. Rx, w/CG MB Rx
7866	LBI3867/DF1094	1-Freq. Rx, w/CG HB Rx
7867	LBI3867/DF1094	1-Freq. Rx, w/CG HB Rx
7881	LBI4124/DF1095	1-Freq. LB Narrowband Rx, Noise Blanker & CG
7883	LBI4124/DF1095	1-Freq. LB Narrowband Rx, Noise Blanker & CG
7886	LBI4034/DF1094	1-Freq. HB Narrowband Rx, Noise Blanker & CG
7887	LBI4034/DF1094	1-Freq. HB Narrowband Rx, Noise Blanker & CG
7901	LBI3630*/DF9014	Line Voltmeter Kit
7902	EBI41921	Blower Kit
7917	LBI4172*/DF0060	2nd. Receiver Power Supply & Modification
7941	LBI3999/DF1086	406-470 MHz Narrowband Rx, 1-Freq. STD
	LBI4434/DF1086	470-512 MHz Narrowband Rx, 1-Freq. STD
7942	LBI3999/DF1086	406-470 MHz Narrowband Rx, 1-Freq. STD
	LBI4434/DF1086	470-512 MHz Narrowband Rx, 1-Freq. STD
7943	LBI3999/DF1086	406-470 MHz Narrowband Rx, 1-Freq. W/Pre-Amp
	LBI4434/DF1086	470-512 MHz Narrowband Rx, 1-Freq. W/Pre-Amp
7944	LBI3999/DF1086	406-470 MHz Narrowband Rx, 1-Freq. W/Pre-Amp
	LBI4434/DF1086	470-512 MHz Narrowband Rx, 1-Freq. W/Pre-Amp
7945	LBI3999/DF1086	406-470 MHz Narrowband Rx, 1-Freq. W/CG
	LBI4434/DF1086	470-512 MHz Narrowband Rx, 1-Freq. W/CG
7946	LBI3999/DF1086	406-470 MHz Narrowband Rx, 1-Freq. W/CG
	LBI4434/DF1086	470-512 MHz Narrowband Rx, 1-Freq. W/G
7949	LBI3999/DF1086	406-470 MHz Narrowband Rx, 1-Freq. W/Pre-Amp & CG
7950	LBI4434/DF1086	470-512 MHz Narrowband Rx, 1-Freq. W/Pre-Amp & CG
7976	LBI4216/DF8388	2nd. Rx Power Supply & Modification W/Antenna Matching Unit
	LBI4172/DF0060	
7977	LBI4216/DF8388	2nd. Rx Power Supply & Modification W/Antenna Matching Unit
	LBI4172/DF0060	
7978	LBI4216/DF8388	2nd. Rx Power Supply & Modification W/Antenna Matching Unit
	LBI4172/DF0060	
7979	LBI4216/DF8388	2nd. Rx Power Supply & Modification W/Antenna Matching Unit
	LBI4172/DF0060	
7982	LBI4216/DF8388	Receiver Multicoupler
7983	None	Coaxial Cable

LEGEND.

NONE= NO INSTRUCTION
 *= INSTRUCTIONS
 PROVIDED AS PART
 OF ASSOCIATED
 EQUIPMENT MANUAL

GENERAL ELECTRIC COMPANY • MOBILE COMMUNICATIONS DIVISION
 WORLD HEADQUARTERS • LYNCHBURG, VIRGINIA 24502 U.S.A.

GENERAL  ELECTRIC*
 U.S.A.

* Trademark of General Electric Company U.S.A.
 Printed in U.S.A.