

COMBINATION NOMENCLATURE

Digit 1	Digit 2	Digit 3	Digit 4	Digit 5	Digit 6	Digit 7	Digits 8 & 9
Mechanical Package	Operating Voltage	RF Power Output Range	Channel Spacing	Mounting	No. of Freq.	Options	Freq. Range
R Mobile Unit	S 12 VDC Neg. Ground	5 16-38 watts	4 20 MHz	T Trunk Mount Mobile	A 1 Freq. Tx 1 Freq. Rx	S Standard	11 25-33 MHz
		6 38-64 watts	5 25 MHz	F Front Mount Mobile	B 2 Freq. Tx 1 Freq. Rx	N Noise Blanker	22 33-42 MHz
			6 30 MHz		C 2 Freq. Tx 2 Freq. Rx	U Channel Guard	33 42-50 MHz
			7 40 MHz		D 1 Freq. Tx 2 Freq. Rx	W Channel Guard and Noise Blanker	55 132-150.8 MHz
			9 60 MHz		E 3 Freq. Tx 3 Freq. Rx		66 150.8-174 MHz
					F 4 Freq. Tx 4 Freq. Rx		77 406-420 MHz
							88 450-470 MHz

PRODUCT CODE 45
ROYAL EXECUTIVE MOBILE

OPERATOR'S MANUAL

DIGIT
ALL

LBI3898

INSTALLATION MANUAL

DIGIT
ALL

LBI3711/DF9016

MAINTENANCE MANUAL (BLUE)

DIGITS 8 & 9

11,22,33

55,66

77,88

LBI3905

LBI3900

LBI3910

TONE MANUAL (LIGHT GREEN)

DIGIT 7

U,W

LBI4143/DF5039

ROYAL EXECUTIVE MOBILE OPTIONS (PC45)

OPTION	PUBLICATION	DESCRIPTION
3453	LBI3184/DF5031	Noise Suppression Kit
3457	None	Lease Decal
7008	LBI3732	Int/Ext. Speaker Kit
7012	None	Low Loss Coaxial Antenna/HB, UHF
7349	LBI4138/DF8405	Variable Timing Cycle Mod for CCT
8009	None	5-Watt Speaker & Window Mount Kit
8061	None	10-Watt Speaker, Window Mount Kit
8013	LBI3773/DF9016	Weatherproof Box
8015	LBI3711/DF9016	Mounting Accessories, Front Mount
8016	LBI3711/DF9016	Mounting Accessories, Trunk Mount
8020	LBI3711/DF9016	Military Microphone & Hanger
8024	LBI4362/DF8385	Handset & Hookswitch
8026	LBI4143/DF5039	Channel Guard Decode Only
8027	LBI3711/DF9016	CG Hookswitch for Military Microphone
8032	LBI3660/DF5027	External CG Encoder, 2-Tone, Front Mount
	LBI3664	
8033	LBI3660/DF5027	External CG Encoder, 3-Tone, Front Mount
	LBI3664	
8034	LBI3660/DF5027	External CG Encoder, 4-Tone, Front Mount
	LBI3664	
8035	LBI3660/DF5027	External CG Encoder, 5-Tone, Front Mount
	LBI3664	
8036	LBI3660/DF5027	External CG Encoder, 6-Tone, Front Mount
	LBI3664	
8037	LBI3660/DF5027	External CG Encoder, 2-Tone, Trunk Mount
	LBI3664	
8038	LBI3660/DF5027	External CG Encoder, 3-Tone, Trunk Mount
	LBI3664	
8039	LBI3660/DF5027	External CG Encoder, 4-Tone, Trunk Mount
	LBI3664	
8040	LBI3660/DF5027	External CG Encoder, 5-Tone, Trunk Mount
	LBI3664	
8041	LBI3660/DF5027	External CG Encoder, 6-Tone, Trunk Mount
	LBI3664	
8044	LBI3684/DF5031	Type 90/99 Tone Decoder Adapter
8077	LBI4270*	Control Unit, Trunk Mount, 1-Freq.
	LBI4333*	
	LBI4345*	
8078	LBI4270*	Control Unit, Trunk Mount, 2-Freq.
	LBI4333*	
	LBI4345*	
8079	LBI4270*	Control Unit, Trunk Mount, 4-Freq.
	LBI4333*	
	LBI4345*	
8080	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 1Tx-1Rx
8081	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 2Tx-1Rx
8082	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 2Tx-2Rx
8083	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 1Tx-2Rx

OPTION	PUBLICATION	DESCRIPTION
8084	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 3Tx
8085	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 4Tx
8086	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 1Tx- 1 Rx w/CG
8087	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 2Tx- 1 Rx w/CG
8088	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 2Tx-2 Rx w/CG
8089	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 1Tx-2 Rx w/CG
8090	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 3Tx w/CG
8091	Refer to Applicable Maint. Manual	2 PPM ICOM, UHF, 4Tx w/CG
8092	None	Noise Cancelling Microphone
8093	LBI3711/DF9016	Handset/Hookswitch
8094	LBI3711/DF9016	Handset
8301	None	OCDM Decal
8302	RC2401/DF1091	UHF Improved Intermod.
8307	LBI4138/DF8405	CCT
8444	LBI4270*	Tone Option Jack
	LBI4333*	
	LBI4345*	

LEGEND:

NONE= NO INSTRUCTION
 *= INSTRUCTIONS
 PROVIDED AS PART
 OF ASSOCIATED
 EQUIPMENT MANUAL

GENERAL ELECTRIC COMPANY • MOBILE COMMUNICATIONS DIVISION
 WORLD HEADQUARTERS • LYNCHBURG, VIRGINIA 24502 U.S.A.

GENERAL  ELECTRIC*