

COMBINATION NOMENCLATURE

Digit 1	Digit 2	Digit 3	Digit 4	Digit 5	Digit 6	Digit 7	Digits 8 & 9
Mechanical Package	Operating Voltage	RF Power Output Range	Channel Spacing	Mounting	Number of Freq.	Options	Frequency Range
F Desk Top Station	S 12 VDC Neg. Grnd.	5 16-38 watts	4 20 MHz	L Local Control Station	A 1 Freq. Tx 1 Freq. Rx	S Standard	11 25-33 MHz
W Wall Mount Station		6 38-64 watts	5 25 MHz	K Local/Remote Station	B 2 Freq. Tx 1 Freq. Rx	N Noise Blanker	22 33-42 MHz
			6 30 MHz		C 2 Freq. Tx 2 Freq. Rx	U Channel Guard	33 42-50 MHz
			7 40 MHz	R Remote Control Station	D 1 Freq. Tx 2 Freq. Rx	W Channel Guard and Noise Blanker	55 132-150.8 MHz
			9 60 MHz		E 3 Freq. Tx 3 Freq. Rx		66 150.8-174 MHz
					F 4 Freq. Tx 4 Freq. Rx		77 406-420 MHz
							88 450-470 MHz

Issue 2
11000-6 (PC46)
March 1980

Product Code 46
ROYAL EXECUTIVE STATION

OPERATOR'S MANUAL

DIGIT

ALL

INSTALLATION MANUAL

1st DIGIT

F

W

MAINTENANCE MANUAL (BLUE)

DIGITS 8 & 9

11,22,33

55,66

77,88

TONE MANUAL (LIGHT GREEN)

DIGIT 7

U,W

LBI3516

LBI3738/DF9026

LBI3740/DF9016

LBI4004

LBI3970

LBI4011

LBI4143/DF5039

ROYAL EXECUTIVE STATION OPTIONS (PC46)

OPTION	PUBLICATION	DESCRIPTION
3457	None	Lease Decal
7349	LBI4138/DF8405	Variable Timing Cycle, CCT
7610	LBI4093/DF4072	C.O.R.
8301	None	OCDM Decal
8302	RC2400/DF1091	Improved Intermod
	RC2401/DF1091	
8309	LBI4138/DF8405	CCT
8315	See Applicable	Military, Microphone, Desk Top Station, w/CG
	Maint. Manual	
8316	See Applicable	Handset, Desk Top Station w/CG
	Maint. Manual	
8401	LBI4004*	12 Hr. Clock, 117 VAC, 60 Hz, Desk Top
	LBI4011*	
	LBI3970*	
8402	LBI4004*	12/24 Hr. Clock, 60 Hz, Desk Top
	LBI4011*	
	LBI3970*	
8412	LBI4004*	12 Hr. Clock, 117 VAC, 60 Hz, Desk Top
	LBI4011*	
	LBI3970*	
8413	LBI4004*	12/24 Hr. Clock, 220 VAC, 60 Hz, Desk Top
	LBI4011*	
	LBI3970*	
8414	LBI4004*	12 Hr. Clock, 220 VAC, 50 Hz, Desk Top
	LBI4011*	
	LBI3970*	
8415	LBI4004*	12/24 Hr. Clock, 220 VAC, 50 Hz, Desk Top
	LBI4011*	
	LBI3970*	
8416	LBI4004*	12 Hr. Clock, 117 VAC, 50 Hz, Desk Top
	LBI4011*	
	LBI3970*	
8417	LBI4004*	12/24 Hr. Clock, 117 VAC, 50 Hz, Desk Top
	LBI4011*	
	LBI3970*	
8418	None	Wall Mount Heater, 240 VAC
8421	LBI4004*	Wall Station Accessories
	LBI4011*	
	LBI3970*	
8422	LBI4004*	Fan Kit, Desk Top, 117 VAC, 60 Hz
	LBI4011*	
	LBI3970*	
8423	LBI4004*	Fan Kit, Wall Station, 117 VAC, 60 Hz
	LBI4011*	
	LBI3970*	
8424	LBI4004*	Wall Station Heater Kit, 117 VAC, 60 Hz
	LBI4011*	
	LBI3970*	
8467	None	Fan, Wall Station, 220 VAC, 60 Hz
8468	None	Fan & Heater Wall Station, 220 VAC, 60 Hz
8472	LBI3660/DF5027	Ext. CG Encoder Desk Station 2- Tone
	LBI3664	
8473	LBI3660/DF5027	Ext. CG Encoder Desk Station 3- Tone
	LBI3664	
8474	LBI3660/DF5027	Ext. CG Encoder Desk Station 4- Tone
	LBI3664	

OPTION	PUBLICATION	DESCRIPTION
8475	LBI3660/DF5027 LBI3664	Ext. CG Encoder Desk Station 5- Tone
8476	LBI3660/DF5027 LBI3664	Ext. CG Encoder Desk Station 6- Tone
8481	LBI3970* LBI4004* LBI4011*	Desk Station Meter Kit
8482	LBI3970* LBI4004* LBI4011*	12/24 Hr. Clock & Meter Kit, 117 VAC, 60 Hz
8483	LBI3970* LBI4004* LBI4011*	12 Hr. Clock & Meter Kit, 117 VAC, 60 Hz
8489	None	Marine Option
8493	LBI3970* LBI4004* LBI4011*	Handset/Hookswitch, Desk Station
8494	LBI3970* LBI4004* LBI4011*	Handset, Desk Station
8495	LBI3970* LBI4004* LBI4011*	Military, Microphone, Desk Station
8496	None	Hookswitch, CG Desk Station

LEGEND:

NONE= NO INSTRUCTION
 *= INSTRUCTIONS
 PROVIDED AS PART
 OF ASSOCIATED
 EQUIPMENT MANUAL

GENERAL ELECTRIC COMPANY • MOBILE COMMUNICATIONS DIVISION
 WORLD HEADQUARTERS • LYNCHBURG, VIRGINIA 24502 U.S.A.

