

COMBINATION NOMENCLATURE

Digits 1 & 2	Digit 3	Digit 4	Digit 5	Digit 6	Digit 7	Digits 8 & 9
Product Line	RF Power Output Range	Channel Spacing	Control	Number of Freq.	Options	Frequency Range
PR Personal Series	2 2 watts	5 25 kHz	L Local PTT	A 1 Freq. Tx 1 Freq. Rx	S Standard	55 132.150.8 MHz
	3 4.5 watts	6 30 kHz	R Remote PTT	B 2 Freq. Tx 1 Freq. Rx	U Channel Guard Encoder/Decoder	66 150.8-173 MHz
			V VOX	C 2 Freq. Tx 2 Freq. Rx	R 2-Tone Channel Guard Encoder	77 406-420 MHz
				D 1 Freq. Tx 2 Freq. Rx	L Type 99 Individual Call Decoder	88 450-470 MHz
				E 3 Freq. Tx 3 Freq. Rx	B Type 90 Encoder/Decoder	
				F 4 Freq. Tx 4 Freq. Rx	C Type 90 2-Tone Encoder	
					M Type 99 Individual, Group & All Call Decoder	

Issue 2

April 1980

PUBLICATION INDEX
PERSONAL PR SERIES

PRODUCT CODE 50
Personal PR SERIES

LBI4070

LBI4287/DF9022

LBI4288/DF9022

OPERATOR'S MANUAL

MAINTENANCE MANUAL

DIGIT 8

DIGIT 9

5,6

5,6

7,8

7,8

PERSONNEL PR SERIES OPTIONS (PC50)

OPTION	PUBLICATION	DESCRIPTION
4301	LBI4486/DF8385 LBI4428	Remote Microphone w/PTT & Coiled Cord
4302	LBI4486/DF8385 LBI4428	Speaker Microphone & Coiled Cord
4303	LBI4486/DF8385 LBI4428	Noise Cancelling Microphone w/PTT & Coiled Cord
4304	LBI4486/DF8385 LBI4428	Speaker Microphone, Coiled Cord & Velcro Hanger
4307	None	Belt Mount Microphone Bracket
4309	None	Lapel Microphone w/PTT & Earpiece
4310	None	Lapel Microphone w/Tape Switch & Earpiece
4312	LBI4486/DF8385 LBI4428	High Noise Headset Junction Box w/Mic.
4313	LBI4428	Noise Cancelling Cup
4314	LBI4428	Miniature Headset w/Microphone
4315	LBI4428	Earpiece & Cord
4316	LBI4428	Lapel Speaker & Cord
4317	LBI4428	Ear Mount Headset
4318	LBI4428	Headset w/PTT & Microphone
4321	LBI4287/DF9022 LBI4288/DF9022	Solid Whip Antenna
4322	None	Flexwire Antenna
4323	None	Telescoping Antenna
4324	None	Delete Telescoping Antenna
4325	None	Spring Whip Antenna, H.B./UHF
4326	None	UHF, 2- Inch Spring Whip Antenna
4331	LBI4287/DF9022 LBI4288/DF9022	Hand Strap
4332	LBI4287/DF9022 LBI4288/DF9022	Carrying Strap
4334	LBI4287/DF9022 LBI4288/DF9022	Leather Case
4335	None	Velcro Pin Patch
4336	LBI4288*/DF9022	3-Watt, Tx Input, UHF
4341	LBI4287/DF9022 LBI4288/DF9022	Delete Rechargeable Battery, Add Alkaline Battery
4342	LBI4287/DF9022 LBI4288/DF9022	Alkaline Battery
4343	LBI4287/DF9022 LBI4288/DF9022	Rechargeable Battery
4345	LBI4092/DF0068	Desk Charger
4346	LBI4092*/DF0068	Ext. Antenna, for Desk Charger
4347	LBI4092/DF0068	Multi-Unit Charger
4348	LBI4092*/DF0068	Slave Unit for Multi Unit Charger
4351	LBI4135/DF0068	Fast Charger
4352	LBI4358*/DF0068	10-Watt Speaker
4361	LBI4287/DF9022 LBI4288	Audio Compressor, Local Control
4362	LBI4287/DF9022 LBI4288	Audio Compressor, Remote Control
4363	LBI4287/DF9022 LBI4288	Audio Compressor, Remote Control, VOX
4364	LBI4358/DF0068	Handset/Hookswitch

OPTION	PUBLICATION	DESCRIPTION
4367	LBI4287/DF9022	Channel Guard Filter
	LBI4288/DF9022	
4368	None	Delete Channel Encoder 1-Tone
4370	None	Delete Type 90 Encoder 1-Tone
4371	LBI4287/DF9022	Channel Guard Encode, 1-Tone
	LBI4288/DF9022	
4372	LBI4287/DF9022	Channel Guard Encode, 1-Tone, & T99 Decoder, Ind. Call
	LBI4288/DF9022	
4373	LBI4287/DF9022	Channel Guard Encode, 1-Tone, & T99 Decoder, Ind. & Group Call
	LBI4288/DF9022	
4374	None	20.2 MHz IF
4380	LBI4104/DF10008	Test Fixture, 4EX11A10
4381	LBI4129/DF10008	IF Generator, 4EX9A10
4382	LBI4097/DF10008	Test Amplifier, 4EX16A10 & RF Probe
4383	LBI4136/DF10008	Voltage Calibrator 4EX10A10
4384	LBI4105/DF10008	Test Adapter, 4EX12A10
4388	None	Factory Mutual Label
4390	LBI4358/DF0068	Vehicular Charger, -12 VDC
4391	LBI4358/DF0068	Vehicular Charger, ± 12 VDC
4392	LBI4358/DF0068	Vehicular Charger, ± 24 VDC
4393	LBI4358/DF0068	Vehicular Charger, ± 36 VDC
4394	LBI4358/DF0068	Vehicular Charger, ± 48 VDC
4395	LBI4358/DF0068	Vehicular Charger, ± 72 VDC
4396	LBI4358/DF0068	Vehicular Charger, -12 VDC, w/Mobile Acc. & 10-Watt SPKR
4397	LBI4358/DF0068	Vehicular Charger, -12 VDC, w/Mobile Acc. & 1/2 Watt SPKR
5915	LBI4287*/DF9022	Antenna Adapter Cable
	LBI4288*	

LEGEND:

NONE= NO INSTRUCTION

*= INSTRUCTIONS

PROVIDED AS PART
OF ASSOCIATED
EQUIPMENT MANUAL

GENERAL ELECTRIC COMPANY • MOBILE COMMUNICATIONS DIVISION
WORLD HEADQUARTERS • LYNCHBURG, VIRGINIA 24502 U.S.A.

GENERAL  ELECTRIC*
U.S.A.