

COMBINATION NOMENCLATURE

Digit 1	Digit 2	Digit 3	Digit 4	Digit 5	Digit 6	Digit 7	Digits 8 & 9
Product	Mechanical Package	Number of Receivers	Bandwidth	Standby Batteries	Type Signalling	Receiver Options	Frequency Range
R Satellite Receiver	D Desk Mate Cabinet	1 One Receiver	4 20 kHz	A No Battery Panel	1 Tone	S Standard	11 25-33 MHz
	P Pole Mount Cabinet	2 Two Receivers	5 25 kHz	B One Battery Panel	2 E & M	N Noise Blanker	22 33-42 MHz
	V Floor Mount Cabinet	3 Three Receivers	6 30 kHz	C Two Battery Panels		U Channel Guard	33 42-50 MHz
	W Wall Mount Cabinet	4 Four Receivers		D Three Battery Panels		W Noise Blanker & Channel Guard	55 132-150.8 MHz
		5 Five Receivers		E Four Battery Panels			66 150.8-175 MHz
		6 Six Receivers		F Five Battery Panels			77 406-420 MHz
		7 Seven Receivers		G Six Battery Panels			88 450-470 MHz
		8 Eight Receivers					

PUBLICATION INDEX
MASTR® PROFESSIONAL
SATELLITE RECEIVER

Product Code 54
MASTR® PROFESSIONAL
SATELLITE RECEIVER

BINDER
COMBINATION MANUAL (GRAY)

DIGITS

ALL

RECEIVER MANUAL (BROWN)

DIGIT 7

DIGIT 8 & 9

S,U

11, 22, 33

N,W

11, 22, 33

S,U

55, 66

N,W

55, 66

S,U

77, 88

POWER SUPPLY MANUAL (BLUE)

DIGITS

ALL

tone MANUAL

DIGIT 6

1

2

ECP200

LBI4293/DF9026

LBI4123/DF1095

LBI4124/DF1095

LBI3867/DF1094

LBI4034/DF1094

LBI3999/DF1086

LBI4172/DF0060

LBI4582/DF5042

NONE

MASTR® PROFESSIONAL SERIES SATELLITE RECEIVER (PC54)

OPTION	PUBLICATION	DESCRIPTION
7680	LBI4293/DF9026	Standby Battery Kit
7681	LBI3867/DF1094 LBI4123/DF1095	HB Receiver w/E & M Signaling LB Receiver w/E & M Signaling
7682	LBI4123/DF1095 LBI3867/DF1094	LB Rx w/E & M Signaling & Channel Guard HB Rx w/E & M Signaling & Channel Guard
7683	LBI4124/DF1095	LB Rx w/E & M Signaling & Noise Blanker
7684	LBI4124/DF1095	LB Rx w/E & M Signaling, NB & CG
7692	LBI4582/DF5041	Tone Panel For Non GE Receivers
7693	LBI4123/DF1095 LBI3867/DF1094	LB Rx w/Tone Signaling HB Rx w/Tone Signaling
7694	LBI4123/DF1095 LBI3867/DF1094	LB Rx w/Tone Signaling & Channel Guard HB Rx w/Tone Signaling & Channel Guard
7695	LBI4124/DF1095	LB Rx w/Tone Signaling & Noise Blanker
7696	LBI4124/DF1095 LBI4034/DF1094	LB Rx w/Tone Signaling & CG & Noise Blanker HB Rx w/Tone Signaling & CG & Noise Blanker
7697	LBI4293/DF9026	Battery Heater
7698	LBI4293/DF9026	Cabinet Heater
7699	LBI4216/DF8388	Rx Multicoupler
7785	LBI3999/DF1086	UHF Rx E & M Signaling
7786	LBI3999/DF1086	UHF Rx E & M Signaling & Channel Guard
7787	LBI4034/DF1094	HB Rx E & M Signaling & Noise Blanker
7788	LBI4034/DF1094	HB Rx E & M Signaling & NB & Channel Guard
7793	LBI3999/DF1086	UHF Rx Tone Signaling
7794	LBI3999/DF1086	UHF Rx Tone Signaling & Channel Guard
7795	LBI4034/DF1094	HB Rx Tone Signaling & Noise Blanker
7796	LBI4034/DF1094	HB Rx Tone Signaling & NB & Channel Guard

LEGEND:

NONE= NO INSTRUCTION
 *= INSTRUCTIONS
 PROVIDED AS PART
 OF ASSOCIATED
 EQUIPMENT MANUAL

GENERAL ELECTRIC COMPANY • MOBILE COMMUNICATIONS DIVISION
 WORLD HEADQUARTERS • LYNCHBURG, VIRGINIA 24502 U.S.A.

GENERAL  ELECTRIC*
 U.S.A.

* Trademark of General Electric Company U.S.A.
 Printed in U.S.A.