

COMBINATION NOMENCLATURE

Digit 1	Digit 2	Digit 3	Digit 4	Digit 5	Digit 6	Digit 7	Digits 8 & 9
Mechanical Package	Operating Voltage	RF Power Output Range	Channel Spacing	Mounting	No. of Freq.	Options	Freq. Range
R Mobile Unit	K 12 VDC Neg. Ground	5 16-38 watts	4 20 MHz	T Trunk Mount Mobile	A 1 Freq. Tx 1-Freq. Rx	S Standard	11 25-33 MHz
		6 38-64 watts	5 25 MHz	F Front Mount Mobile	B 2-Freq. Tx 1 Freq. Rx	N Noise Blanker	22 33-42 MHz
			6 30 MHz		C 2 Freq. Tx 2 Freq. Rx	U Channel Guard	33 42-50 MHz
			7 40 MHz		D 1 Freq. Tx 2 Freq. Rx	W Channel Guard and Noise Blanker	66 150.8-174 MHz
			9 60 MHz		E 3 Freq. Tx 3 Freq. Rx		88 450-470 MHz
					F 4 Freq. Tx 4 Freq. Rx		

11000-6 (PC56)
Issue 3
July 1983

PRODUCT CODE 56
ROYAL EXECUTIVE CIP, MOBILE

OPERATOR'S MANUAL

DIGIT
ALL

LBI3898

INSTALLATION MANUAL

DIGIT
ALL

LBI3711/DF9016

MAINTENANCE MANUAL (BLUE)

DIGITS 8 & 9
11,22,33

LBI4270

66

LBI4333

88

LBI4345

TONE MANUAL (LIGHT GREEN)

DIGIT 7
U, W

LBI4143/DF5039

ROYAL EXECUTIVE CIP MOBILE OPTIONS (PC56)

OPTION	PUBLICATION	DESCRIPTION
3211	None	Delete L.B. Antenna
3213	None	Delete H.B. Antenna'
3453	LBI3184/DF5031	Noise Suppression Kit
3457	None	Lease Decal
7008	LBI3732	Internal/Ext. Speaker Kit
7012	None	Low Loss Coaxial Antenna
7094	LBI4270*	Low Band Antenna
	LBI4333*	
	LBI4345*	
7096	LBI4270*	High Band Antenna
	LBI4333*	
	LBI4345*	
7349	LBI4138/DF8405	CCT, Variable Timing Cycle
8009	None	Window Mount, 5-Watt Speaker
8011	None	Window Mount, 10-Watt Speaker
8013	LBI3773/DF9016	Weatherproof Box
8015	LBI3711/DF9016	Mounting Accessories, Front Mount
8016	LBI3711/DF9016	Mounting Accessories, Trunk Mount
8020	LBI4711/DF9016	Military Microphone w/Hangar
8024	LBI4362/DF8385	Handset/Hookswitch
8026	LBI4143/DF5039	Channel Guard, Decode Only
8027	LBI3711/DF9016	Channel Guard Hookswitch, Military Mike
8032	LBI3660/DF5027	Ext. CG Encoder, Front Mount, 2-Tone
	LBI3664/DF5027	
8033	LBI3660/DF5027	Ext. CG Encoder, Front Mount, 3-Tone
	LBI3664/DF5027	
8034	LBI3660/DF5027	Ext. CG Encoder, Front Mount, 4-Tone
	LBI3664/DF5027	
8035	LBI3660/DF5027	Ext. CG Encoder, Front Mount, 5-Tone
	LBI3664/DF5027	
8036	LBI3660/DF5027	Ext. CG Encoder, Front Mount, 6-Tone
	LBI3664/DF5027	
8037	LBI3660/DF5027	Ext. CG Encoder, Trunk Mount, 2-Tone
	LBI3664/DF5027	
8038	LBI3660/DF5027	Ext. CG Encoder, Trunk Mount, 3-Tone
	LBI3664/DF5027	
8039	LBI3660/DF5027	Ext. CG Encoder, Trunk Mount, 4-Tone
	LBI3664/DF5027	
8040	LBI3660/DF5027	Ext. CG Encoder, Trunk Mount, 5-Tone
	LBI3664/DF5027	
8041	LBI3660/DF5027	Ext. CG Encoder, Trunk Mount, 6-Tone
	LBI3664/DF5027	
8044	LBI3684*/DF5031	Type 90/99 Tone Decode Adapter
8077	LBI4270*	1-Freq. Control Unit, Trunk Mount Radio
	LBI4333*	
	LBI4345*	
8078	LBI4270*	2-3 Freq. Control Unit, Trunk Mount Radio
	LBI4333*	
	LBI4345*	
8079	LBI4270*	4-Freq. Control Unit, Trunk Mount Radio
	LBI4333*	
	LBI4345*	
8080	None	2 PPM ICOM, Tx & Rx, UHF
8081	None	2 PPM ICOM, 2Tx & 1Rx, UHF
8082	None	2 PPM ICOM, 2Tx & 1Rx, UHF

OPTION	PUBLICATION	DESCRIPTION
8083	None	2 PPM ICOM, 1Tx & 2Rx, UHF
8084	None	2 PPM ICOM, 3Tx Only, UHF
8085	None	2 PPM ICOM, 4Tx Only, UHF
8086	None	2 PPM ICOM, Tx & Rx w/CR, UHF
8087	None	2 PPM ICOM, 2Tx & 1Rx w/CG, UHF
8088	None	2 PPM ICOM, 2Tx & 2Rx w/CG, UHF
8089	None	2 PPM ICOM, 1Tx & 2Rx w/CG, UHF
8090	None	2 PPM ICOM, 3Tx Only
8091	None	2 PPM ICOM, 4Tx Only
8092	None	Noise Cancelling Microphone
8093	LBI3711/DF9016	Handset/Hookswitch
8094	LBI3711/DF9016	Handset
8301	None	OCDM Decal
8302	RC2401	Improved Intermod Kit, H.B./UHF
	RC2400/DF1091	
8307	LBI4138/DF8405	CCT
8444	LBI4270*	Tone Option Jack
	LBI4333*	
	LBI4345*	

LEGEND:

NONE= NO INSTRUCTION

*= INSTRUCTIONS

PROVIDED AS PART
OF ASSOCIATED
EQUIPMENT MANUAL

GENERAL ELECTRIC COMPANY • MOBILE COMMUNICATIONS DIVISION
WORLD HEADQUARTERS • LYNCHBURG, VIRGINIA 24502 U.S.A.

GENERAL  ELECTRIC
U.S.A.

* Trademark of General Electric Company U.S.A.
Printed in U.S.A.