

COMBINATION NOMENCLATURE

Digit 1	Digit 2	Digit 3	Digit 4	Digit 5	Digit 6	Digit 7	Digits 8 & 9
Mechanical Package	Operating Voltage	RF Power Output Range	Channel Spacing	Mounting	Number of Freq.	Options	Frequency Range
F Desk Top Station	K 117 VAC	5 16-38 watts	4 20 MHz	L Local Control Station	A 1-Freq. Tx 1-Freq. Rx	S Standard	11 25-33 MHz
W Wall Mount Station		6 38-64 watts	5 25 MHz	K Local Remote Station	B 2-Freq. Tx 1-Freq. Rx	N Noise Blanker	22 33-42 MHz
			6 30 MHz	R Remote Control Station	C 2-Freq. Tx 2-Freq. Rx	U Channel Guard	33 42-50 MHz
			7 40 MHz		D 1-Freq. Tx 2-Freq. Rx	W Channel Guard and Noise Blanker	66 150.8-174 MHz
			9 60 MHz		E 3-Freq. Tx 3-Freq. Rx		88 450-470 MHz
					F 4-Freq. Tx 4-Freq. Rx		

OPERATOR'S MANUAL
 ALL
 INSTALLATION MANUAL
DIGIT 1
 F
 W
 MAINTENANCE MANUAL
DIGITS 8 & 9
 11,22,33
 66
 88
 TONE MANUAL (Light Green)
DIGIT 7
 U,W

Product Code 63
 ROYAL EXECUTIVE
 STATION CIP

LBI3516

LBI3738/DF9016
 LBI3740/DF9016

LBI4449
 LBI4451
 LBI4452

LBI4143/DF5039

ROYAL EXECUTIVE STATION OPTIONS (PC63)

OPTION	PUBLICATION	DESCRIPTION
3457	None	Lease Decal
7349	LBI4138*/DF8405	CCT, Variable Timing Cycle Mod.
7610	LBI4093/DF4072	Carrier Operated Relay
8026	LBI4143/DF5039	C.G. Decode Only
8301	None	OCDM Decal
8302	RC2400/DF1091	HB/UHF Improved Intermod
	RC2401/DF1091	
8309	LBI4138/DF8405	CCT
8315	LBI4449*	Military, Microphone for Desk Top Station, CG
	LBI4451*	
	LBI4452*	
8316	LBI4449*	Handset for CG Desk Station
	LBI4451*	
	LBI4452*	
8401	LBI4449*	12 Hr. Clock, 117 VAC, 60 Hz
	LBI4451*	
	LBI4452*	
8402	LBI4449*	12/24 Hr. Clock, 117 VAC, 60 Hz
	LBI4451*	
	LBI4452*	
8408	None	234 VAC, 50/60 Hz Mod, Desk Top Station
8409	None	234 VAC, 50/60 Hz Mod, Wall Mount Station
8411	None	Tone Decode Adapter, Type 90/Type 99
8412	LBI4449*	12 Hr. Clock, 220 VAC, 60 Hz
	LBI4451*	
	LBI4452*	
8413	LBI4449*	12/24 Hr. Clock, 220 VAC, 60 Hz
	LBI4451*	
	LBI4452*	
8414	None	12 Hr. Clock, 220 VAC, 50 Hz
8415	None	12/24 Hr. Clock, 220 VAC, 50 Hz,
8416	None	12 Hr. Clock, 117 VAC, 50 Hz
8417	None	12/24 Hr. Clock, 117 VAC, 50 Hz
8418	None	240 VAC Heater, 50/60 Hz, Wall Mount Station
8421	LBI4449*	Accessories, Wall Mount Station
	LBI4451*	
	LBI4452*	
8422	LBI4449*	Fan Kit, 117 VAC, 60 Hz, Desk Station
	LBI4451*	
	LBI4452*	
8423	LBI4449*	Fan Kit, 117 VAC, 60 Hz, Wall Station
	LBI4451*	
	LBI4452*	
8424	LBI4449*	Heater Kit, 117 VAC, 50/60 Hz
	LBI4451*	
	LBI4452*	
8451	LBI4912/DF8411	12 Hr. Digital Clock, 121 VAC, 60 Hz, Desk Sta.
8452	LBI4912/DF8411	24 Hr. Digital Clock, 121 VAC, 60 Hz, Desk Sta.
8453	LBI4912/DF8411	12 Hr. Digital Clock, 121 VAC, 50 Hz, Desk Sta.
8454	LBI4912/DF8411	24 Hr. Digital Clock, 121 VAC, 50 Hz, Desk Sta.
8455	LBI4912/DF8411	12 Hr. Digital Clock, 242 VAC, 60 Hz, Desk Sta.
8456	LBI4912/DF8411	24 Hr. Digital Clock, 242 VAC, 60 Hz, Desk Sta.
8457	LBI4912/DF8411	12 Hr. Digital Clock, 242 VAC, 50 Hz, Desk Sta.
8458	LBI4912/DF8411	24 Hr. Digital Clock, 242 VAC, 50 Hz, Desk Sta.

OPTION	PUBLICATION	DESCRIPTION
8467	None	Fan, 220 VAC, 60 Hz
8468	None	Fan & Heater, 220 VAC, 60 Hz
8472	LBI3660/DF5027	Ext. CG Encoder, Desk Station, 2-Tone
	LBI3664/DF5027	
8473	LBI3660/DF5027	Ext. CG Encoder, Desk Station, 3-Tone
	LBI3664/DF5027	
8474	LBI3660/DF5027	Ext. CG Encoder, Desk Station, 4-Tone
	LBI3664/DF5027	
8475	LBI3660/DF5027	Ext. CG Encoder, Desk Station, 5-Tone
	LBI3664/DF5027	
8476	LBI3660/DF5027	Ext. CG Encoder, Desk Station, 6-Tone
	LBI3664/DF5027	
8481	LBI4449*	Meter Kit
	LBI4451*	
	LBI4452*	
8482	LBI4449*	12/24 Hr. Clock, 117 VAC, 60 Hz & Meter Kit
	LBI4451*	
	LBI4452*	
8483	LBI4449*	12 Hr. Clock, 117 VAC, 60 Hz & Meter Kit
	LBI4451*	
	LBI4452*	
8484	LBI3815/DF8397	Compressor
8485	LBI4449*	Power Line Surge Protector, 117 VAC
	LBI4451*	
	LBI4452*	
8486	LBI4449*	Power Line Surge Protector, 234 VAC
	LBI4451*	
	LBI4452*	
8487	LBI4449*	Remote Control Surge Protector Kit
	LBI4451*	
	LBI4452*	
8493	LBI4449*	Handset/Hookswitch, Desk Station
	LBI4451*	
	LBI4452*	
8494	LBI4449*	Handset, Desk Station
	LBI4451*	
	LBI4452*	
8495	LBI4449*	Military Microphone Desk Station
	LBI4451*	
	LBI4452*	
8496	LBI4449*	Handset/Hookswitch w/CG Mon. Switch, Desk Stat.
	LBI4451*	
	LBI4452*	

LEGEND:

NONE= NO INSTRUCTION
 *= INSTRUCTIONS
 PROVIDED AS PART
 OF ASSOCIATED
 EQUIPMENT MANUAL

GENERAL ELECTRIC COMPANY • MOBILE COMMUNICATIONS DIVISION
 WORLD HEADQUARTERS • LYNCHBURG, VIRGINIA 24502 U.S.A.

GENERAL  ELECTRIC*
 U.S.A.