



11000-6
ISSUE 6

[PC70]
NOVEMBER 1988

PUBLICATION INDEX

MASTR® II AUXILIARY RECEIVER

COMBINATION NOMENCLATURE

Digit 1	Digit 2	Digit 3	Digit 4	Digit 5	Digits 6 & 7	Digit 8
Package	Options	Channel Spacing	Number of Frequencies	Options	Frequency Range	Oscillator Stability
R 12 VDC Rec. Without AMU	1 Standard	4* 20 kHz	A 1 Freq.	S Standard	12* 25-30 MHz	A ±5 PPM
M 12 VDC Rec. With AMU	2 Secur-R Tone Notch Filter	5 25 kHz	E 5 Receivers	N Noise Blanker	13* 30-36 MHz	B ±2 PPM
S* 121 VAC Rec. Without AMU	3* Voting Tone Board	6 30 kHz		P Preamplifier	23* 36-42 MHz	E ±1 PPM
T* 121 VAC Rec. With AMU	4 Squelch Operated Relay			U Channel Guard	33* 42-50 MHz	
W* 121 VAC Rec. in Wall Mount Cabinet	5* Notch Filter & Voting Board			W CG & NB	44* 60-78 MHz	
K 5 RCVR Station PST	6 Notch Filter & SOR			G CG & Preamp.	45* 77-88 MHz	
	7 Line Response Compensator				56 138-150.8 MHz	
	8 Line Comp/ Notch Filter				66 150.8-174 MHz	
	9* Line Comp/ Voting Board				77 408-420 MHz	
	A Line Comp/ SOR				78 420-450 MHz	
	B* Line Comp/ Notch Filter/ Voting Board				88 450-470 MHz	
	C Line Comp/ Notch Filter/ SOR				89 470-494 MHz	
					91 494-512 MHz	
					96 800-825 MHz	

*NOTE: Not compatible with Voice Guard Option 9723.

PC70

**INSTALLATION/MAINTENANCE MANUAL
BINDER**

COMBINATION MANUAL (BLACK)

Digit 1

R,M,S,T,K
W

INSTALLATION MANUAL

Digit 1

W

RECEIVER MANUAL (BROWN)

Digit 5

Digits 6 & 7

S,U	12,13,23,33
N,W	12,13,23,33
S,U	44,45
S,U,P,G	56,66
N,W	56,66
S,U,P,G	77,78,88,89,91
S,U	96

C.G. TONE MANUAL (LIGHT GREEN)

Digit 5

G,U,W

VOTING TONE MANUAL (LIGHT GREEN)

Digit 2

3,5

GETC

Digit 1

K

1950 Hz

Digit 1

K

POWER SUPPLY

Digit 1

K

ECP-200

LBI-30766/DF9035

LBI-30773/DF9035

LBI-30592/DF9035

LBI-30019/DF1100

LBI-30020/DF1100

LBI-30611/DF1100

LBI-30027/DF1101

LBI-30028/DF1101

LBI-30025/DF1104

LBI-30464/DF1104

LBI-4743/DF5046 (PRIOR TO 7/82)

LBI-31056

LBI-4913/DF5046

LBI-38174

LBI-31981

LBI-30731

MASTR® II AUXILIARY RECEIVER OPTIONS (PC70)

<u>OPTION</u>	<u>PUBLICATION</u>	<u>DESCRIPTION</u>
9620	LBI-30773*/DF9035	STANDBY BATTERY/CHARGER
9621	LBI-30773*/DF9035	BLOWER KIT
9622	LBI-30773*/DF9035	HEATER KIT
9623	LBI-30773*/DF9035	BLOWER & HEATER KITS
9656	LBI-30767/DF5046	VOTING TONE BOARD WITH TEST TONES
9657	LBI-30715/DF4098	CG FILTER & AUDIO ATTEN.
9658	LBI-30715/DF4098	CG FILTER & AUDIO ATTEN.
9722	NONE	DELETES CG BOARD AND CG FILTER
9723	LBI-31679	VG SHELF (END-TO-END)
9729	LBI-31687 & LBI-31674	VGE DECRYPT
9730	LBI-31699 & LBI-31665	VG DECRYPT (NON-1027)

LEGEND:**NONE = NO INSTRUCTIONS***** = INSTRUCTIONS PROVIDED AS PART OF
ASSOCIATED EQUIPMENT MANUAL****GE Mobile Communications**

General Electric Company
Lynchburg, Virginia 24502

Printed in U.S.A