

COMBINATION NOMENCLATURE

DIGITS 1 & 2	DIGIT 3	DIGIT 4	DIGIT 5	DIGIT 6	DIGIT 7	DIGIT 8	DIGIT 9	DIGIT 10
Product Code	Package	Tx Frequency Range	Rx Frequency Range	Channel Spacing	RF Power Output	Max Channel Capacity		Power Source
P5 MPI	B Local Cover	H 136-151 MHz	H 136-151 MHz	5 25 kHz	5 1.7-3.8 Watts	B 2 Tx/2 Rx	E Standard	N NiCd 450 mAh
	C Local/ Remote	J 150-174 MHz	J 150-174 MHz	6 30 kHz	6 3.9-6.4 Watts	C 2 Tx/1 Rx		
		M 403-425 MHz	M 403-425 MHz			D 1 Tx/2 Rx		
		N 420-450 MHz	N 420-450 MHz					
		R 450-470 MHz	R 450-470 MHz					
		S 470-494 MHz	M 470-494 MHz					
		T 489-512 MHz	T 489-512 MHz					

11000-6 (PCP5)
Issue 4
November 1985

PUBLICATION INDEX
MPI PERSONAL RADIO

STRUCTURED OPTIONS

DIGIT A	DIGIT B	DIGIT C	DIGIT D	DIGIT E	DIGIT F	DIGIT H	DIGIT K
Tx Xtals	Rx Xtals	Tone/Code	189	Options	Options	Options	Alternate IF
A 1 Xtal	A 1 Xtal	O None	O None	O None	O None	O None	O None
B 2 Xtals	B 2 Xtals	2 1 Tone Enc CG	L T99 Ind	1 DTMF	4 Intrin. Safe	A CGE UHF	3 Alternate IF
O No Xtals	O No Xtals	U 1 Tone Enc/DCC CG	M T99 Ind - Group			B CGE HB	
		4 1 Code Enc DCG	N T99 Ind - CG				
		D 1 Code Enc/Dec DCG					
		R 1 Tone CG Enc w/Switch					
		S 1 Code DCG Enc w/Switch					

OPERATOR'S MANUAL

LBI-31142

MAINTENANCE MANUAL

DIGIT 4	DIGIT 7
M,N,R,S,T	5
H,J	5
M,N,R,S,T	6
H,J	6

LBI-31102
LBI-31168
LBI-31496 (LBI-31302 PRIOR to 12/85)
LBI-31497 (LBI-31311 PRIOR to 12/85)

STRUCTURED OPTIONS

DIGITS A & B

A,B,0

NONE

DIGIT C

0

NONE

2,U,4,D,R,S

LBI-31392 (LBI-31174 PRIOR TO 1-84)

DIGIT D

0

NONE

L,M

LBI-31182

N

LBI-31316

DIGIT E

0

NONE

1

LBI-31314

DIGIT F

0

NONE

4

LBI-31102*

LBI-31168*

LBI-31302*

LBI-31311*

DIGIT H

0

NONE

A

NONE

B

NONE

DIGIT K

0

NONE

3

LBI-31102*

LBI-31168*

LBI-31302*

LBI-31311*

MPI OPTIONS

OPTIONS	PUBLICATION	DESCRIPTION
AC19	NONE	EARPIECE KIT
AE11	LBI-31309	SPEAKER-MIC - DELUXE WITH VELCRO PATCH
AE12	LBI-31309	SPEAKER-MIC - DELUXE WITH SPRING CLIP
AE25	NONE	VELCRO PIN PATCH
AE30	LBI-31310	SPEAKER-MIC - STANDARD WITH SPRING CLIP
AE31	LBI-31310	SPEAKER-MIC - STANDARD WITH VELCRO PATCH
CB10	LBI-31174*/LBI-31392	CARRIER CONTROLLED TIMER
CB11	LBI-31174*/LBI-31392	CARRIER CONTROLLED TIMER WITH CHANNEL GUARD
DA10	NONE	LEASE NAMEPLATE
DA50	NONE	CSIP - CUSTOMER SHOP
DA51	NONE	CSIP - GE SERVICE SHOP
DLO2	NONE	DEALER OPTION
HC10	NONE	LEATHER CASE, LOW PWR BELT MOUNT
HC11	NONE	LEATHER CASE, LOW PWR SWIVEL MOUNT
HC12	NONE	LEATHER CASE, HIGH PWR BELT MOUNT
HC13	NONE	LEATHER CASE, HIGH PWR SWIVEL MOUNT
HC14	NONE	NYLON FABRIC CASE, HI/LO POWER
HC15	NONE	SHOULDER STRAP
HC17	NONE	SWIVEL PLATE
HC18	NONE	POCKET CLIP
HC20	NONE	BELT LOOP
NC01	NONE	DELETE UHF ANTENNA
NC02	NONE	DELETE HB ANTENNA
NC10	NONE	SPARE HB ANTENNA - RANGE J
NC11	NONE	SPARE UHF ANTENNA - RANGE M,N,R
NC12	NONE	TWO-INCH UHF SPRING WHIP - RANGE R

OPTIONS	PUBLICATION	DESCRIPTION
NC13	NONE	SPARE UHF ANTENNA - RANGE S
NC14	NONE	SPARE UHF ANTENNA - RANGE T
PA14	LBI-31102*	BATTERY PACK - 450 mAh, 7.5 VOLTS DC
	LBI-31168*	
PA15	LBI-31302*	BATTERY PACK - 450 mAh 10 VOLTS DC
	LBI-31311*	
PA16	NONE	DELETE 7.5-VOLT BATTERY PACK
PA17	NONE	DELETE 10-VOLT BATTERY PACK
PS10	LBI-31268	DESK CHARGER - 120V/60 Hz - 14 HOUR
PS11	LBI-31268	DESK CHARGER - 220V/50 Hz - 14 HOUR
PS12	LBI-31260	120-VOLT MULTI-UNIT CHARGER - 14 HOUR
PS13	LBI-31260	220-VOLT MULTI-UNIT CHARGER - 14 HOUR
PS14	LBI-31261	VEHICULAR CHARGER - 14 HOUR
PS15	LBI-31261	VEHICULAR CHARGER - 14 HOUR
PS16	LBI-31300	DESK CHARGER - 121V/60 Hz (UL) - 4.5/14 HOUR
PS17	LBI-31300	DESK CHARGER - 120V/50/60 Hz - 4.5/14 HOUR
PS18	LBI-31300	DESK CHARGER - 220V/50/60 Hz - 4.5/14 HOUR

LEGEND:

NONE = NO INSTRUCTION
* = INSTRUCTIONS PROVIDED
AS PART OF ASSOCIATED
EQUIPMENT MANUAL

GENERAL ELECTRIC COMPANY • MOBILE COMMUNICATIONS DIVISION
WORLD HEADQUARTERS • LYNCHBURG, VIRGINIA 24502 U.S.A.

GENERAL  ELECTRIC*

U.S.A.

* Trademark of General Electric Company U.S.A.
Printed in U.S.A.