

PUBLICATIONS INDEX

MPS PERSONAL (SYNTHESIZED)

COMBINATION NOMENCLATURE

Digits 1 & 2	Digit 3	Digit 4	Digit 5
Product Code	Transmit Frequency Range	Power Source	Maximum Channel Capacity
P9	H 138-152 MHz	N 750 mAh NiCd	A 12 Freq.
	J 148-163 MHz	M 1200 mAh NiCd	B 24 Freq.
	K 157-174 MHz	X NO BATT	C 36 Freq.
	M 403-435 MHz		D 48 Freq. Numeric
	N 435-450 MHz		E 48 Freq. Alpha
	R 450-470 MHz		F 64 Freq.
	S 470-494 MHz		T 8 Freq.
	T 494-512 MHz		

STRUCTURED OPTIONS

A Programming	C Option	D Option	E Option	F Option	G Option	H Channel Spacing	J Option	K Option	M Option	N Option
1 Factory	0 None	0 None	0 None	0 None	0 None	0 Std.	0 None	0 None	0 None	0 None
0 Customer	U CG/DCG	1 DTMF	G GE-STAR Toggle	2 Int Safe Grp. D	P PSLM	A 12.5 MHz	H Hi/Lo Pwr Man	3 Alt IF 21.4 MHz	D VOICEGUARD	K Key Select 2 Pos. Toggle
	L T99		1 GE-STAR Lanyard	4 Int. Safe Grp. C	L PSLM Pri. Load SW		1 Hi/Lo Pwr Auto	4 Std. IF 23.0 MHz	V VOICE GUARD (Radio Ready)	E Key Select 3 Pos. Toggle
	T CG & T99		H GE-STAR & Hi/Lo		S PSLM Pri. By Unit On/Off Switch		M Hi/Lo Pwr Marine	5 Alt. IF 23.0 MHz	G VGE	Y Key Select 1-7 Pos. BCD
	A CG & T99 and and/or		A GE-STAR ID Off		M PSLM Pri. By Load Sw. & Unit On/Off Sw.		2 Lo Pwr			

STRUCTURED OPTIONS ARE OPTIONS ORDERED
AS PART OF THE COMBINATION NOMENCLATURE.
ONLY ONE OR NONE IN EACH GROUP CAN BE
ORDERED.

OPERATOR'S MANUAL

OPTION M

O

D,V

LBI-31414

LBI-31612

BINDER

ECP200

COMBINATION MANUAL (BLACK & WHITE)

DIGIT 3

H,J,K

M,N,R,S,T

LBI-31413

LBI-31461

STRUCTURED OPTIONS

TONE OPTIONS (LIGHT GREEN)

OPTION C

U,L,T,A

LBI-31470

OPTION D

I

LBI-31472

OPTION E

G,I,H,A

LBI-31468

OTHER STRUCTURED OPTIONS (GREEN)

OPTION G

P,L,M,S

LBI-31473

OPTION H

A

LBI-31474

OPTION J

H,I,M,2

LBI-31475

OPTION K

3,4,5

LBI-31476

OPTION M

D

LBI-31613

V

LBI-31614

INSTALLATION INSTRUCTIONS (WHITE)

DIGIT 5

OPTION C

O,U,L,T

O,U,L,T

U,T

MAX CHAN CAP

B,C

D,E,F

T

LBI-31490

LBI-31489

LBI-31492

MPS PERSONAL OPTIONS

<u>OPTIONS</u>	<u>PUBLICATION</u>	<u>DESCRIPTION</u>
AB10	LBI-31507	NOISE CANCELLING MICROPHONE
AC10	NONE	EAR MOUNT HEADSET
AC11	NONE	REGULAR HEADSET
AC12	NONE	LIGHT WEIGHT HEADSET
AC13	LBI-31506	NOISE HEADSET JUNCTION BOX
AC14	LBI-31508	EARPIECE OPTION KIT
AC15	LBI-31506	NOISE HEADSET (HARDHAT) JUNCTION BOX
AC17	NONE	EARPHONE JACK
AC19	LBI-31508	EARPIECE FOR AC17
AC23	LBI-31488	MINIMUM VOLUME
AD10	LBI-31508	LAPEL SPEAKER
AD11	NONE	LAPEL SPEAKER
AD12	LBI-31508	UDC CONNECTOR WITH EARPIECE
AE10	LBI-31301	SPK-MIC COIL CORD BUTTON HANG UP
AE11	LBI-31301	SPK-MIC COIL CORD VELCRO HANG UP
AE12	LBI-31301	SPK-MIC COIL CORD SPRING CLIP HANG UP
AE13	LBI-30769	SPK-MIC ANT 22" CABLE BUTTON HANG UP
AE14	LBI-30769	SPK-MIC ANT 22" CABLE VELCRO HANG UP

<u>OPTIONS</u>	<u>PUBLICATION</u>	<u>DESCRIPTION</u>
AE15	LBI-30769	SPK-MIC ANT 22" CABLE SPRING CLIP HANG UP
AE16	LBI-30769	SPK-MIC ANT 18" CABLE BUTTON HANG UP
AE17	LBI-30769	SPK-MIC ANT 18" CABLE VELCRO HANG UP
AE18	LBI-30769	SPK-MIC ANT 18" CABLE SPRING CLIP HANG UP
AE19	LBI-30769	SPK-MIC ANT 22" ARMORED BUTTON HANG UP
AE20	LBI-30769	SPK-MIC ANT 22" ARMORED VELCRO HANG UP
AE21	LBI-30769	SPK-MIC ANT 22" ARMORED SPRING CLIP HANG UP
AE22	LBI-30769	SPK-MIC ANT 18" ARMORED BUTTON HANG UP
AE23	LBI-30769	SPK-MIC ANT 18" ARMORED VELCRO HANG UP
AE24	LBI-30769	SPK-MIC ANT 18" ARMORED SPRING CLIP HANG UP
AE25	NONE	SPARE VELCRO PIN PLATE
AE26	NONE	BELT MOUNT MIC BRACKET
AE30	NONE	CUSTOM SPEAKER/MIC
CB11	LBI-31413*	CARRIER CONTROL TIMER
	LBI-31461*	CARRIER CONTROL TIMER
DA10	NONE	LEASE NAMEPLATE
DA50	NONE	CSIP CUSTOMER SHOP
DA51	NONE	CSIP GE SERVICE CENTER
HB12	NONE	UDC OPTION KIT
HC11	NONE	LEATHER CASE (RADIO W/750 mAh BATTERY PACK)
HC12	NONE	LEATHER CASE (RADIO W/1200 mAh BATTERY PACK)
HC15	NONE	SHOULDER STRAP
HC16	NONE	HAND STRAP
HC17	NONE	SWIVEL PLATE
HC18	NONE	POCKET CLIP PLATE
HC20	NONE	BELT LOOP
HC22	NONE	LEATHER CASE (RADIO W/750 mAh BATTERY PACK & SWIVEL MOUNT)
HC23	NONE	LEATHER CASE (RADIO W/1200 mAh BATTERY PACK & SWIVEL MOUNT)
HC26	NONE	SWIVEL MOUNT KIT
MD13	LBI-31491	FIXED SQUELCH
MD15	LBI-31477	REPEATER TALK AROUND
MD17	LBI-31468*	GE-STAR SIDE TONE
NC01	NONE	DELETE STANDARD UHF ANTENNA
NC02	NONE	DELETE STANDARD HB ANTENNA
NC10	NONE	SPRING WHIP ANT. FREQ. RANGE H, J & K
NC15	NONE	SPRING WHIP ANT. FREQ. RANGE N
NC16	NONE	SPRING WHIP ANT. FREQ. RANGE M & R
NC17	NONE	SPRING WHIP ANT. FREQ. RANGE S & T
NC20	NONE	2" SPRING WHIP ANT. FREQ. RANGE N
NC21	NONE	2" SPRING WHIP ANT. FREQ. RANGE M
NC22	NONE	2" SPRING WHIP ANT. FREQ. RANGE R
NC23	NONE	2" SPRING WHIP ANT. FREQ. RANGE S
NC24	NONE	2" SPRING WHIP ANT. FREQ. RANGE T
PA10	LBI-31413*	750 mAh BATTERY PACK
	LBI-31461*	750 mAh BATTERY PACK
PA11	LBI-31413*	1200 mAh BATTERY PACK
	LBI-31461*	1200 mAh BATTERY PACK
PA12	NONE	750 mAh BATTERY PACK, INTRINSICALLY SAFE (GPD)
PA13	NONE	1200 mAh BATTERY PACK, INTRINSICALLY SAFE (GPD)
PA14	NONE	750 mAh BATTERY PACK, INTRINSICALLY SAFE (GPC)
PA15	NONE	1200 mAh BATTERY PACK, INTRINSICALLY SAFE (GPC)
RA10	LBI-31413*	PRE-AMPLIFIER, FREQ. RANGE H & J
RA11	LBI-31413*	PRE-AMPLIFIER, FREQ. RANGE K

LEGEND:

NONE = NO INSTRUCTIONS
 * = INSTRUCTIONS PROVIDED
 AS PART OF ASSOCIATED
 EQUIPMENT MANUAL

GENERAL ELECTRIC COMPANY • MOBILE COMMUNICATIONS DIVISION
 WORLD HEADQUARTERS • LYNCHBURG, VIRGINIA 24502 U.S.A.



* Trademark of General Electric Company U.S.A.
 Printed in U.S.A.