





P502
38 POS MALE CONN.
WITH PIN REMOVED
IN POS 32.




SHOWN FROM SOLDER SIDE **CONTROL HEAD FLEX CABLE**

NOTE 1: PTT IN SP CUSTOMER APPLICATIONS.
NOTE 2: TX AUDIO IN SP CUSTOMER APPLICATIONS.
NOTE 3: DET AUDIO IN SP CUSTOMER APPLICATIONS.


FOLDING FLEX CABLE **FOR INSTALLATION**

Spectra CONTROL HEAD INTERCONNECT BOARD



NOTE 1: CONTROL HEAD SWITCHED B+.
 NOTE 2: SERIAL BUS RESET.
 NOTE 3: DETECTED AUDIO.
 NOTE 4: JU0010, JU0011, CR0010 INSTALLED FOR AVL OPTION.
 TRACE CUT (⊗) ONLY WHEN CR0010 INSTALLED.

GPW-6269-A



GPW-6300-O



parts list

HLN6066A/B Control Head Interconnect Board

MXW-5959-A

REFERENCE SYMBOL	MOTOROLA PART NO.	DESCRIPTION
connector receptacle J103	09-80113M03	vertical, dual row, 28 position
connector plug P502	28-80102M08	vertical, 38 position


9/15/89



J103R

Spectra REMOTE MOUNT CONTROL CABLE


P5



GXW-4292-0


Spectra RADIO FRONT CONNECTOR**J5**

(DB-25 CONNECTOR FEMALE PIN-VIEW)

**NOTES:**

1. PTT IN SP CUSTOMER APPLICATIONS.
2. TX AUDIO IN SP CUSTOMER APPLICATIONS.
3. DET AUDIO IN SP CUSTOMER APPLICATIONS.

GXW-4281-0

Spectra REMOTE MOUNT ACCESSORY CONNECTOR**J3**

GXW-4283-0